


# **FEATURES**

- Material : UL approved Nylon 66, 94V-2.
- Color: Natural, available in other colors.
- Saddle design provide maximum stability to wire bundles.
- To apply, simply fix mount with a screw and secure wire bundles with Nylon cable ties.

# RS PRO Saddle Type Tie Mount

RS Stock No.: 2138521, 2138520



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



#### **Product Description**


- Material: UL approved Nylon 66, 94V-2
- Color: Natural, available in other colors.
- Saddle design provide maximum stability to wire bundles.
- To apply, simply fix mount with a screw and secure wire bundles with Nylon cable ties.

#### **General Specifications**

Series	Saddle Type tie mount		
Туре			
Colour	Natural		
Material	Nylon66		
UV Resistant	No		
Minimum Operating Temperature	-40°C		
Maximum Operating Temperature	85°C		
Fire Behaviour			
Quantity	100		

### Mechanical Specifications

RS Article	Н	L	W	Max. tie width T	В	Packing
2138521	5	19	9.5	5	4.3	100 000
2138520	5	19	9.5	5	5.2	100 pcs





Approvals	
Declarations	
Standards Met	RoHS, HF

## **Similar Products**

Stock No.	Brand	Product Name	Colour	Material
865-9708	RS PRO	Cable Tie Mount	Natural	Nylon66
865-9717	RS PRO	Cable Tie Mount	Natural	Nylon66

