

FEATURES

- Thermobonded
- Flame retardent
- Polyester media
- G4 Grade
- Thermal stability 90°C
- 20mm thickness

RS PRO Media Roll Filter, Polyester Media, G4 Grade, 1000 x 2000 x 20mm

RS Stock No.: 827-9529



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

Brought to you by RS PRO is a fire rated synthetic HVAC filter media formed from thermobonded non-woven 100% PET fibres with flame retardant properties.

827-9529 - Media Roll Filter, G4, 1000 x 2000 x 20mm

122-1773 - Filter Media G4, 20m x 1m x 20mm

122-1774 - Filter Media G4, 1.6m x 1m x 20mm

General Specifications

Filter Type	Media Roll
Filter Grade	G4
Media Material	PET
Colour	White
Applications	HVAC air filters are used in heating, ventilation and air conditioning (HVAC) systems to improve air quality by removing unwanted particles from the air.

Properties	
Thermal stability	90°C

Mechanical Specifications

Nominal Dimensions	39in x 78in x 0.8in
Nominal Height	39in
Nominal Width	78in
Nominal Depth	20mm
Initial Pressure Drop	35Pa
Final Pressure Drop	250Pa



Actual Dimensions	
Dimensions	1000mm x 2000mm x 20mm
Actual Height	1000mm
Actual Width	2000mm
Actual Depth	20mm

Approvals

Compliance/Certifications	2011/65/EU and 2015/863
Standards Met	ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007

