

FEATURES

- Ideal for joining metal or plastic sheets or large panels
- Neat and tidy final finish
- Zinc coated
- Good protection against surface rust
- Recyclable
- Available in a wide range of sizes and drive types

RS PRO Combo Screws

RS Stock No.: See Table Below



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

Introducing the range of RS PRO Socket Screws, a high-quality fastener solution for applications where a secure finish and precise tolerances are required when joining two panels or surfaces together. Each fastener is made from steel with a zinc coating, making them much more cost-effective than their stainless-steel counterparts, while offering a high level of protection against surface rust and oxidation.

Applications:

- Carpentry construction like decking, railings and small frames
- Metalwork and metal framing
- Building work and construction
- DIY

General Specifications

RS Stock Number	Approvals	Drive Type	Finish	Head Shape	Material	Length	Thread Size	Stainless Steel Type
2453745	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	3/8	4	Mild Steel
2453746	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1/4	6	Mild Steel
2453747	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	5/8	6	Mild Steel
2453748	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1 1/4	6	Mild Steel
2453749	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1 1/2	6	Mild Steel
2453750	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	2	6	Mild Steel
2453751	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1/2	7	Mild Steel
2453752	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	5/8	7	Mild Steel
2453753	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	3/4	7	Mild Steel
2453754	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1	7	Mild Steel
2453755	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1 1/4	8	Mild Steel
2453756	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1 1/2	8	Mild Steel
2453757	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1 3/4	8	Mild Steel

Combo Screws



2453758	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	2	8	Mild Steel
2453760	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	3	8	Mild Steel
2453761	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1/2	10	Mild Steel
2453762	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	5/8	10	Mild Steel
2453763	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1 3/4	10	Mild Steel
2453764	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	5/8	12	Mild Steel
2453765	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1 1/4	12	Mild Steel
2453766	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1 1/2	12	Mild Steel
2453767	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	2	12	Mild Steel
2453768	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	2 1/2	12	Mild Steel
2453769	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	3	12	Mild Steel
2453770	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	3/4	14	Mild Steel
2453772	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1	14	Mild Steel
2453773	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	1 1/2	14	Mild Steel
2453774	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc	Combination	Steel	2 1/2	14	Mild Steel
2454394	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1/4	4	Mild Steel
2454395	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	5/8	4	Mild Steel
2454396	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3/4	4	Mild Steel
2454397	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1	4	Mild Steel
2454398	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3/8	6	Mild Steel
2454399	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1/2	6	Mild Steel
2454400	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3/4	6	Mild Steel
2454401	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1	6	Mild Steel
2454402	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3/8	8	Mild Steel
2454403	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1/2	8	Mild Steel

Combo Screws



2454404	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	5/8	8	Mild Steel
2454405	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3/4	8	Mild Steel
2454406	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1	8	Mild Steel
2454407	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	2 1/2	8	Mild Steel
2454408	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3/8	10	Mild Steel
2454410	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3/4	10	Mild Steel
2454411	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1	10	Mild Steel
2454412	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1 1/4	10	Mild Steel
2454413	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1 1/2	10	Mild Steel
2454414	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	2	10	Mild Steel
2454415	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	2 1/2	10	Mild Steel
2454416	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3	10	Mild Steel
2454417	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1/2	12	Mild Steel
2454418	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3/4	12	Mild Steel
2454419	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1	12	Mild Steel
2454420	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1 3/4	12	Mild Steel
2454422	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1/2	14	Mild Steel
2454423	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	5/8	14	Mild Steel
2454424	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	1 1/4	14	Mild Steel
2454425	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	2	14	Mild Steel
2454426	ASME B18.6.3 SAE J933		Zinc	Combination	Steel	3	14	Mild Steel
2454850	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc		Steel	1/2	4	Mild Steel
2454851	ASME B18.6.3 SAE J933	Slotted/Phillips	Zinc		Steel	1 3/4	14	Mild Steel

Classification

eCI@ss Version	
UNSPSC Version	