

FEATURES

- Locking nuts for heavy-duty applications
- Glass-filled nylon inserts.
- Grade 8 steel
- Bright zinc plated

RS PRO, M5, Bright Zinc Plated Steel Nylon Insert Lock Nut

RS Stock No.: 524-310



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

From the trusted RS PRO brand, these lock nuts contain a nylon insert for safe and secure fastening. They are designed to remain secure despite conditions of severe vibration. The nut is made from grade 8 steel with a bright zinc plating, for durability and environmental resistance over a long period of use.

There are various metric sizes available:

- 524-304 is an M4 zinc plated self-locking nut
- 524-310 is an M5 zinc plated self-locking nut
- 524-326 is an M6 zinc plated self-locking nut
- 530-393 is an M8 zinc plated self-locking nut
- 530-400 is an M10 zinc plated self-locking nut
- 530-416 is an M12 zinc plated self-locking nut
- 276-780 is an M16 zinc plated self-locking nut
- 276-796 is an M20 zinc plated self-locking nut

General Specifications

Thread Size	M5
Type	Nylon Insert
Material	Steel
Finish	Bright Zinc Plated
Grade	8
Applications	Domestic appliances such as washers and dryers, Industrial machinery, Automotive industry

Mechanical Specifications

Specification	DIN 982
Thickness	6.22mm to 6.8mm
Thread Pitch	0.8
Width Across Corners	8.79mm
Width Across Flats	7.78 to 8 mm
Wrenching Height	3.52 mm

Approvals

Compliance/Certifications	RoHS
----------------------------------	------



RS Part No.	Thread Size
524281	M3
524304	M4
524310	M5
524326	M6
530393	M8
530400	M10
530416	M12