# **Family Name**



## **FEATURES**

- Front panel mount
- Plastic outer
- Colour: Black
- Switch position: 2 or
- Key n° G.513 Included
- Outer diameter: 30 mm
- IP65 rating

# RS PRO Key Selector Switch Head – Plastic

RS Stock No.: 2383948



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

**Product Description** 

# **Family Name**



From the trusted brand RS PRO, a range of high-quality selector switch heads designed to be used in conjunction with a compatible contact block and support base. These selector switch heads have a plastic body and key actuation with 2 or 3 switch positions. During application, they are front panel mounted via a 22 mm cut-out and should be connected to a support base secured with screws. Once fully operational each selector switch head depending on the model, opens and closes contacts, turns right, left, and centre with a positive feel without rotation of the operators.

#### **General Specifications**

Casing Material	Thermoplastic
Operator	Short lever selector switches 2383948 – 3 stable positions left, central and right key extraction
Color	Black
Outer diameter	30

## **Mechanical Specifications**

Operating Temperatures [°C]	-25 / +70
Stock Temperatures [°C]	-40 / +80
Mechanical durability (Millions of operations)	0.3
B10d (million of operations)	0.6
Max. switching frequency [Cicli/h]	3600

#### **Electrical Specifications**

#### **Protection Category**

IP Degree of Protection 65	
----------------------------	--

#### **Additional Information**

EAN	8000126233360
-----	---------------

# **Family Name**



## Classification

eCI@ss (Version)	
UNSPSC (Version)	

# **Approvals**

Declarations	CE – UKCA
Standards Met	EN 60947-5-1 and UL 508

## **Similar Products**

Stock No.	Brand	Product Name	Attribute 1	Attribute 2	Attribute 3
XXX-XXXX	RS PRO				
XXX-XXXX	RS PRO				

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories