


Features

- Mini A Male
- Mini B Male
- Beige
- 2mtr
- 5 Pack

RS PRO 2mtr USB 2.0 Mini A M – Mini B M – Beige – 5 Pack

RS Stock No.: 2668461



RS Professionally Approved Products bring to you, professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO 2 metre USB version 2.0 mini-A male to mini-B male cable has a beige PVC jacket. The cable flex has copper wire conductors and drain wire, with an aluminium braid, foil shielding and has an outer diameter of 4.0mm.

The connectors and pins are made from nickel and also have PVC hoods.

USB mini-A male to mini-B male cables are used to connect mobile device together.

General Specifications

USB Type	USB 2.0
Connector A	Male USB
Connector A Type	USB Mini A
Connector A Gender	Male
Connector B	Male USB
Connector B Type	USB Mini B
Connector B Gender	male
Connector Style	Plug, straight
Data Transfer Rate	480Mbps
Outer Sheath Material	PVC
Sheath Colour	Beige
Connector Plating	Nickel
Pin Construction	Copper

Approvals

Standards Met	CE UKCA ROHS REACH
Declarations	CE UKCA ROHS REACH


Similar Products

Parameters	182-8876
Brand	RS PRO
Pack Size	1
USB Type	USB 2.0
Connector A	USB Mini A
Connector A Type	USB Mini A
Connector A Gender	Male
Connector B	USB Mini B
Connector B Type	USB Mini B
Connector B Gender	Male
Connector Style	Plug, straight
Data Transfer Rate	480Mbps
Outer Sheath Material	PVC
Sheath Colour	Beige
Connector Plating	Nickel

The RS PRO 2 metre USB version 2.0 mini A male to mini B male cable has a beige PVC jacket. The cable flex has copper wire conductors and drain wire, with an aluminium braid, foil shielding and has an outer diameter of 4.0mm.

The connectors and pins are made from nickel and also have PVC hoods.

USB mini A male to mini B male cables are used to connect mobile device together.



MINI USB5P(A)	1	2	3	5	64
MINI USB5P(B)	1	2	3	5	64
	RED	WHITE	GREEN	BLACK	DRAIN
	PAIR				

- CABLE: UL2725, USB 2.0, AL+B-FOIL, #28*1P+#28*2C, BEIGE COLOR, OD=4.0mm, PVC JACKET.
- LENGTH: L.
- CONNECTORS: MINI USB5P(A)*1(BLACK INSULATOR)*1PCS(SHELL NICKEL).
MINI USB5P(B)*1(BLACK INSULATOR)*1PCS(SHELL NICKEL).
- MOLD: MOLDING USB4P(A) TYPE.
- CONTACTS
- OPEN/SHORT TEST: 100% TEST.
A. 100% OPEN, SHORT & INTERMITTANCE TEST.
B. CONDUCTOR RESISTANCE: 5ohms MAX.
C. INSULATION RESISTANCE: 10M MΩ/10ms; DC300V.
- ALL MUST BE MEET ON ROHS COMPLIANT.