

Datasheet

ENGLISH

Stacking Recycled Economy Containers, Black, Size 6

RS Stock number 9096921

A useful small parts container system for a wide range of materials. Manufactured from reprocessed/recyclable polypropylene.

Benefits:


- A slight reduced cost and carbon footprint while maintaining quality
- Recyclable and environmentally friendly.
- · Can be stacked or for increased flexibility, used with any of the following items;

Louvred Panels e.g 231399

Cabinets e.g 8776825

Shelving e.g 7719180

- Space saving
- Strong, heavy duty with reinforced base, sides and stacking rim
- Durable, resistant to most industrial solvents.
- Material is capable of withstanding a temperature range from -15°c to +50°c, however this may not apply when under load or stress dependent on use or application.
- Hygienic, clean, smooth inside faces guard against build up of grease etc..
- Index card slot for instant product identification (sufficient labels are supplied)




RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.



ENGLISH

| STACKING CONTAINERS | Size 1 | Size 2 | Size 3 | Size 4 | Size 5 | Size 6 | Size 7 |
|---------------------------------|---------|---------|---------|---------|---------|---------|---------|
| No. Of Containers Per Pack | 20 | 20 | 10 | 10 | 10 | 5 | 5 |
| (Black Repro) RS Stock No. | 9096902 | 9096906 | 9096915 | 9096918 | 9096912 | 9096921 | 9096924 |
| | | | | | | | |
| No. Of Containers Per Pack | - | - | - | - | 1 | - | 2 |
| (Size 7 Bin Front) RS Stock No. | - | - | - | - | - | - | 4563432 |

Technical Details



| | Size 1 | Size 2 | Size 3 | Size 4 | Size 5 | Size 6 | Size 7 |
|---|--------|--------|--------|--------|--------|-----------|--------|
| O/A Length mm (A) | 90 | 165 | 240 | 350 | 350 | 375 | 520 |
| O/A Width mm (B) | 100 | 100 | 150 | 205 | 205 | 420 | 310 |
| O/A Height mm (C) | 50 | 75 | 132 | 132 | 182 | 182 | 200 |
| O/A Base Length mm (D) | 64 | 143 | 200 | 300 | 300 | 310 | 450 |
| Internal Length mm (A) | 80 | 154 | 223 | 330 | 330 | 350 | 470 |
| Internal Width mm (B) | 88 | 88 | 128 | 179 | 177 | 378 | 270 |
| Internal Height mm (C) | 42 | 63 | 120 | 117 | 167 | 164 | 188 |
| Internal Base Length mm (D) | 65 | 131 | 188 | 287 | 287 | 295 | 435 |
| Volume (Litres) | 0.46 | 1.27 | 4.6 | 9.1 | 12.8 | 28.3 | 31.4 |
| Maximum Container stack height | 7 | 5 | 4 | 6 | 4 | 8 | 6 |
| Maximum stack load capacity (kg) See details & image opposite | 12 | 12 | 30 | 36 | 45 | 60 | 42 |

Container Stacking Loads

Note: When stacking containers, the stack load is dispersed onto the base container therefore neither the individual load or the total load of the stacked containers (up to the max. stack height) should exceed the max. stack load.

E.g Below shows Size 5 Containers stacked to their max. of 4 high. As the max. stack load for Size 5 is 45Kg, if containers 1, 2 & 3 are equally loaded they can each carry 15Kg. If they are stacked 3 high and equally loaded each container could carry 22.5Kg, or 2 high 45Kg



RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.