

Features

- V1.4
- 8K @ 60Hz
- 32.4Gbps
- HBR3
- 32AWG
- 5 Pack

RS PRO 2m 8K Mini DisplayPort M-DisplayPort M Cable – Black – 5 Pack

RS Stock No.: 266-8483



RS Professionally Approved Products bring to you, professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

DisplayPort Cables



Product Description

The RSPRO 2m 8K Mini DisplayPort to DisplayPort cable has a black PVC jack and an outer diameter of 5mm. The connectors have a gold flash covering to prevent corrosion.

Our cables are DisplayPort version 1.4 (HBR3) and can support up to 8K@60Hz, 4K@120Hz or with Multi Stream Transport (MST) they can display to multiple screens.

The connector hoods are also made of black PVC and have a strain relief to prevent the jacket splitting around the boot.

DisplayPort, commonly known as DP is a digital high-definition video connection which also can carries audio. Due to its bandwidth, DisplayPort cables are normally up to 5 metres long.

DisplayPort cables are very simple to use and are plug and play. Care must be taken when unplugging them to make sure that the latches have been released before pulling out the connector

General Specifications

| DsiplayPort Version | V1.4 |
|---------------------|-----------------------|
| Connector A | Mini DisplayPort Male |
| Connector B | DisplayPort Male |
| Sheath Colour | Black |
| Sheath Material | PVC |
| Max resolution | 8K @ 60Hz |

Approvals


| Declarations | CE UKCA ROHS REACH |
|---------------|--------------------|
| Standards Met | CE UKCA ROHS REACH |


DisplayPort Cables



Similar Products

| Stock No. | Length | Spec | Pack Size | Colour |
|-----------|--------|--|-----------|--------|
| | | | | |
| 266-8483 | 2m | Mini DisplayPort M – Display Port M V1.4 | 5 | Black |
| 195-4905 | 2m | Mini DisplayPort M – Display Port M V1.4 | 1 | Black |
| 251-3273 | 0.5m | Mini DisplayPort M – Display Port M V1.4 | 5 | Black |
| 195-4903 | 0.5m | Mini DisplayPort M – Display Port M V1.4 | 1 | Black |
| 195-4904 | 1m | Mini DisplayPort M – Display Port M V1.4 | 1 | Black |





| 13 | mimi Display Port M Dust cap | | |
|----|---|--|--|
| 12 | 9-29MM Copper foil | | |
| 11 | DisplayPort W Dust cap | | |
| 10 | PVC"45/P"83ack | | |
| 9 | LIPE | | |
| 8 | Copper full "25u"#:5MM | | |
| 7 | DisplayPort 1.4 M Black clamp ~ material PA66 | | |
| 6 | DisplayPort1.4 M Upper shell (without "DP" logs) ~ fine grain surface ~ PC + ABS material ~ Black | | |
| 5 | DisplayPort1.4 M Lower shell (without "DP" logo) ~ fine grain surface ~ PC + ABS material ~ Black | | |
| 4 | DisplayPort 1.4 M Tinplate on tall dip ~ material: SPCC ~ nickel plating | | |
| 3 | DisplayPort 1.4 M Lower Horse Iron with tail clamp ~ material: SPCC ~ nickel plating | | |
| 2 | DisplayPort 1.4 M Solder-Insulation:Black-shell gold plated pin gold plated | | |
| 1 | MINI DPL 4 M TO M CASLE 32AMG "004.8MM" L 02M gold Black | | |