

Features

- Octal relay socket
- 8 pin
- DIN rail mounting
- Easy connection of sockets
- Current rating of 15A
- Voltage Rating of 300V

RS PRO Sockets for Octal General Purpose Relay

RS Stock No.: 121-7841, 121-7842



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO professional range of DIN Rail mount relay sockets are robust and reliable 8 pin relay socket designed for DIN rail mounting for the easy connection and disconnection of octal relays. Suitable for use in general purpose applications including automation, lighting and air conditioning.

General Specifications

Accessory Type		Relay Socket
Nominal Load	Current	Current: 15A
	Voltage	300V
Dielectric Strength		2500 V/S
Max. Tightening Torque		1Nm
Wire Size		20-14 AWG / 0.5-2.5mm ²
Unit Weight	121-7841	37g
	121-7842	50g
Suitable for:		121-7828, 121-7829, 121-7830, 121-7831, 121-7832, 121-7834, 121-7835, 121-7836, 121-7837, 121-7838


Operation Environment Specifications

Ambient Temperature	-40~+85°C
---------------------	-----------

Approvals

Certification	CE, C-UR
---------------	----------

Dimensions



Connection Diagram

