

FEATURES

- Micrometer graduated with an accuracy of 0.01mm
- Positive spindle lock fitted
- Supplied with a storage box and an adjustment spanner
- Features carbide measuring faces and a painted frame

RS Outside Micrometer

DIN863

RS Stock No.: 2614506



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Micrometers

Product Description

Accuracy conforms to DIN 863
 Hammertone blue baked enamel finish
 Tungsten carbide measuring faces
 Non-glare satin chrome barrel & sleeve
 Microfine graduations for accurate reading
 Micrometers above 25mm supplied with setting rod
 Spindle locking lever
 Spindle diameter 6.5mm
 Standard models have ratchet thimble
 Supplied in fitted case with adjustment tools
 Micrometer graduations: Metric: 0.01mm

General Specifications

Range	200mm-225mm
Resolution	0.01mm
Repeatability	0.01mm
Accuracy	±0.008mm

Mechanical Specifications

--	--

Electrical Specifications

--	--

Protection Category

--	--

Classification

eCl@ss (Version)	
UNSPSC (Version)	

Approvals

Declarations	
Hazardous Area Certification	
Standards Met	

Similar Products

Stock No.	Brand	Product Name	Attribute 1	Attribute 2	Attribute 3