


No. 980

MEGADORA IMPACTA



Our proprietary Tang-thru nut incorporates cam rotation mechanism, which turns the driving tip counter-clockwise by 12 degrees when the handle is hit with a hammer.

IMPACTA leverages impact acceleration to remove stuck screws.



Distorted screws



Rusted screw



Stuck screws

12°

No. 980

MEGADORA IMPACTA

Equipped with a flat-surface grip and cushions on the corners of the hexagonal cross section. The inner core is a triple-layered construction using recycled resin, designed with practical use of resources.

※This is for illustrative purpose.

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. 980 MEGADORA IMPACTA PAT.

- Tang-Thru nut with cam rotation mechanism.
- High precision black point tip.



No.980		Tip Dimensions (mm)					Inner Ctn.	Outer Ctn.	EDP No.
⊕ 2 × 100	⊕No.2	100	6.4	34	213	6	60	125941	
⊕ 2 × 150	⊕No.2	150	6.4	34	263	6	60	125942	
⊕ 3 × 150	⊕No.3	150	8.0	36	278	6	60	125943	

No. 900 MEGADORA Standard Screwdriver Extra Long Type PAT.

- Philips JAWSFIT tip that firmly grips the screw. **JAWSFIT**
- Good for a work deep in a space.
- Useful for adjustment of automotive headlight and removal of a hose band.
- Junk (turning) grip minimizes shaking because of the long shank, to ensure stable tightening.



No.900		Tip Dimensions (mm)					Inner Ctn.	Outer Ctn.	EDP No.
⊖ 6 × 400	⊖No.2	400	6.4	34	510	6	60	125709	
⊕ 2 × 400	⊕No.2	400	6.4	34	510	6	60	125710	

No. 900 MEGADORA Standard Screwdriver PAT.


- NEW Philips JAWSFIT tip that firmly grips the screw. **JAWSFIT**
- A knurled shank is useful for fast and slipless turning by fingers and open wide holes on a wood material or a board.



No.900		Tip Dimensions (mm)					Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5.5 × 75	5.5	0.8	75	5.5	30	175	6	60	125701
⊖ 6 × 100	6.0	0.9	100	6.4	34	210	6	60	125702
⊖ 6 × 150	6.0	0.9	150	6.4	34	260	6	60	125703
⊖ 8 × 150	8.0	1.1	150	8.0	36	275	6	60	125704
⊕ 1 × 75	⊕No.1	75	5.5	30	175	6	60	125705	
⊕ 2 × 100	⊕No.2	100	6.4	34	210	6	60	125706	
⊕ 2 × 150	⊕No.2	150	6.4	34	260	6	60	125707	
⊕ 3 × 150	⊕No.3	150	8.0	36	275	6	60	125708	

No. 920 MEGADORA Stubby Screwdriver

- Philips JAWSFIT tip that firmly grips the screw. **JAWSFIT**
- 25mm-long shank. Ideal for working in cramped places.



No.920		Tip Dimensions (mm)					Inner Ctn.	Outer Ctn.	EDP No.
⊖ 6 × 25	6.4	0.9	25	6.4	36	75	6	60	125752
⊕ 1 × 25	⊕No.1	25	6.4	36	75	6	60	125753	
⊕ 2 × 25	⊕No.2	25	6.4	36	75	6	60	125754	

No. 930 MEGADORA Tang-Thru Screwdriver PAT.


- NEW Philips JAWSFIT tip that firmly grips the screw. **JAWSFIT**
- Tang-Thru shank with large end cap.
- With a hexagonal bolster for spanner.



No.930		Tip Dimensions (mm)							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5.5 × 75	5.5	0.8	75	5.5	30	175	8	6	60	125711	
⊖ 6 × 38	6.0	0.9	38	6.4	34	151	—	6	60	125719	
⊖ 6 × 100	6.0	0.9	100	6.4	34	213	10	6	60	125712	
⊖ 6 × 150	6.0	0.9	150	6.4	34	263	10	6	60	125713	
⊖ 8 × 150	8.0	1.1	150	8.0	36	278	12	6	60	125714	
⊕ 1 × 75	⊕No.1	75	5.5	30	176	8	6	60	125715		
⊕ 2 × 100	⊕No.2	100	6.4	34	213	10	6	60	125716		
⊕ 2 × 150	⊕No.2	150	6.4	34	263	10	6	60	125717		
⊕ 3 × 150	⊕No.3	150	8.0	36	278	12	6	60	125718		

No. 910 MEGADORA Thin Shank Screwdriver

- Precision type with 4 mm or smaller diameter shank.
- Black point tip, unaffected by the plating thickness.



No.910		Tip Dimensions (mm)					Inner Ctn.	Outer Ctn.	EDP No.
⊖ 3 × 75	3.0	0.4	75	3.0	21	153	12	120	125746
⊖ 3 × 100	3.0	0.4	100	3.0	21	178	12	120	125747
⊖ 4 × 75	4.0	0.5	75	4.0	21	153	12	120	125748
⊖ 4 × 100	4.0	0.5	100	4.0	21	178	12	120	125749
⊖ 4 × 150	4.0	0.5	150	4.0	21	228	12	120	125750
⊖ 4 × 200	4.0	0.5	200	4.0	21	278	12	120	125751
⊕ 0 × 75	⊕No.0	75	3.0	21	153	12	120	125742	
⊕ 0 × 100	⊕No.0	100	3.0	21	178	12	120	125743	
⊕ 1 × 75	⊕No.1	75	4.0	21	153	12	120	125744	
⊕ 1 × 100	⊕No.1	100	4.0	21	178	12	120	125745	

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. 970 MEGADORA Clip Remover **PAT.**

- One model for both large and small tips. Suited for many clips used with automobiles.
- Chrome plating, not causing scratches on a painted metal plate.
 - Optimally angled for working in cramped spaces, such as, door trim, wire binding clip, and so on.



No.970	CR × 120	12/7	120	7.0	34	230	Inner Ctn.	Outer Ctn.	EDP No.
						(mm)	6	60	125721

No. 970 MEGADORA Chisel-Type Screwdriver **PAT.**

- Special steel for high quality cold chisel used. Hardness: 58HRC. Abrasion resistant and sharp edge.
- Elastomer-resin made grip absorbs shock when using and alleviate the fatigue on the hand.
 - Tang-Thru shank with large end cap. Less deformative case hardening nut.



No.970	7 × 100	9.5 × 120	7.0	1.5	100	6	34	213	Inner Ctn.	Outer Ctn.	EDP No.
			9.5	1.7	120	8	36	248	6	60	125722
									6	60	125732

One point

Pull out / Break



MEGADORA Clip Remover



Removing it by leverage

One model compatible with 2 popular types of clip in the automobile industry.



High-grade chisel used.



Sharp edge and anti-abrasion quality. Good for removal of welding on a spot, of burrs, and for various work with tiles and bricks.



MEGADORA Chisel-Type Screwdriver

No. 944TX 4-Piece MEGADORA FOD TORX Screwdriver Set **PAT.**

- Used for work in automobile maintenance field
- Provided with a two-layer structured tray that prevents a screwdriver from being left.




→ See P45 One point

No.940TX	Set content	Tray size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
	T20H×120, T25H×120 T30H×120, T40H×120	280×135×35	1	20	125804

TORX® is a registered trademark of Acument™ Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

No. S-903 MEGADORA Pozidriv Screwdriver

- Dedicated to Pozidriv screws.
- VESSEL is an official licensee of Pozidriv.
- A knurled shank is useful for fast turning.



No.S-903	PZ1 × 75	PZ2 × 100	PZ3 × 150	75	100	150	7.5	5.5	30	175	Inner Ctn.	EDP No.
											6	267254
											6	267255
											6	267256