Eaton JKS-3

Catalog Number: JKS-3

Eaton Bussmann series JKS fuse, Power panelboards, Machinery disconnects, 3 A, 1, Class J, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 Vac, Standard, 10, 600 V

RoHS Compliant

General specifications

Product Name Faton Bussmann series JKS fuse	Catalog Number
Eaton Bussmann series JKS luse	JK2-3
UPC	EAN
051712630030	5027590445092
Product Length/Depth	Product Height
0.81 in	2.25 in
Product Width	Product Weight
0.81 in	1.15 lb
Warranty	Compliances
Not Applicable	CE Marked



Electrical rating

Amperage Rating

3 A

Interrupt rating 200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Number of elements

1

Packaging type

Standard

General information

Class

Class J

Connection Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - JKS-3

Technical data sheets JKS-3~LIMITRON FAST ACTING FUSE CLASS J

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia