

FEATURES

- Extremely durable
- High flow in compact dimension
- Easy installation
- Energy saving

RS PRO Namur Valve Mono 5/2 - 1/4

RS Stock No.: 2312551



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

The RS PRO namur valve mono 5/2 - 1/4 has large flow capacity, short change-over times and low change-over pressure. Also it has operating pressure range of 2 to 10 bar. It works on solenoid actuation. Solenoid coils are energy-saving and available in all voltage. It has Large flow capacity, short change-over times and low change-over pressure.

General Specifications

Maximum Operating Pressure	10bar
Application	Pneumatic Automation, Robotics, Handling, Automotive Process, Textile, Packaging, Heavy Duty, Food Process

Electrical Specifications

Function	BSP 1/4
Actuation Type	Solenoid Valve

Mechanical Specifications

Connection Port Thread	Solenoid/Spring
Mounting Style	Monostable

Similar Products

Parameters	2312797	2312798
Brand	RS PRO	RS PRO
Maximum Working Pressure	25	25
Kv Value (m3/h)	10.97	10.97
Thread Size	1in	1in
Seals	NBR	FKM

