

FEATURES

- 3-holes fiber optic wire stripper in one tool.
1st hole: 1.6-3mm (outer sheath)
2nd hole: 600-900 micron (buffer)
3rd hole: 250 micron (acrylate)
- Ergonomic anti-slip bi-component handle for a safe, light and comfortable grip
- Anti-reflection phosphating surface treatment
- Closing stop lever
- Laser marking
- Made in Italy

RS PRO 3-holes fiber optic wire stripper in one tool

1st hole: 1.6-3mm (outer sheath)
2nd hole: 600-900 micron (buffer)
3rd hole: 250 micron (acrylate)

RSPRO Stock No.: 238-0717



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- *Made in Italy with special carbon steel and undergo a controlled atmosphere heat treatment.*
- *The anti-reflection phosphating surface treatment ensures an accurate view of the work being carried out.*
- *The tools are joined with grounded holes and surfaces, thereby allowing precise movements.*
- *The anti-slip bi-material dolphin handle is created following ergonomic principles, thus guaranteeing a safe, light and comfortable grip for the operator even when used constantly for many hours*
- *3-holes fiber optic wire stripper in one tool. 1st hole: 1.6-3mm (outer sheath) 2nd hole: 600-900 micron (buffer) 3rd hole: 250 micron (acrylate). Closing stop lever.*

General Specifications

Plier Type	3-holes fiber optic wire stripper
Non-Sparking	Yes
Material	Carbon Steel
Number Of Pieces	1
Finish	Anti-reflection phosphating surface treatment, red grip

Electrical Specifications

ESD Safe	no
-----------------	----

Mechanical Specifications

Wire stripper capability	1 st hole: 1.6-3mm (outer sheath) 2 nd hole: 600-900 micron (buffer) 3 rd hole: 250 micron (acrylate)
Overall Length	145 mm
Weight	83 g
Steel Thickness	3 mm

