

Printing date 11/24/2014

Reviewed on 12/15/2015

1 Identification


- · Product identifier
- · Trade name: Stainless Steel Cleaner with Citrus
- · Article number: 345
- · Application of the substance / the mixture Cleaner & Polish
- · Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier: **ITW Pro Brands** 805 East Old 56 Highway Olathe, Kansas 66061 Phone: 1-800-224-4860
- Emergency telephone number: Infotrac Emergency Hotline: 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture



Press. Gas H280 Contains gas under pressure; may explode if heated.



Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms




- · Signal word Danger
- · Hazard-determining components of labeling: Distillates (petroleum), hydrotreated light (R)-p-mentha-1,8-diene
- · Hazard statements

H280 Contains gas under pressure; may explode if heated.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)



Printing date 11/24/2014

Reviewed on 12/15/2015

Trade name: Stainless Steel Cleaner with Citrus

		(Contd. of page 2)
75-28-5	Isobutane	2.5-10%
	🚸 Flam. Gas 1, H220	
8042-47-5	White Mineral Oil	2.5-10%
	🕹 Asp. Tox. 1, H304	
64742-48-9	Naphtha (petroleum), hydrotreated heavy	2.5-10%
	& Asp. Tox. 1, H304 Flam. Liq. 4, H227	
74-98-6	propane	≤ 2.5%
	🚸 Flam. Gas 1, H220 Press. Gas, H280	
5989-27-5	(R)-p-mentha-1,8-diene	< 1%
	 Flam. Liq. 3, H226 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315; Skin Sens. 1, H317 	

4 First-aid measures

· Description of first aid measures

· General information:

Take affected persons out into the fresh air. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

In cases of frostbite, rinse with plenty of water. Do not remove clothing.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

· Most important symptoms and effects, both acute and delayed

Headache Allergic reactions Breathing difficulty Dizziness Cramp Coughing Frostbite Nausea

(Contd. on page 4)

Printing date 11/24/2014

Reviewed on 12/15/2015

Trade name: Stainless Steel Cleaner with Citrus

(Contd. of page 3)

Gastric or intestinal disorders when ingested. Disorientation

· Danger

Danger of pulmonary edema. Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed
 If swallowed or in case of vomiting, danger of entering the lungs.
 If necessary oxygen respiration treatment.
 Treat frost-bitten areas appropriately.
 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.

Danger of receptacles bursting because of high vapor pressure if heated.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- · Additional information Cool endangered product with water spray.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.
Particular danger of slipping on leaked/spilled product.
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb liquid components with liquid-binding material.
Remove from the water surface (e.g. skim or suck off).
Ensure adequate ventilation.
Pick up mechanically.
Dispose contaminated material as waste according to item 13.
Send for recovery or disposal in suitable receptacles.
Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 12 for disposal information

See Section 13 for disposal information.

(Contd. on page 5)

Printing date 11/24/2014

Reviewed on 12/15/2015

Trade name: Stainless Steel Cleaner with Citrus

(Contd. of page 4)

7 Handling and	d storage	
Use only in well Avoid splashes	r safe handling n heat and direct sunlight. ventilated areas. or spray in enclosed areas. out protection against explosions and fires: No special measures requir	ed.
 Storage: Requirements of Observe official Provide ventilati Information about Store away from Store away from Store away from Store in a cool p Protect from from 	n oxidizing agents. ation about storage conditions: place. Heat will increase pressure and may lead to the receptacle bursting.	
•	ontrols/personal protection rmation about design of technical systems: No further data; see item 7.	
· Control parame	eters	
· Components w	vith limit values that require monitoring at the workplace:	
64742-47-8 Dis	tillates (petroleum), hydrotreated light	
EL (Canada)	Long-term value: 200 mg/m ³ Skin	
74-98-6 propan		
PEL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm	
REL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm	
TLV (USA)	refer to Appendix F	
EL (Canada)	Long-term value: 1000 ppm	
EV (Canada)	Long-term value: 1.000 ppm	
	Long-term value: 1000 ppm	
 Additional info 	rmation: The lists that were valid during the creation were used as basis.	
General protec The usual preca Keep away from Wash hands be Do not inhale ga	rols active equipment: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. fore breaks and at the end of work. ases / fumes / aerosols. ith the eyes and skin.	(Contd. on page 6)

Printing date 11/24/2014

Reviewed on 12/15/2015

Trade name: Stainless Steel Cleaner with Citrus

(Contd. of page 5)

• Breathing equipment: Suitable respiratory protective device recommended. For spills, respiratory protection may be advisable. Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Aerosol Color: White · Odor: Citrus. · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Not applicable, as aerosol. **Boiling point/Boiling range:** Not applicable, as aerosol. · Flash point: Not applicable, as aerosol. · Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. (Contd. on page 7)

Printing date 11/24/2014

Reviewed on 12/15/2015

Trade name: Stainless Steel Cleaner with Citrus

		(Contd. of page 6)
 Decomposition temperature: 	Not determined.	
· Auto igniting:	Product is not self-igniting.	
 Danger of explosion: 	Not determined.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure at 21 °C (70 °F):	93 psig	
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	0.94 g/cm ³ (7.844 lbs/gal) Not determined. > 1 (Air=1) Not applicable.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.	
 Solvent content: VOC content: Other information 	15.00 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Toxic fumes may be released if heated above the decomposition point. Reacts with oxidizing agents.
- Conditions to avoid Keep away from heat and direct sunlight.
- \cdot Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Hydrocarbons

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

64742-47-8 Distillates (petroleum), hydrotreated light

Oral LD50 > 5000 mg/kg (rat)

(Contd. on page 8)

Printing date 11/24/2014

Reviewed on 12/15/2015

Trade name: Stainless Steel Cleaner with Citrus

(Contd. of page 7)

Dermal LD50 >2000 mg/kg (rabbit) 5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 4400 mg/kg (rat)

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitizing effect by skin contact is possible with prolonged exposure.
- Subacute to chronic toxicity: May cause damage to organs through prolonged or repeated exposure.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic and/or corrosive effects may be delayed up to 24 hours.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer) See Section 15.

· NTP (National	Toxicology Program)
-----------------	---------------------

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Repeated Dose Toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:
- Harmful to fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 9)

Printing date 11/24/2014

Reviewed on 12/15/2015

Trade name: Stainless Steel Cleaner with Citrus

(Contd. of page 8)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information	
 · UN-Number · DOT, ADR, IMDG, IATA · UN proper shipping name 	UN1950
Limited Quantity for packages I gal).	less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 $$
 DOT ADR IMDG IAT A Transport hazard class(es) DOT 	Aerosols 1950 AEROSOLS AEROSOLS AEROSOLS, non-flammable
· Class · Label	2 Gases 2.2
· ADR	
· Class · Label	2 5A Gases 2.2 (Contd. on page 10)

Printing date 11/24/2014

Г

Reviewed on 12/15/2015

		(Contd. of page
·IMDG		
•		
· Class · Label	2 Gases 2.2	
	Ζ.Ζ	
· Class	2.2	
· Label	2.2	
· Packing group		
· DOT, ADR, IMDG, IATA	Not Regulated	
 Environmental hazards: 	-	
 Marine pollutant: 	No	
 Special precautions for user 	Warning: Gases	
· Danger code (Kemler):	-	
• EMS Number:	F-D,S-U	
• Transport in bulk according to Annex		
MARPOL73/78 and the IBC Code	Not applicable.	
 Transport/Additional information: 		
· DOT		
 Quantity limitations 	On passenger aircraft/rail: 75kg	
	On cargo aircraft only: 150kg	
· ADR		
 Excepted quantities (EQ) 	Code: E0	
	Not permitted as Excepted Quantity	
·IMDG		
 Limited quantities (LQ) 	1L	
Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
 UN "Model Regulation": 	UN1950, Aerosols, 2.2	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Contd. on page 11)

Printing date 11/24/2014

Reviewed on 12/15/2015

	(Contd. of page 1
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
\cdot IARC (International Agency for Research on Cancer)	
5989-27-5 (R)-p-mentha-1,8-diene	:
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· State Right to Know Listings	
Some ingredients listed.	
· Canadian substance listings:	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
 Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlle and the SDS contains all the information required by the Controlled Products Regul Chemical safety assessment: A Chemical Safety Assessment has not been carried 	ations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 11/24/2014 / -

(Contd. on page 12)

Printing date 11/24/2014

Reviewed on 12/15/2015

Trade name: Stainless Steel Cleaner with Citrus

(Contd. of page 11)

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Gas 1: Flammable gases, Hazard Category 1 Press. Gas: Gases under pressure: Compressed gas Flam. Liq. 3: Flammable liquids, Hazard Category 3 Flam. Liq. 4: Flammable liquids, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com