

FEATURES

- ESD Solder dispenser with guiding tube that keeps the working area tidy and reduces solder waste.
- The slot on the back of the dispenser can hold several hand tools that might be useful while soldering (such as desoldering pump, tweezers, pliers or screwdrivers).
- Coated with ESD powder
- Suitable for all gauges up to 2500 g with the following specifications:
 - Max solder wire $\text{\O} 2\text{mm}$
 - Central roll hole $\text{\O} > 11\text{mm}$
 - Max roll length 100mm
- Double reel. EMPTY
Dimensions:
190x150x300 (H)
Weight: 1.4 kg
- Laser marking
- Made in Italy

RS PRO ESD double reel solder dispenser - EMPTY

RSPRO Stock No.: 238-0737



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- ESD Solder dispenser with guiding tube that keeps the working area tidy and reduces solder waste. It is possible to add a second reel using the optional device DS-2500-ABD.
- The slot on the back of the dispenser can hold several hand tools that might be useful while soldering (such as desoldering pump, tweezers, pliers or screwdrivers).
- Coated with ESD powder.
- Suitable for all gauges up to 2500 g with the following specifications:
 - Max solder wire \varnothing 2mm
 - Central roll hole \varnothing > 11mm
 - Max roll length 100mm
- Double reel.
- EMPTY
- Dimensions: 190x150x300 (H) Weight: 1.4 kg
- Laser marking
- Made in Italy

General Specifications

Double reel	for all gauges up to 2500 g
Non-Sparking	Yes
Material	ESD powder coated iron
Number Of Pieces	1
Max solder wire	\varnothing 2mm
Central roll hole	\varnothing > 11mm
Max roll length	100mm
Finish	Anti-reflection, ESD powder coated, laser mark

Electrical Specifications

ESD Safe	yes
----------	-----

Mechanical Specifications

Dimensions	190x150x300 (H)
Weight	1.4kg

THIS IS ONLY AN IMAGE SAMPLE- THE SOLDER DISPENSER IT IS SUPPLIED EMPTY.

