

Eaton 291466

Catalog Number: 291466

Eaton Moeller series xPole - Busbar. EV busbars 1Ph., 12HP, 80A for PLS. CLS. PKN., PFIM, PFHM, PFNM

General specifications



Product Name
Eaton Moeller series busbar

EAN
4015082914660

Product Height
4.5 mm

Product Weight
0.064 kg

Catalog Number
291466

Product Length/Depth
29 mm

Product Width
210 mm

Compliances
RoHS conform

Product specifications

Used with

Busbar
EVG

Type

Busbar
EVG

Features

Insulated

Accessory/spare part type

Busbar for combined residual current/power circuit breaker
Busbar for miniature circuit breaker
Busbar for residual current circuit breakers

Electric connection type

Fork

Rated surge voltage

4 kV

Rated uninterrupted current (Iu)

80 A

Suitable for number of devices

0

Number of poles

Single-pole

Color

Other

Rated short-time withstand current (Icw)

0 kA

Cross section

16 mm²

Number of modular spacings

12

Number of phases

1

Pitch dimensions

0 mm

Rated operational voltage (Ue) - max

415 V

Resources

Declarations of conformity

[DA-DC-03_EVG](#)

Drawings

[eaton-mcb-busbar-dimensions-003.eps](#)

[eaton-busbar-3d-drawing.jpg](#)

[eaton-mcb-busbar-3d-drawing-003.eps](#)

Rated conditional short-circuit current (Iq)

25 kA

Functions

Busbar

Suitable for

12 devices



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



Eaton.com/socialmedia