

# **FEATURES**

- Wire is un-terminated and partially stripped
- Cable length is 10m
- Insulation Resistance >= 100 MΩ
- Brass nickel plated coupling nut

# RS PRO M12 FEMALE STRAIGHT CONNECTOR ASSEMBLY 8 PIN 8 WIRE 10m 0.25 sq. mm PVC CABLE

RS Stock No.: 2080543



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



#### Product Description ATTRIBUTE 1

## M12 Single Ended Cable Assembly

Brought to you under the trusted RS Brand, this range of M12 connector cable assemblies are commonly used in sensor and automation equipment. Boasting a high degree of environmental protection, they are ideal for industrial use. Fitted with a secure coupling nut, these RS M12 Connector Cable Assemblies are left un-terminated and partially stripped at one end, and are an ideal solution for when secure and reliable data transference is needed.

### **Features and Benefits:**

- Wire is un-terminated and partially stripped
- Insulation Resistance >= 100 M $\Omega$
- Neoprene O-Ring
- Brass nickel plated coupling nut

#### **General Specifications**

Rated Operational Voltage	30 V
Current Rating	2A
Insulation Resistance	>= 100 MΩ
Temperature Range	-25°C +75°C
Coding	A-Coded

Material Specifications	
Grip Material	PU
Contact	Cu-Zn
Contact Plating	Gold Flash
Contact Carrier	Nylon 66
O-Ring	Neoprene
Grip Color	Black
Coupling Nut	Brass Nickel-Plated

#### **Cable Specifications**

Cable Length-L	10 m
Cable Type	8 Core PVC Multi Strand
Sheath Color	Black
Cross Section of Wire	0.25 sq. mm

# RS PRO M12 SINGLE ENDED CABLE ASSEMBLY



Core Dia	1.3 mm
Cable Dia	6.0 ± 0.1 mm
Termination	Partially Stripped

Protection Category	
Degree of Protection	IP67

Additional Information	
Custom Tariff Number	85369090

Δ	nr	ro	val	5
· · ·	P٢		101	


Standards Met


IEC 61076-2-101

**Similar Products** 

Stock No.	Brand	Product Name	Attribute 1	Attribute 2
144-7661	RS PRO	RS Pro Cable Assembly 8 Pin 2m Shielded Cable	Industrial Automation Cable Assemblies	Actuator/Sensor Cable
144-7662	RS PRO	RS Pro Cable Assembly 8 Pin 5m Shielded Cable	Industrial Automation Cable Assemblies	Actuator/Sensor Cable

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories





All Dimensions are in mm.