

### **FEATURES**

- Insulated hot junction for reduced electrical interference
- Mineral insulation for flexibility, durability and high performance
- Conforms to IEC 584 standards
- Flexible, can be bent into shape for easy installation
- IP 67 rated

# RS PRO Type K Thermocouple 100mm Length, 6mm Diameter → +1100°C

RS Stock No.:787-7804



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



#### **Product Description**

These thermocouple temperature probes have durable construction and feature a 310 stainless steel mineral insulated flexible probe sheath that can be bent and formed to suit a wide range of applications. The thermocouple has a single element insulated hot junction for a reduction in electrical interference. One end of the thermocouple is terminated with a compact KNS terminal head that provides access to and protects the connections

### **General Specifications**

Thermocouple Type	Type K
Temperature Measurement Range	-40°C to 1100°C
Construction	Flexible mineral insulated probe with 310 stainless steel sheath
Measuring Junction	Underground
Application	Heat exchangers, power stations, brick and cement kilns, heat treatment and annealing furnaces, thermostats, food thermometers, vehicle diagnostics and in laboratories

#### **Mechanical Specifications**

Probe Diameter	6mm
Probe Length	100mm
Probe Body Material	Stainless Steel
Insulation / Sheath Material	Mineral insulated
Termination Type	Cable Gland

#### **Protection Category**

### **Approvals**

Standards Met	IFC.
Otalida do Met	ILO









T/C Type	Conductors	Length	Terminatio	n +Positive tail wire	-Negative tail wire co	Allied de Code	RS order Code
'K'	1/0.2mm	1 metre	Mini plug	Green	White	70643600	363-0250
'K'	1/0.2mm	2 metre	Mini plug	Green	White		110-4482
'K'	1/0.2mm	5 metre	Mini plug	Green	White		123-6306
'K'	1/0.2mm	10 metre	Mini plug	Green	White		123-6307
'n	1/0.2mm	1 metre	Mini plug	Black	White	70643599	363-0244
ý	1/0.2mm	2 metre	Mini plug Mini plug	Black	White	70043333	123-6308
'n	1/0.2mm	5 metre		Black	White		123-6309
ý,	1/0.2mm	10 metre	Mini plug	Black	White		123-6310
,	1/0.211111	10 metre	Mini plug	DIdCK	wnite		123-0310
'T'	1/0.2mm	1 metre	Mini plug	Brown	White	70643601	363-0266
T'	1/0.2mm	2 metre	Mini plug	Brown	White		123-6311
T'	1/0.2mm	5 metre	Mini plug	Brown	White		123-6312
'T'	1/0.2mm	10 metre	Mini plug	Brown	White		123-6313
	Conductors	Cores		Jacket	Reel Length	Allied	RS order code
						Code	
	ension:						
KX	7/0.2mm	+Green/-Wh	nite	Green	10 metres	70657084	827-5615
KX	7/0.2mm	+Green/-Wh		Green	25 metres	70641729	236-3820
KX	7/0.2mm	+Green/-Wh		Green	50 metres	70657085	827-5619
KX	7/0.2mm	+Green/-Wh	nite	Green	100 metres	70646156	611-7889
KX	7/0.2mm	+Green/-Wh	nite	Green	200 metres	70657088	827-5628
JX	7/0.2mm	+Black/-Whi	ite	Black	10 metres	70641640	219-4753
JX	7/0.2mm	+Black/-Whi		Black	25 metres	70657078	827-5592
JX	7/0.2mm	+Black/-Whi		Black	50 metres	70657079	827-5596
JX	7/0.2mm	+Black/-Whi		Black	100 metres	70641737	236-3915
JX	7/0.2mm	+Black/-Whi		Black	200 metres	70657081	827-5606
TX	7/0.2mm	+Brown/-W	hite	Brown	10 metres	70641637	219-4703
TX	7/0.2mm	+Brown/-W	hite	Brown	25 metres	70641734	236-3870
TX	7/0.2mm	+Brown/-W	hite	Brown	50 metres	70657095	827-5653
TX	7/0.2mm	+Brown/-W	hite	Brown	100 metres	70651749	762-1146
TX	7/0.2mm	+Brown/-W	hite	Brown	200 metres	70657098	827-5662
NX	7/0.2mm	+Pink/-Whit	e	Pink	10 metres	70641635	219-4668
NX	7/0.2mm	+Pink/-Whit		Pink	25 metres	70657091	827-5637
NX	7/0.2mm	+Pink/-Whit		Pink	50 metres	70657091	827-5631
NX	7/0.2mm	+Pink/-Whit		Pink	100 metres	70657089	827-5640
INA	//U.ZIIIII	+PINK/-WNIT	e	FILIK	100 metres	/003/092	827-3040



	Conductors	Core	es	Jacket		Reel Leng	th	Allied Code		RS order code
Compensating:										
VX (KCB)	7/0.2mm		een/-White	Green		10 metres		70657082		827-5609
VX (KCB)	7/0.2mm		en/-White	Green		25 metres		70641629		219-4551
VX (KCB)	7/0.2mm		en/-White	Green		50 metres		70657080		827-5603
VX (KCB)	7/0.2mm		en/-White	Green		100 metre		70641630		219-4573
VX (KCB)	7/0.2mm	+Gre	een/-White	Green		200 metre	es	70657083		827-5612
VX (KCB)	13/0.2mm	+Gre	en/-White	Green		10 metres	i	70657086		827-5621
VX (KCB)	13/0.2mm	+Gre	en/-White	Green		25 metres	5	70657087		827-5625
VX (KCB)	13/0.2mm	+Gre	en/-White	Green		50 metres	5	70657090		827-5634
VX (KCB)	13/0.2mm	+Gre	en/-White	Green		100 metre	es	70651750		762-1152
U (RCA)	7/0.2mm	+Ora	ange/-White	Orange		10 metres		70657096		827-5656
U (RCA)	7/0.2mm	+Ora	inge/-White	Orange		25 metres	;	70646158		611-7902
U (RCA)	7/0.2mm	+Ora	ange/-White	Orange		50 metres		70657097		827-5659
U (RCA)	13/0.2mm	+Ora	ange/-White	Orange		10 metres	i	70641641		219-4769
U (RCA)	13/0.2mm	+Ora	inge/-White	Orange		25 metres	5	70657093		827-5643
U (RCA)	13/0.2mm	+Ora	ange/-White	Orange		50 metres	<b>i</b>	70657094		827-5647
T/C Type	Conductor	S	Cores		Reel L	ength	Allie	d code	RS	order code
J	1/0.2mm		+Black/-White		25 me	trac	7065	7194	827	7-5980
j	1/0.2mm		+Black/-White		50 me			7195		7-5984
J	1/0.211111		+Black/-Wille		50 IIIe	tres	7003	7193	02/	-3304
J	1/0.315mn	n	+Black/-White		25 me	tres	7065	7198	827	7-5993
J	1/0.315mn	n	+Black/-White		50 me	tres	7065	7199	827	7-5996
K	1/0.315mn		+Green/-White		25 me	tres	7065	7200	827	7-6000
K	1/0.315mn	n	+Green/-White		50 me	tres	7065	7205	827	7-6019
T	1/0.315mn		+Brown/-White		25 me			7208		7-6028
Т	1/0.315mn		+Brown/-White		50 me			7206		7-6022
'	1/0.5151111		+Browny-winte		30 IIIe	ties	7003	7200	021	-0022
J	1/0.508mn	n	+Black/-White		25 me	tres	7065	7197	827	7-5990
J	1/0.508mn	n	+Black/-White		50 me	tres	7065	7201	827	7-6003
K	1/0.508mn		+Green/-White		25 me	tres	7065	7203	827	7-6012
K	1/0.508mn		+Green/-White		50 me			7204		7-6016
J	7/0.2mm		+Black/-White		25 me	tres		7202		7-6006
K	7/0.2mm		+Green/-White		25 me	tres	7065	7207	827	7-6025
T	7/0.2mm		+Brown/-White		25 me	tres	7065	7209	827	7-6031
N	7/0.2mm		+Pink/-White		25 me	tres	7065	7210	827	7-6034



T/C Type	Conductors	Cores	Jacket	Reel Length	Allied code	RS order code
Extension:						
KX	7/0.2mm	+Yellow/-Red	Yellow	25 m	70656102	814-0018
KX	7/0.2mm	+Yellow/-Red	Yellow	100 m	70656105	814-0027
KX	7/0.2mm	+Yellow/-Red	Yellow	200 m	70656103	814-0020
JX	7/0.2mm	+ White/-Red	Black	25 m	70656096	813-9995
JX	7/0.2mm	+ White/-Red	Black	100 m	70656098	814-0005
JX	7/0.2mm	+ White/-Red	Black	200 m	70656099	814-0008
TX	7/0.2mm	+Blue/-Red	Blue	25 m	70656119	814-0074
TX	7/0.2mm	+Blue/-Red	Blue	100 m	70656122	814-0083
TX	7/0.2mm	+Blue/-Red	Blue	200 m	70656123	814-0086
Compensatir	ng:					
VX (KCB)	7/0.2mm	+Yellow/-Red	Yellow	25 m	70656127	814-0103
VX (KCB)	7/0.2mm	+Yellow/-Red	Yellow	100 m	70656130	814-0112
VX (KCB)	7/0.2mm	+Yellow/-Red	Yellow	200 m	70656131	814-0115

T/C Type KX KX KX	Conductors 1/0.2mm 1/0.2mm 1/0.2mm	Cores +Yellow/-Red +Yellow/-Red +Yellow/-Red	Reel Length 25 metres 50 metres 100 metres	Allied code 70656106 70656111 70656109	RS order code 814-0030 814-0049 814-0042
KX	7/0.2mm	+Yellow/-Red	25 metres	70656110	814-0046
KX	7/0.2mm	+Yellow/-Red	50 metres	70656113	814-0055
KX	7/0.2mm	+Yellow/-Red	100 metres	70656114	814-0058
KX	1/0.3mm	+Yellow/-Red	25 metres	70656104	814-0024
KX	1/0.3mm	+Yellow/-Red	50 metres	70656107	814-0033
KX	1/0.3mm	+Yellow/-Red	100 metres	70656108	814-0036
TX	1/0.3mm	+Blue/-Red	25 metres	70656121	814-0080
TX	1/0.3mm	+Blue/-Red	50 metres	70656126	814-0099
TX	1/0.3mm	+Blue/-Red	100 metres	70656124	814-0092
TX	1/0.2mm	+Blue/-Red	25 metres	70656125	814-0096
TX	1/0.2mm	+Blue/-Red	50 metres	70656128	814-0106
TX	1/0.2mm	+Blue/-Red	100 metres	70656129	814-0109