

### **PRODUCT CATALOG EDITION 4**





#### **OUR STORY**

Founded as a protective equipment task force in the 1970's, we have grown far beyond simply manufacturing products. We protect you for life's best moments.

Fueled by our R&D Special Ops Unit, comprised of the world's most bold and pioneering industry designers, users and advocates that revolutionize product innovation. We are fully dedicated to helping build a better future for the new generation of elite industrial troops; those who risk their lives so that future generations can thrive, rather than survive.

Enter the RPB® armory. The world's most advanced front-line armor for industry professionals consisting of supplied and powered air respirators, air monitoring, filtration and safety essentials, rigorously engineered resulting in leading protection, communication and optical technologies.



#### GLOBAL NETWORK

RPB<sup>®</sup> has a global network of distributors serviced from our Michigan Head Office and satellite offices in New Zealand and the United Kingdom.

Contact us on **(866) 494-4599** (USA), **+1 (248) 591 4000** (International) or visit **rpbsafety.com/find-your-distributor/** to find your nearest distributor.

©2017 No portion of this brochure may be copied, duplicated or otherwise used without express written permission of RPB® Safety LLC. RPB®, Z-Link®, Zytec®, PXA Air®, GX4®, Radex®, Nova 3®, Nova 1®, Comms-Link®, Nova 2000®, 'Advancing your safety®' and 'Protecting you for life's best moments®' are registered trademarks of RPB® Safety LLC.

Tychem® and Nomex® are registered trademarks of E.I. du Pont de Nemours and Company or its affiliates.







#### RESPIRATORS

- 6 Z-Link<sup>®</sup>
- 22 Comms-Link®
- **26** Z3<sup>™</sup> Welder
- 36 Z100<sup>™</sup> Series
- **44** Nova 3<sup>®</sup>
- 56 Nova 3® Talk™
- **64** L4™ Light
- 72 Nova 2000®
- 82 Nova 2000® Talk™
- 90 Nova 1®
- 102 Nova 1® Talk™
- **110** Astro™
- **120** T100<sup>™</sup> Series
- **130** T150<sup>™</sup> Series

#### AIR MONITORING FILTRATION AND SUPPLY

- 140 PX4 Air<sup>®</sup> PAPR
- 150 GX4<sup>®</sup> Gas Monitor
- 160 Radex<sup>®</sup> Airline Filter
- 174 Radex<sup>®</sup> Ambient Air Pump
- 176 Air Supply
- **180** C40<sup>™</sup> Climate Control Device
- 188 Flow Control

#### SAFETY ESSENTIALS

- 198 Blast Suit
- 204 Safety Glasses
- 205 Do-rag
- 205 Head Sock
- **205** Leather Blasting Gloves
- **205** S100<sup>™</sup> Ear Plugs
- 205 Knee Pads

#### PACKAGES

208 Packages

#### PARTS INDEX

224 Full Parts Index

rpb



## **Z-LINK®**

ELITE MULTI-PURPOSE RESPIRATORY PROTECTION

6



### **Z-LINK®**



#### **ELITE MULTI-PURPOSE RESPIRATORY PROTECTION**

The RPB® Z-Link® is more than a product. It's a system. The most versatile multi-purpose respirator on the planet. From welding and grinding to chemical handling, the Z-Link® serves the widest spectrum of industries and applications on the market.

The Z-Link®'s large visor enables you to operate with a widened perspective. It features exceptional downward and peripheral vision combined with a visor that hinges open for free air breathing and easy communication. Engineered to advance your safety. Designed to increase your productivity.

Inspired by military innovation, our R&D Special Ops Unit has relentlessly refined every last detail. The team has traveled the world to meet with and listen to operators. Ultimately, these refinements have enabled RPB® users to work smarter, not harder. Save crucial energy, time and costs in competitive industry environments, where elite protective equipment is often overlooked.

The Z-Link® is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1336:2014, AS/NZS 1801:1997.



**C**€0194 EN14594:2005

AIR RESPIRATOR



EN397:2012+A1:2012 HARD HAT PROTECTION



Air deflector for airflow adjustment

Reversible brow pad allows the choice of soft touch (smooth) or optimum comfort (fluffy) finish.

Fixed jaw ensures secure cape attachment.



\_\_\_\_\_\_

SUPERIOR COMFORT

The first padded multi-purpose respirator on the planet. A fully-adjustable Comfort-Link<sup>™</sup> Fit System allowing for total control on helmet and head placement including the 360-degree adjustable head band and reversible brow pad.

1-866-494-4599 | rpbsafety.com



Choice of 6 Anti-Fog and Scratch Resistant ANSI Z87+ visors: Premium Clear, Green Tint (Shade 3), Green Tint (Shade 5), Yellow Tint, Black Tint and Mirror Tint.

> 3 cape materials available: Tychem<sup>®</sup> QC, Tychem® SL or Zytec® FR.



### Z-LINK+®



#### ELITE MULTI-PURPOSE RESPIRATORY PROTECTION

The RPB® Z-Link+® is the result of extensive user testing in demanding welding environments. Elite welding professionals benefit from reduced downtime and fatigue and increased productivity.

As the Z-Link+<sup>®</sup> clips directly onto your main visor, you can seamlessly weld with crystal-clear vision and the ability to lift up your visor to check welds and instantly begin grinding.

The Z-Link+<sup>®</sup> includes the large RPB<sup>®</sup> ADF lens with the 1.1.1.1. rating in optical quality. The all-important fourth "1", advanced angular dependence control, guarantees uniform shading and distortion-free vision, allowing you to work comfortably and effortlessly for hours across different angles.

The addition to the Z-Link® certifications, the Z-Link+® is certified to the standards below.



WELDING EYE PROTECTION

WELDING EYE

PROTECTION





Visor lifter to easily raise and lower the welding visor.



#### REMOVABLE WELDING VISOR

The Z-Link+<sup>®</sup> clips directly onto your main visor, enabling you to lift up your visor to check welds and to instantly begin grinding. For extended periods of grinding the visor is easily removed at the hinge points.



\_\_\_\_\_\_

#### 1-866-494-4599 | rpbsafety.com



Replaceable impact lens and removable ADF lens.



### **Z-LINK<sup>®</sup> PACKAGES**



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:



1-866-494-4599 | rpbsafety.com

rpb

#### **Z-LINK® PACKAGES**

#### **Z-LINK<sup>®</sup> PARTS**



1-866-494-4599 | rpbsafety.com

### **Z-LINK<sup>®</sup> PARTS**



RESPIRATORS | 국 | Z-LINK® - PARTS

## **Z-LINK<sup>®</sup> PARTS**



1-866-494-4599 | rpbsafety.com

## **Z-LINK® PARTS**



\_\_\_\_\_

1-866-494-4599 | rpbsafety.com

## **COMMS-LINK®**

ADVANCED IN-HELMET COMMUNICATION SYSTEM



#### **COMMS-LINK® PARTS**


Motorola Connection Cable (multi-pin) Part # 09-931



Kenwood Connection Cable (two-pin) Part # 09-933



Motorola Connection Cable (multi-pin) Part # 09-932



Motorola Connection Cable (two-pin) Part # 09-930



Communication System (includes 16-529) Part # 16-922

Push to Talk Button - Intrinsically Safe Part # 09-813

\_\_\_\_\_\_





1-866-494-4599 | rpbsafety.com



## Z3<sup>™</sup> WELDER

## ULTIMATE RESPIRATORY PROTECTION & OPTICAL QUALITY



#### Z3<sup>™</sup> WELDER



#### ULTIMATE RESPIRATORY PROTECTION & OPTICAL QUALITY

As the predecessor to the new, multi-purpose Z-Link+<sup>®</sup>, the RPB<sup>®</sup> Z3<sup>™</sup> Welder combines respiratory protection with breakthrough optical technology.

Proven to deliver welding professionals with a comfortable working environment, the Z3<sup>™</sup> Welder exceeds the demands of the most quality-conscious companies, while surpassing the most rigorous industry standards.

Advance your workplace safety with a product that boasts a range of truly unique design and engineering features. The Z3<sup>™</sup> can withstand extreme temperatures without distortion due to the high performance nylon shell construction. The adjustable airflow disperser means that you can operate in a comfortable and fume-free breathing zone.

The Z3<sup>™</sup> Welder includes the RPB<sup>®</sup> OCV filter with advanced angular dependence control providing uniform shading and distortion free vision to work comfortably across different angles. It features superior color definition in both open and activated states, allowing you to easily identify heat definition and displays on equipment.

The Z3<sup>™</sup> has been rigorously tested through conventional safety testing methods in addition to field testing. It certified to the standards below and conforms to AS/NZS 1716:2012.



TYPE C SUPPLIED EN1: AIR RESPIRATOR



1338.1:2012 EN: WELDING EYE PROTECTION

PROTECTION



ADJUSTABLE AIR FLOW

The  $Z3^{\text{\tiny M}}$  adjustable direction airflow provides clearer vision and less downtime.

Aerodynamic shell designed for greater fume deflection. CD. Easily replaced face seal. Enlarged mouth and nose area to reduce CO accumulation.

Center positioned air inlet brings air to the breathe zone.

1-866-494-4599 | rpbsafety.com



#### Lightweight helmet 14.1 ounces (399g) without ADF.

Heat reflecting, light gray shell manufactured from high temperature impact nylon.

> Hose support to help keep balance and free movement of head.

> > rpb

Smooth rounded edge for additional comfort.

## Z3" WELDER PACKAGES

1-866-494-4599 | rpbsafety.com





For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:





#### Z3<sup>™</sup> WELDER

### Z3<sup>™</sup> WELDER PARTS

#### **OPEN STATE RPB® OCV COLOR DEFINITION**

The OCV Filler range offers superior color definition in both the open and activated state, allowing the operator to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.






#### **CLOSED STATE RPB® OCV OPTICAL QUALITY**


The OCV filter boasts a 1/1/1/1 optical quality rating which is the world's best. This means a clear view from a wider range of angles, reducing eye fatigue and increasing your productivity.





#### 40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)

- Viewing Area: 10.1 square inches (3.78" x 2.68") Light state: Shade 4. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.15ms at 73°F / 23°C
- Adjustable delay from dark to light (0.2 to 0.8 seconds)
- Weight (ADF only): 5.64 oz / 160g. Temperature range: 14°F to 140°F / -10°C to +60°C
- 3 year warranty
- 2 Sensors: it is the quality not the quantity of sensors that provide the fast reaction time of the filter
- Sensitivity and delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Accommodates standard 4" x 5" front cover lens
- Adapts to standard magnifying lens
- Solar powered
- Best optical quality in industry 1/1/1/1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and cutting. NOT FOR LASER OR GAS WELDING.









\_\_\_\_\_\_



#### 1-866-494-4599 | rpbsafety.com

'ELDER - PARTS 3 'n 33 RESPIRATORS

כוקח

#### **Z3<sup>™</sup> WELDER PARTS**



`\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com

Hard Hat (includes 13-045)

Flex Face Seal Part # 13-323

כלקח

## Z100<sup>™</sup> SERIES

LIGHTWEIGHT PROTECTION WITH SAFETY AT THE FOREFRONT

**rp**i

Marine Constants



#### Z100<sup>™</sup> SERIES

#### LIGHTWEIGHT PROTECTION WITH SAFETY AT THE FOREFRONT

The RPB® Z100 $^{\rm m}$  Series is the leading cost-effective replaceable and disposable armor on the market.

The Z100<sup>™</sup> is manufactured from RPB<sup>®</sup> Zytec<sup>®</sup> Fabric. It is a lightweight hood that offers superior comfort in comparison with conventional, tight, full-face respirators. The hood protects the operator's entire head, eliminating the need for a head sock.

Used throughout a variety of industries from grinding to brazing, the Z100<sup>™</sup> is equally lightweight as it is economical. Without incurring significant additional expenses, operators benefit from the Z100<sup>™</sup>'s advanced safety and superior quality while increasing productivity.

Additionally, users with facial hair commonly convert to this loose-fitting respirator, without jeopardizing or compromising on protection.



SAVE TIME & MONEY

With the loose-fitting Z100<sup>™</sup> Respirator, there is no need for time consuming fit testing, saving you time and money while maintaining OSHA compliance.

1-866-494-4599 | rpbsafety.com



\* From local and globally sourced components.

rpb



Loop allows for easy storage.

Quick release breathing tube clip provides security and is easily replaced.

> Extra tuck in collar to direct the airflow over the upper body, providing additional comfort.



## Z100<sup>™</sup> SERIES PACKAGES

-----



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:



1-866-494-459 9 rpbsafety.com



#### Z100<sup>™</sup> SERIES PARTS

Constant Flow Valve Assembly (NIOSH approved) Part # 03-101 (CE approved) Part # 03-102



Silenced Cool Tube Assembly Part # 4000-40



Adaptor: 1/4" RPB® Plug to 3/8" NPT Male Part # 03-111



Zytec® FR Hood with Safety Lens **Part # 07-160-S** 

Hose Clamp (single bond nylon, 1-13/32) Part # 07-122





Supplied Air Breathing Tube (for Z100<sup>™</sup>) Part # NV2021F

\_\_\_\_\_\_





1-866-494-4599 | rpbsafety.com

## NOVA 3<sup>®</sup>

THE WORLD'S MOST ADVANCED HEAVY INDUSTRY RESPIRATOR



NEV/A

## **NOVA 3**<sup>®</sup>



#### THE WORLD'S MOST ADVANCED **HEAVY INDUSTRY RESPIRATOR**

The verdict is in: the RPB® Nova 3® respirator has been heralded as the industry's definitive benchmark in abrasive blasting.

With breakthrough protection technology and previously unseen advanced comfort and functionality features, the Nova 3<sup>®</sup> is designed to advance safety and productivity.

For over 40 years, users have been choosing RPB® respirators as the most comfortable across a number of industries. Operators claim the Nova 3® is the lightest and most comfortable heavy industry respirator they've ever used. It's unique weight distribution design distributes the helmet's weight evenly across the head and shoulders for optimum comfort and movability.

A ratchet adjustable neck pad ensures appropriate head support. The molded inner 'Clever Fit Padding' design (patent pending) helps absorb sound, protect hearing and is fully adjustable. It allows for unique customization to correctly fit all users and is easily removable and washable.

Although many claim safety is paramount, we walk the talk. The Nova 3® has been rigorously tested in both controlled and field testing environments - the results speak for themselves. It is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1336:2014, AS/NZS 1801:1997.



AIR RESPIRATOR

#### **ANSI Z87+ ANSI Z89.1 C€**0194

EN14594:2005 EN12941:1998+A1:2003+A2:2008 TH3 P R SI

EN166:2002 HIGH VELOCITY IMPACT FOR EYE & FACE




HARD HAT PROTECTION

EN397:2012+A1:2012

**BOOST PRODUCTIVITY** RPB®'s NV3-745 casselte lens is a unique system of one outer lens fused with five tear-off lenses which have pre-folded tabs.

1-866-494-4599 | rpbsafety.com





Tough, high-pressure injection

from engineering grade nylon.



#### \* From local and globally sourced components.



Streamlined air system that directs air to the breathe zone, reducing lens fogging and eliminating head chill.

\_\_\_\_\_

Light gray helmet surface reflects heat while the vibrant green visor ensures visibility.

> Ratchet adjustable padding system creates secure custom fit.

> > Large, glove sized latch that is easy to locate and use.

Clip on cape seal stops abrasives and dust entering the helmet.

Cape is securely attached with 8 snap fasteners.





NOVA 3<sup>®</sup> Breathing Tube Flow Control Valve Nylon Respirator Cape **Part # NV3-702-50** 



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit **rpbsafety.com/buildyourown** Other packages include:



**rpb**°

## **NOVA 3<sup>®</sup> PARTS**



1-866-494-4599 | rpbsafety.com

### **NOVA 3<sup>®</sup> PARTS**



15mm, and 20mm)

`\_\_\_\_\_\_



1-866-494-4599 | rpbsafety.com

RESPIRATORS UNITION 2. PARTS

כלקח

## **NOVA 3<sup>®</sup> PARTS**



## NOVA 3° TALK<sup>™</sup>

# ADVANCED IN-HELMET COMMUNICATION SYSTEM

Ľ



## NOVA 3<sup>®</sup> TALK<sup>™</sup>

#### NOVA 3<sup>®</sup> TALK<sup>™</sup> PARTS



#### ADVANCED IN-HELMET COMMUNICATION SYSTEM

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 3® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 3® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shipyards, water towers and any area that is difficult to access. The Nova 3® Talk™ offers users features that include push to talk simplicity, a noise-cancelling microphone, pillow foam padding, multiple harness options and much more.



R-Tex High Noise Headset (includes PTT) Part # 09-916

\_\_\_\_\_\_





RESPIRATORS | 協 | NOVA 3® TALK \*\* - PARTS

#### NOVA 3<sup>®</sup> TALK<sup>™</sup> PARTS



\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com

#### NOVA 3<sup>®</sup> TALK<sup>™</sup> PARTS

**NOVA 3® TALK<sup>™</sup> SPECIFICATIONS** 

Motorola Connection Cable Motorola Connection Cable (two-pin) Part # 09-930 (multi-pin) Part # 09-931 Kenwood Connection Cable (two-pin) Part # 09-933 Motorola Connection Cable (multi-pin) Part # 09-934 Part # 09-932



#### MOTOROLA MULTI-PIN RADIO MODELS

MOTOROLA TWO-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR05750, PR07150, PR07350, PR07450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

#### PART # 09-931

XV2100, XV2600. PART # 09-930

Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500. Part # 09-932

GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Part # 09-934

KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933

**NOTE:** If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.

1-866-494-4599 | rpbsafety.com

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, PO40, PO80, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100,





**CDD** 

## L4" LIGHT

## ADVANCED HELMET LIGHTING SYSTEM



## L4<sup>™</sup> LIGHT

## 

#### **ADVANCED HELMET** LIGHTING SYSTEM

Blasting in the dark can be awkward and dangerous. The RPB<sup>®</sup> L4<sup>™</sup> Light, minimizes workplace safety hazards, reduces downtime and ensures that you have sufficient light.

The RPB<sup>®</sup> L4<sup>™</sup> Light provides a steady, highly concentrated output of light to your field of vision. Its high-powered LEDs produce up to 500 lumens of concentrated light output with a compact, lightweight battery pack that mounts comfortably and securely on your belt.

The L4™ Light features a low-profile design, enhancing operator control with minimum protrusion and mounts securely to the top of the RPB® Nova 3® Respirator, providing light wherever the operator looks, eliminating the safety risks and inefficiencies associated with outdated nozzle lights.

Although applications have expanded since launch, it was originally developed to overcome the global need for light to assist blasters in tanks and other confined spaces where light is scarce.

Manufactured with durable, long-lasting materials.

Efficient, high powered LEDs producing up to 500 lumens of concentrated light output.

Comes with 5 pre-set brightness settings.

Made in USA:

\_\_\_\_\_

EXTRA LONG LIFE Long lasting Li-ion battery lasts up to 12 hours on a single charge. Batteries recharge in 3-4 hours. The lightweight battery pack mounts on your belt.



1-866-494-4599 | rpbsafety.com

\* From local and globally sourced components.







## L4<sup>™</sup> LIGHT PACKAGES

L4™ LIGHT



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit **rpbsafety.com/buildyourown** Other packages include:



400

1-866-494-4599 | rpbsafety.com



# L4" LIGHT PARTS



\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com







# **NOVA 2000**°

# ADVANCED ABRASIVE BLASTING HELMET

ENOVE 2000



### **NOVA 2000®**



### ADVANCED ABRASIVE BLASTING HELMET

As the predecessor to the Nova 3°, the RPB° Nova 2000° was designed specifically for blasting, focusing on improved operator comfort to boost performance and productivity.

Featuring best-in-class hearing protection with multi-layered sound deadening foam, a streamlined air flow system and an abrasion resistant shell, the Nova 2000<sup>®</sup> meets worldwide respiratory protection standards including NIOSH, CE and AS/NZS.

Today's high safety standards in industry environments make on-site health and safety a top priority. Non-compliance or outdated equipment can likely result in unexpected costs including business disruption, injuries to valued operators and negative effects on your company's reputation. Year after year, the Nova 2000® has proven to minimize the risks to employees and businesses worldwide.

The Nova 2000<sup>®</sup> is certified to the standards below and conforms to AS/NZS 1716:2012.




**C**€0194 TYPE CE SUPPLIED AIR RESPIRATOR

EN14594:2005 EN12941:1998+A1:2003+A2:2008 TH3 P R SL

EN166:2002 HIGH VELOCITY IMPACT FOR EYE & FACE



HARD HAT PROTECTION



Super tough helmet shell that is U.V. stabilized and abrasion resistant.

Large viewing window for increased vision.

> Choose from 5 cape options.

Cape is securely attached with 8 snap fasteners

Made in USA

**BOOST PRODUCTIVITY** 

Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" Tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.

\_\_\_\_\_

1-866-494-4599 | rpbsafety.com



Hand strap for easy transportation and storage

> Multi-layered sound deadening foam for hearing protection.

> > Abrasion resistant cape cover band.

> > > Snug detachable inner bib.

**NOVA 2000** RESPIRATORS G



\_\_\_\_\_

# NOVA 2000<sup>®</sup> PACKAGES

NOVA 2000®

 $\mathbb{Z}\mathbb{Z}$ 



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:



1-866-494-4599 | rpbsafety.com

7/7/




### **NOVA 2000<sup>®</sup> PARTS**



\_\_\_\_\_\_

### **NOVA 2000<sup>®</sup> PARTS**



1-866-494-4599 | rpbsafety.com

Hygiene Kit (includes 2 alcohol wipes)

Side Wings (pair) size Small Part # NV2010SH size Medium Part # NV2010 size Large **Part # NV2010LH** 

Side Wings (pair, for wearers with glasses) size Small Part # NV2010GSH size Medium Part # NV2010G size Large Part # NV2010GLH

RESPIRATORS COVA 2000° - PARTS



# NOVA 2000° TALK<sup>™</sup>

ADVANCED IN-HELMET COMMUNICATION SYSTEM

1 2000



## NOVA 2000<sup>®</sup> TALK<sup>™</sup>

## NOVA 2000<sup>®</sup> TALK<sup>™</sup> PARTS

### ADVANCED IN-HELMET COMMUNICATION SYSTEM

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 2000® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 2000® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shipyards, water towers or any area that is difficult to access. The Nova 2000® Talk™ offers users features that include push to talk simplicity, a noise-cancelling microphone and pillow foam padding.













- PARTS

RESPIRATORS | g | NOVA 2000° TALK"

כלקי

# NOVA 2000<sup>®</sup> TALK<sup>™</sup> PARTS

Intrinsically Safe



\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com

Raider High Noise Headset -Intrinsically Safe **Part # 09-815** 



### NOVA 2000<sup>®</sup> TALK<sup>™</sup> PARTS

Motorola Connection Cable (two-pin)

Part # 09-930

**NOVA 2000<sup>®</sup> TALK<sup>™</sup> SPECIFICATIONS** 

Motorola Connection Cable (multi-pin) Part # 09-931



Kenwood Connection Cable (two-pin) Part # 09-933



Motorola Connection Cable (multi-pin) Part # 09-932





MOTOROLA MULTI-PIN RADIO MODELS

### PART # 09-930

PART # 09-931

Part # 09-932

CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, PO40, PO80, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

MOTOROLA TWO-PIN RADIO MODELS

Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500.

PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Part # 09-934

### KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933

**NOTE:** If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.

1-866-494-4599 | rpbsafety.com

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100,

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR05750, PR07150, PR07350, PR07450,







# NOVA 1<sup>™</sup>

SAFER, TOUGHER & MORE COMFORTABLE



# **NOVA 1**<sup>®</sup>



### SAFER, TOUGHER & MORE COMFORTABLE

With a robust and large flat lens, the RPB® Nova 1® boasts all the same design features of the Nova 2000<sup>®</sup> that improve operator comfort and boost productivity.

Featuring best-in-class hearing protection with multi-layered sound deadening foam, a streamlined air flow system and an abrasion resistant shell, the Nova 1<sup>®</sup> meets worldwide respiratory protection standards including CE and AS/NZS.

Today's high safety standards make on-site health and safety a top priority. Non-compliance or outdated equipment can likely result in unexpected costs including business disruption, injuries to valued operators and negative effects on your company's reputation. Year after year, the Nova 1<sup>®</sup> minimizes the risks to employees and businesses worldwide.

Between the Nova 3<sup>®</sup>, Nova 2000<sup>®</sup>, Astro<sup>™</sup> and Nova 1<sup>®</sup>, RPB<sup>®</sup> Safety has established itself consistently over decades as the definitive market leader in the abrasive blasting industry.

The Nova 1<sup>®</sup> is certified to the standards below and conforms to AS/NZS 1716:2012.

FOR EYE & FACE



### **ANSI Z87+ ANSI Z89.1** EN397:2012+A1:2012 EN166-2002

EN14594:2005 EN12941:1998+A1:2003+A2:2008 TH3 P R SL

HIGH VELOCITY IMPACT HARD HAT PROTECTION Super lough helmet shell

that is U.V. stabilized and abrasion resistant. Adjustable sturdy visor frame with molded hinge designed to take different lens thicknesses. Large, flat lens. Durable nylon cape with comfortable seal around the neck. Made in USA:

### **BOOST PRODUCTIVITY**

Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" Tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.

1-866-494-4599 | rpbsafety.com

\* From local and globally sourced components.

1-11

16-



Air duct distribution system directs airflow into the breathe zone, prevents fogging and keeps workers cool.



rpb

## **NOVA 1® PACKAGES**

AD

17 17 19 1

NOVA 1<sup>®</sup> Breathing Tube Constant Flow Valve Nylon Respirator Cape **Part # NV1-711-50** 



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit **rpbsafety.com/buildyourown** Other packages include:



1-866-494-4599 | rpbsafety.com

rpb

## **NOVA 1º PARTS**



\_\_\_\_\_

# **NOVA 1° PARTS**



1-866-494-4599 | rpbsafety.com



### **NOVA 1º PARTS**

Side Wings (pair) Size Small **Part # NV2010SH** Size Medium **Part # NV2010** Size Large **Part # NV2010LH** 



Side Wings (pair, for wearers with glasses) size Small **Part # NV2010GSH** size Medium **Part # NV2010G** size Large **Part # NV2010GLH** 



Air Inlet

Part # NV3-729

Helmet Liner size Small **Part # NV2009SH** size Medium **Part # NV2009** size Large **Part # NV2009LH** 



Hygiene Kit (includes 2 alcohol wipes) size Small **Part # NV2009/10SH** size Medium **Part # NV2009/10** size Large **Part # NV2009/10LH** 

Supplied Air Breathing Tube (for Nova 1®) Part # NV2021B

\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com



RESPIRATORS [ ] NOVA 1º - PARTS

# NOVA 1<sup>™</sup> TALK<sup>™</sup>

ADVANCED IN-HELMET COMMUNICATION SYSTEM



# **NOVA 1<sup>®</sup> TALK<sup>™</sup>**

### **NOVA 1° TALK<sup>™</sup> PARTS**



### ADVANCED IN-HELMET COMMUNICATION SYSTEM

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 1<sup>®</sup> Talk<sup>™</sup> has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 1® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shipyards, water towers and any area that is difficult to access. The Nova 1<sup>®</sup> Talk<sup>™</sup> offers users features that include push-to-talk simplicity, a noise-cancelling microphone and pillow foam padding.





\_\_\_\_\_\_



RESPIRATORS

CERTIFIED COMPANY



# NOVA 1<sup>®</sup> TALK<sup>™</sup> PARTS

Intrinsically Safe



\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com

Raider High Noise Headset -Intrinsically Safe **Part # 09-815** 



### NOVA 1<sup>®</sup> TALK<sup>™</sup> PARTS

**NOVA 1® TALK<sup>™</sup> SPECIFICATIONS** 

Motorola Connection Cable Motorola Connection Cable (two-pin) Part # 09-930 (multi-pin) Part # 09-931 Kenwood Connection Cable (two-pin) Part # 09-933

Motorola Connection Cable (multi-pin) Part # 09-932





### MOTOROLA MULTI-PIN RADIO MODELS

MOTOROLA TWO-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR05750, PR07150, PR07350, PR07450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

### PART # 09-931

XV2100, XV2600. PART # 09-930

Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500. Part # 09-932

MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838,

# KENWOOD TWO-PIN RADIO MODELS

Part # 09-934

Part # 09-933

1-866-494-4599 | rpbsafety.com

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, PO40, PO80, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100,



TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.



**NOTE:** If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.



# **ASTRO**<sup>™</sup>

THE LIGHTWEIGHT INDUSTRY BENCHMARK FOR ABRASIVE BLASTING



# **ASTRO**<sup>™</sup>



### THE LIGHTWEIGHT INDUSTRY **BENCHMARK FOR ABRASIVE BLASTING**

The undisputed economical champion for an abrasive blasting helmet. The RPB® Astro meets safety standards worldwide, including Australia, Europe and the USA.

Weighing only 2.6lb/1.2kg (excluding the breathing tube), the Astro™'s revolutionary lightweight design has proven to reduce operator fatigue and downtime.

For users in search of a flat lens respirator, the Astro™'s best-in-class cape attachment and low lifetime maintenance and parts replacement costs offer users and businesses an unbeatable value and return on investment.

And unlike other flat lens respirator manufacturers, at RPB® Safety, we don't take shortcuts and we refuse to compromise on quality. Our rigorous production standards ensure a robust build and quality from shell to seams.

The Astro<sup>™</sup> is certified to the standards below and conforms to AS/NZS 1716:2012.



### ANSI Z87+ ANSI Z89.1 EN397:2012+A1:2012 EN166:2002

EN14594:2005 AIR RESPIRATOR EN12941:1998+A1:2003+A2:2008 TH3 P R SL

**C**€0194

HIGH VELOCITY IMPACT FOR EYE & FACE

HARD HAT PROTECTION

Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" Tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.

1-866-494-4599 | rpbsafety.com

**BOOST PRODUCTIVITY** 





\_\_\_\_\_

Hand strap for easy transportation and storage.

> Unique, high-strength visor strap.

> > Flexible breathing tube.







ASTRO™ ASTRO Breathing Tube Flow Control Valve Nylon Respirator Cape **Part # 02-800** 








For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown



## **ASTRO<sup>™</sup> PARTS**



## **ASTRO<sup>™</sup> PARTS**



`\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com

# T100 SERIES"

# SUPERIOR LIGHTWEIGHT PROTECTION



CRIE

## T100<sup>™</sup> SERIES

### SUPERIOR LIGHTWEIGHT PROTECTION

The RPB<sup>®</sup> T100<sup>™</sup> Series is the leading cost-effective replaceable and disposable armor on the market. Maximize your economic return with this supplied air respirator that provides lightweight protection and premium quality.

Used throughout a variety of industries from industrial spray painting to chemical handling, the  $T100^{M}$  has been designed to be robust enough to reuse but cost effective enough to discard after use.

It is manufactured from DuPont<sup>®</sup> Tychem<sup>®</sup> and offers superior comfort compared to conventional, tight, full-face respirators. The hood also protects the operator's entire head, eliminating the need for a head sock. And its wide-angle lens delivers optimum vision.

A large variety of hood options with different features are available, including the option of the unique ANSI Z87.1+ High Velocity Impact Lens.

Additionally, users with facial hair commonly convert to this loose-fitting respirator, without jeopardizing or compromising on protection.

### APPLICATIONS INCLUDE

- Spray painting and coating applications
- Pharmaceutical manufacturing
- Chemical and pesticide handling
- Waste management
- Materials handling and chemical stripping



### The T100™ Series is available in two different materials:

Dupont<sup>®</sup> Tychem<sup>®</sup> QC and Dupont<sup>®</sup> Tychem<sup>®</sup> SL. Dupont<sup>®</sup> Tychem<sup>®</sup> SL is widely used in waste management, hazardous response, nuclear environments, and other challenging industries. This version is Saronex coated, providing at least 30 minutes of protection against over 120 chemical substances.





Barrier seal for more demanding environments, utilizing Saranex<sup>™</sup> 23-P film laminated to Tyvek® fabric.

Peel-off lenses protect the main lens from chemical splash, spray drift and dust.

High velocity impact protection Lens.

Large lens providing excellent peripheral and downward vision.

Tuck in collars provide a seal from airborne contaminants and directs airflow past the upper body to provide additional cooling.



### HEAD PROTECTION

For work sites that require head protection, the T100<sup>™</sup> offers a ANSI Z89.1 compliant Hard Hat that has a 6-point harness providing excellent stability and comfort. Choose between the head suspension and the ANSI Z89.1 Type 1E Hard Hat.

\* From local and globally sourced components.

Air duct directs the airflow to the operator's breathing zone.

1-866-494-4599 | rpbsafety.com





SER



### T100<sup>™</sup> SERIES PACKAGES

T100<sup>™</sup> SERIES Tychem® QC Breathing Tube Constant Flow Valve Standard Length Bib Standard Lens Part # 07-101



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:

\_\_\_\_\_



1-866-494-4599 | rpbsafety.com









### T100<sup>™</sup> SERIES PARTS



\_\_\_\_\_


1-866-494-4599 | rpbsafety.com



Silenced Cool Tube Assembly



### **T100<sup>™</sup> SERIES PARTS**



~~~~~

1-866-494-4599 | rpbsafety.com

Supplied Air Breathing Tube (for T100™) **Part # NV2021F** PX4 Air® Breathing Tube (for T100™) Part # 04-836





# T150 SERIES<sup>™</sup>

# THE ULTIMATE AIR SUPPLIED FULL-FACED RESPIRATOR



### T150<sup>™</sup> SERIES



### THE ULTIMATE AIR SUPPLIED FULL-FACE RESPIRATOR

A limited viewing area is a hazard for employees on industrial work sites, increasing risks such as tripping, falling, or even long-term eye-sight damage. Enter the RPB® T150<sup>™</sup> NIOSH approved Type C respirator, which minimizes these risks and offers operators a superior comfort, vision and safety across a spectrum of applications from chemical stripping to spray painting and coating.

The T150<sup>™</sup> is manufactured from polycarbonate, making it robust, yet comfortable enough for all-day protection. It has an adjustable six-point harness and a soft silicone or thermoplastic (TPR) face seal that fits perfectly to the contours of the user's face, creating an airtight seal. It also features a panoramic lens that has been specially treated to prevent fog, scratches and acid wear and tear.

When operating in confined space applications requiring a full-face respirator, work in comfort with the knowledge that you and your team are receiving the most elite protection available.

### APPLICATIONS INCLUDE

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management



BOOST PRODUCTIVITY

Protect the main lens from chemical splash, spray drift or dust with peel-off protective lenses. Pre-folded tabs ensure workers can quickly tear off just one layered lens at a time.

1-866-494-4599 | rpbsafety.com

Available in comfortable textile or rubber. Adjustable head harnesses attach via six fast release buckles.



Polycarbonate lens protects face from over spray and debris. Its acid-resistant coating allows it to be cleaned with thinners.

Panoramic visor provides undistorted vision.

Air distribution system provides anti-fog barrier to the inside of the lens.





Soft Silicon (green) or Thermoplastic (TPR, grey) face seals guarantee a perfect fit.

Soft silicone inner face seal fits comfortably over mouth and nose.



## T150<sup>™</sup> SERIES PACKAGES

For more package options please refer to the tables at the rear of this catalog. Alternatively, visit **rpbsafety.com/buildyourown** Other packages include:




T150<sup>™</sup> SERIES Breathing Tube Flow Control Valve Face Seal (silicon) Comfort Fit Harness Part # 11-902-CS






RESPIRATORS  $\left| \overrightarrow{G} \right|$  **T150° SERIES - PACKAGES** 

### **T150<sup>™</sup> SERIES PARTS**



RESPIRATORS VI TISO" SERIES - PARTS





# PX4 AIR<sup>®</sup> PAPR

# THE ULTIMATE POWERED AIR PURIFYING RESPIRATOR



## **PX4 AIR® PAPR**



### THE ULTIMATE POWERED **AIR PURIFYING RESPIRATOR**

The RPB® PX4 Air® is a robust and versatile Powered Air Purifying Respirator (PAPR) that provides clean breathing air to the full range of RPB® Safety's industry leading respirators.

Whether you're welding, grinding, blasting, painting or in a laboratory, the RPB® PX4 Air<sup>®</sup> can serve all your mobile respiratory needs.

The PX4 Air<sup>®</sup> optimizes user safety, comfort and portability. Users benefit from the safety of clean breathing air without the restriction of attached airlines, providing complete flexibility to move around as the job requires. It is NIOSH and CE certified and exceeds the requirements of AS/NZS.

#### **APPLICATIONS INCLUDE**

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management
- And many more!



AIR RESPIRATOR

**C€**0194 EN12941:1998+A1:2003+A2:2008 TH3 P R SL

Air flow filter cartridge condition can be checked with the easy to use flow control tester.





Long life, lightweight, Lithium rechargeable battery. Operates up to 13 hours on a single charge. Has a quick test button to view the current battery charge.

Electronic calibration to ensure optimum airflow.

Two belt options available: standard webbed belt or the Nomax<sup>®</sup> FR rated belt for use in spark environments.

The ultra quiet fan operates at a noise level as low as 65dba.

> Ergonomically designed, contouring to the operator's lower back.



\* From local and globally sourced components.



The LED display shows battery life and fan speed. When flow is below the minimum requirements the unit alerts you by an audible and vibrating alarm.

1-866-494-4599 | rpbsafety.com



Audible and vibrating alarm when flow is below the minimum reauirements.

Lightweight at just 2.5lbs (1.13kg).

Ultra-efficient multi-speed German built fan.

rpb

Highly efficient filter cartridge provides maximum filtration.

## PX4 AIR<sup>®</sup> PAPR PACKAGES



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit **rpbsafety.com/buildyourown** Other packages include:







## **PX4 AIR® PAPR PARTS**



`\_\_\_\_\_\_`

## PX4 AIR® PAPR PARTS




\_\_\_\_\_\_





# **GX4 GAS MONITOR®**

## THE ULTIMATE GAS DETECTION MONITOR





- 10 Carrow Contraction

20

## **GX4<sup>®</sup> GAS MONITOR**



### THE ULTIMATE GAS **DETECTION MONITOR**

Dangerous levels of toxic gases can cause severe injury or death. The RPB® GX4® Gas Monitor gives you the complete confidence that the air you and your employees breathe is safe.

Gases such as carbon monoxide are invisible to all the human senses, yet are commonly found in industrial premises worldwide. While low-level exposure may not be immediately fatal, ongoing contact at low levels has a cumulative effect, causing serious illness and long-term health concerns. Early symptoms can be mistaken for the flu, headaches or tiredness. It is a serious problem which is commonly overlooked.

The GX4® can detect up to four gases simultaneously. It includes smart device and cloud integration capabilities enabling you to view your air quality from any device, while sensors are displayed online in real time.

#### **APPLICATIONS INCLUDE**

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management

Connect to the GX4® from your laptop, tablet, phone or even network to view real time data, download logs, alter alarm points and much more.





GAS SENSORS

A range of pre-calibrated gas sensors are available including CO,  $O_2$  and  $H_2S$ . All have a 2 year shelf life.

1-866-494-4599 | rpbsafety.com

\* From local and globally sourced components.



Complete quick and easy calibration checks with no set points required.



## **GX4<sup>®</sup> GAS MONITOR PACKAGES**





For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:







## **GX4<sup>®</sup> GAS MONITOR PARTS**



## **GX4<sup>®</sup> GAS MONITOR PARTS**



Zero Air (20.9% Oxygen in Nitrogen) Part # 08-460 20ppm CO (20ppm Carbon Monoxide in Air) Part # 08-461 20ppm  $H_2S$  (20ppm Hydrogen Sulfide in Nitrogen) Part # 08-462



\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com



AIR MONITORING FILTRATION & SUPPLY  $\left| \stackrel{G}{G} \right|$  GX4° GAS MONITOR - PARTS



# RADEX AIRLINE FILTER®

ADVANCED FILTRATION CAPACITY & VERSATILITY



E.

RADEX

COLORN AND ITTACK

## **RADEX® AIRLINE FILTER**

### **ADVANCED FILTRATION CAPACITY & VERSATILITY**

Polluted air can be the cause of major health issues and, at the very least, can adversely affect operator comfort and productivity. The RPB® Radex® Airline Filter improves the quality of the air your employees are breathing and exceeds industry filtration standards so you can be assured that your operators won't suffer the consequences of breathing contaminated air.


The filter is fitted with a large capacity, 6-stage filter cartridge that removes moisture, odor and particulates to 0.5 micron from the compressed air stream, providing clean, breathable air. The Radex® features a unique twist-and-lock wall and floor mounting system.

An optional auto drain valve is available to fit to your filter that continually removes moisture from the filter housing, increasing the lifespan of the filter cartridge.



6-stage filter cartridge.





**6 OUTLET SYSTEM** Upgrade to the 6-outlet system to provide filtration to six separate airlines from one filter.

1-866-494-4599 | rpbsafety.com

\* From local and globally sourced components.



כוקח

## RADEX<sup>®</sup> AIRLINE FILTER PACKAG

1-866-494-4599 | rpbsafety.com

RADEX® AIRLINE FILTER Complete Part # 04-900

For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown



\_\_\_\_



## **RADEX® AIRLINE FILTER PACKAGES**



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown

For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown

\_\_\_\_\_



## **RADEX<sup>®</sup> AIRLINE FILTER PACKAGES**

## **RADEX® AIRLINE FILTER PARTS**



`\_\_\_\_\_\_

For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown







## **RADEX® AIRLINE FILTER PARTS**



`\_\_\_\_\_\_`

AIR MONITORING FILTRATION & SUPPLY | 회 RADEX® AIRLINE FILTER - PARTS

כלקח

## **RADEX<sup>®</sup> AIRLINE FILTER PARTS**




\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com

AIR MONITORING FILTRATION & SUPPLY  $\left| \overrightarrow{\omega} 
ight|$  radex° airline filter - parts

## **RADEX® AMBIENT AIR PUMP PACKAGES**



1-866-494-4599 | rpbsafety.com

AIR MONITORING FILTRATION & SUPPLY  $\left| \overrightarrow{\sigma} \right|$  RADEX<sup>®</sup> AMBIENT AIR PUMP - PACKAGES



**AIR SUPPLY** 

So ason hadro are as

RATOR

1716

N

N

00°1×

= 17

SINE

BIR



## **AIR SUPPLY PARTS**

Quick Release Coupler 1/4" Female Thread Part # NV2025



Quick Release 3/8" Hose Tail Part # NV2024

3/8" Hose Tail

1/4" Male Thread

Part # NV2033



Part # NV2027

100' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings)

50' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings) Part # NV2029



25' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fillings)

Part # NV2028 10m Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fillings) Part # NV2028CE

100' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings\*) Part # NV2036



\*(Note: for use with low pressure air pumps)

\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com



#### 1/2" Hansen Coupler Part # 9700-72AD





# C40" CLIMATE CONTROL DEVICE

## PREMIUM AIR TEMPERATURE CONTROL SYSTEM



COLUMN 1

后

## C40<sup>™</sup> CLIMATE CONTROL DEVICE

### ADVANCED AIR TEMPERATURE CONTROL SYSTEM

Working in an environment where the temperature is comfortable is key to maximizing productivity. The RPB® C40<sup>™</sup> Climate Control Device can heat and cool your supplied air as desired.

With the slide of a lever, your employees can switch from heating to cooling ensuring they are comfortable whether they're in the searing heat of the Arizona summer, a severe Scandinavian winter or anywhere in between.

The RPB<sup>®</sup> C40<sup>™</sup> can cool incoming air by up to 52°F (29°C) or heat it by up to 33°F (18°C). This is achieved by simply switching the mixing lever from hot to cold. The device is lightweight and ergonomically designed to sit comfortably on the operator's hip. The RPB<sup>®</sup> C40<sup>™</sup> pairs with most of our respirator range.

#### **APPLICATIONS INCLUDE**

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management





Lightweight - weighing only 9.8oz (277 grams) excluding belt.



#### Manufactured from robust materials, designed and tested for the harshest conditions.



LOW MAINTENANCE

Low maintenance required. The air silencers are the only parts that need cleaning or replacing.

1-866-494-4599 | rpbsafety.com

\* From local and globally sourced components.



כלקי

## C40<sup>™</sup> CLIMATE CONTROL DEVICE ASSEMBLY

C40<sup>™</sup> CLIMATE CONTROL DEVICE (NIOSH approved) Part # 03-501 C40<sup>™</sup> CLIMATE CONTROL DEVICE (CE approved) Part # 03-502

PD.

1 4 4 1 1 1 1 1 1



## **C40<sup>™</sup> CLIMATE CONTROL DEVICE PARTS**



\_\_\_\_\_

////////

///////////

# **FLOW CONTROL**

ADVANCED AIR TEMPERATURE CONTROL

rpb



## **COLD AIR TUBE**



### ADVANCED AIR TEMPERATURE CONTROL

The RPB® Cold Air Tube is part of RPB® Safety's range of economical climate control assemblies. It significantly cools your air supply for optimum performance and comfort when operating in climate and environmental extremes.

#### RPB® 4000-01 COLD AIR TUBE ASSEMBLY

The RPB® 4000-01 is manufactured from engineering grade plastic which is extremely robust and ideal for the rigors of the workplace. It cools compressed breathing air entering respirators by as much as 32°F(18°C).

## **HOT AIR TUBE**




#### ADVANCED AIR TEMPERATURE CONTROL

The RPB® Hot Air Tube is part of RPB® Safety's range of economical climate control assemblies. It significantly heats your air supply for optimum performance and comfort when operating in climate and environmental extremes.

#### **RPB® 4000-20 HOT AIR TUBE ASSEMBLY**

The RPB® 4000-20 is manufactured from engineering grade plastic which is extremely robust and ideal for the rigors of the workplace. It warms compressed breathing air entering respirators by as much as 30°F(17°C).



Tough engineering plastic designed for harsh conditions.

All parts are easily removable for maintenance and cleaning.

כלקי

## **FLOW CONTROL PARTS**



\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com

AIR MONITORING FILTRATION & SUPPLY  $\left| \overrightarrow{\omega} \right|$  FLOW CONTROL - PARTS

rpb

## **FLOW CONTROL PARTS**



1-866-494-4599 | rpbsafety.com



Adaptor: 1/4" RPB® Plug to 3/8"



Quick Release Tail

1/4" Male Thread

Part # 4000-06



# **BLAST SUIT**

## ADVANCED COMFORT & USABILITY

Protecting you for life's best moments\*



## **BLAST SUIT**



### ADVANCED COMFORT & USABILITY

The nature of abrasive blasting creates dangerous environments for operators. The RPB® Blast Suit provides ultimate protection and comfort to the operator, advancing your safety and increasing your productivity.

The blast suit features triple stitching for durability and replaceable knee pads for extra comfort and protection.

| RPB® Blast Suit Siz | e Chart (IN | CH) |    |     |      |       |
|---------------------|-------------|-----|----|-----|------|-------|
| SIZE                | М           | L   | XL | XXL | XXXL | XXXXL |
| CHEST               | 38          | 40  | 42 | 44  | 46   | 48    |
| WAIST               | 34          | 36  | 38 | 40  | 42   | 44    |
| HIP                 | 40          | 42  | 44 | 46  | 48   | 50    |
| TOTAL LENGTH        | 62          | 63  | 64 | 65  | 66   | 68    |
|                     | 30          | 30  | 30 | 30  | 30   | 30    |



ADDITIONAL COMFORT Sore knees from kneeling? Try the RPB® unique Knee Pad which insert

into the Blast Suits internal knee pockets for maximum comfort.





# SAFETY ESSENTIALS

## ADVANCED SAFETY SUPPORT



Protecting you for life's best moments\*



## **SAFETY ESSENTIALS**



### ADVANCED SAFETY SUPPORT

As you know, it is essential to take care of small details to protect your employees in dangerous environments. How can you be certain that your employees are completely protected? RPB®'s safety essentials range takes care of the details, and are ideal for use in conjunction with our respiratory equipment, ensuring your employees are completely safe, comfortable and productive.

#### SAFETY GLASSES

The RPB® Safety Glasses advance your safety and increase your productivity as they are protective, comfortable, cost effective and reliable. Three different styles are available, each with either clear or smoked lenses.



#### HEAD SOCK

The RPB<sup>®</sup> Head Socks provide protection from overspray and dust. **Part # 05-601** 

#### DO-RAG

The RPB® Do-rag is made from soft, breathable cotton fabric, and features a sweat band to keep sweat out of the operator's eyes when wearing a respirator. Part # 05-613

#### LEATHER BLASTING GLOVES

The RPB® Leather Gloves are made from premium quality leather with Kevlar stitching for durability. They feature a double layer palm and extra leather strip on the outside for additional protection. The lining is soft and comfortable. Part # 07-701

\_\_\_\_\_\_

1-866-494-4599 | rpbsafety.com

#### S100<sup>™</sup> EAR PLUGS

The RPB<sup>®</sup> S100<sup>™</sup> Ear Plugs are manufactured from soft, quality foam. They feature the comfortable "bell shape". NRR 32 decibels. Part **# 18-322** 



Knee Pads **Part # 07-761** 







#### **Z-LINK®**

| FACE SEAL MATERIAL     | WELDING VISOR                 | AIR FLOW DEVICE                         | PART #       |                     |           |
|------------------------|-------------------------------|-----------------------------------------|--------------|---------------------|-----------|
|                        |                               | CONSTANT FLOW VALVE                     | 16-011-12    |                     |           |
|                        |                               | CONSTANT FLOW VALVE - CE                | 16-011-12-CE |                     |           |
|                        |                               | FLOW CONTROL VALVE                      | 16-012-12    |                     |           |
|                        |                               | COLD TUBE                               | 16-013-12    |                     |           |
| TYCHEM® QC             | NO WELDING VISOR              | HOT TUBE                                | 16-014-12    |                     |           |
|                        |                               | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 16-015-12    |                     |           |
|                        |                               | CONSTANT FLOW VALVE - LOW PRESSURE      | 16-016-12    |                     |           |
|                        |                               | PX4 AIR®                                | 16-019-12    |                     |           |
|                        |                               | PX4 AIR <sup>®</sup> - GLOBAL           | 16-019-12-G  |                     |           |
|                        | NO WELDING VISOR              |                                         |              | CONSTANT FLOW VALVE | 16-011-13 |
|                        |                               | CONSTANT FLOW VALVE - CE                | 16-011-13-CE |                     |           |
|                        |                               | FLOW CONTROL VALVE                      | 16-012-13    |                     |           |
|                        |                               | COLD TUBE                               | 16-013-13    |                     |           |
| TYCHEM <sup>®</sup> SL |                               | NO WELDING VISOR                        | HOT TUBE     | 16-014-13           |           |
|                        |                               | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 16-015-13    |                     |           |
|                        |                               | CONSTANT FLOW VALVE - LOW PRESSURE      | 16-016-13    |                     |           |
|                        |                               | PX4 AIR®                                | 16-019-13    |                     |           |
|                        | PX4 AIR <sup>®</sup> - GLOBAL | 16-019-13-G                             |              |                     |           |

#### Z-LINK<sup>®</sup> continued

| FACE SEAL MATERIAL    | WELDING VISOR    | AIR FLOW DEVICE                         | PART #         |
|-----------------------|------------------|-----------------------------------------|----------------|
|                       |                  | CONSTANT FLOW VALVE                     | 16-011-11      |
|                       |                  | CONSTANT FLOW VALVE - CE                | 16-011-11-CE   |
|                       |                  | FLOW CONTROL VALVE                      | 16-012-11      |
|                       |                  | COLD TUBE                               | 16-013-11      |
|                       | NO WELDING VISOR | HOT TUBE                                | 16-014-11      |
|                       |                  | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 16-015-11      |
|                       |                  | CONSTANT FLOW VALVE - LOW PRESSURE      | 16-016-11      |
|                       |                  | PX4 AIR <sup>®</sup> - FR               | 16-019-11-FR   |
|                       |                  | PX4 AIR <sup>®</sup> - FR, GLOBAL       | 16-019-11-FR-G |
| ZYTEC <sup>®</sup> FR | WELDING VISOR    | CONSTANT FLOW VALVE                     | 16-071-11      |
|                       |                  | CONSTANT FLOW VALVE - CE                | 16-071-11-CE   |
|                       |                  | FLOW CONTROL VALVE                      | 16-072-11      |
|                       |                  | COLD TUBE                               | 16-073-11      |
|                       |                  | HOT TUBE                                | 16-074-11      |
|                       |                  | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 16-075-11      |
|                       |                  | CONSTANT FLOW VALVE - LOW PRESSURE      | 16-076-11      |
|                       |                  | PX4 AIR <sup>®</sup> - FR               | 16-079-11-FR   |
|                       |                  | PX4 AIR <sup>®</sup> - FR, GLOBAL       | 16-079-11-FR-G |



#### Z3<sup>™</sup> WELDER

| HEAD SUSPENSION | AIR FLOW DEVICE                   | PART #      |
|-----------------|-----------------------------------|-------------|
| HEAD HARNESS    | CONSTANT FLOW                     | 13-101      |
|                 | FLOW CONTROL                      | 13-102      |
|                 | PX4 AIR <sup>®</sup> - FR         | 13-109-FR   |
|                 | PX4 AIR <sup>®</sup> - FR, GLOBAL | 13-109-FR-G |
| HARD HAT        | CONSTANT FLOW                     | 13-201      |
|                 | FLOW CONTROL                      | 13-202      |
|                 | PX4 AIR <sup>®</sup> - FR         | 13-209-FR   |
|                 | PX4 AIR <sup>®</sup> - FR, GLOBAL | 13-209-FR-G |

#### Z100<sup>™</sup> SERIES

| HEAD SUSPENSION | AIR FLOW DEVICE                         | PART #        |
|-----------------|-----------------------------------------|---------------|
|                 | CONSTANT FLOW                           | 07-161-S      |
|                 | FLOW CONTROL                            | 07-162-S      |
| HEAD HARNESS    | COLD TUBE                               | 07-163-S      |
| HEAD HARNESS    | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-165-S      |
|                 | PX4 AIR <sup>®</sup> - FR               | 07-169-S-FR   |
|                 | PX4 AIR <sup>®</sup> - FR, GLOBAL       | 07-169-S-FR-G |
| HARD HAT        | CONSTANT FLOW                           | 07-261-S      |
|                 | FLOW CONTROL                            | 07-262-S      |
|                 | COLD TUBE                               | 07-263-S      |
|                 | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-265-S      |
|                 | PX4 AIR <sup>®</sup> - FR               | 07-269-S - FR |
|                 | PX4 AIR <sup>®</sup> - FR, GLOBAL       | 07-269-S-FR-G |

#### NOVA 3®


| САРЕ ТҮРЕ | AIR FLOW DEVICE                         | PART #          |
|-----------|-----------------------------------------|-----------------|
|           | CONSTANT FLOW - LOW PRESSURE            | NV3-701-50      |
|           | FLOW CONTROL                            | NV3-702-50      |
|           | CONSTANT FLOW - LOW PRESSURE - CE       | NV3-711-50      |
|           | COLD TUBE                               | NV3-703-50      |
| NYLON     | HOT TUBE                                | NV3-704-50      |
|           | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | NV3-705-50      |
|           | PX4 AIR®                                | NV3-709-50      |
|           | PX4 AIR <sup>®</sup> - GLOBAL           | NV3-709-50-G    |
|           | CONSTANT FLOW - LOW PRESSURE            | NV3-701-51      |
|           | FLOW CONTROL                            | NV3-702-51      |
|           | CONSTANT FLOW - LOW PRESSURE - CE       | NV3-711-51      |
| XL NYLON  | COLD TUBE                               | NV3-703-51      |
|           | HOT TUBE                                | NV3-704-51      |
|           | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | NV3-705-51      |
|           | CONSTANT FLOW - LOW PRESSURE            | NV3-701-52      |
|           | FLOW CONTROL                            | NV3-702-52      |
|           | CONSTANT FLOW - LOW PRESSURE - CE       | NV3-711-52      |
| LEATHER   | COLD TUBE                               | NV3-703-52      |
|           | HOT TUBE                                | NV3-704-52      |
|           | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | NV3-705-52      |
|           | PX4 AIR <sup>®</sup> - FR               | NV3-709-52-FR   |
|           | PX4 AIR <sup>®</sup> - FR - GLOBAL      | NV3-709-52-FR-G |



NOVA 3<sup>®</sup> continued

| CAPE TYPE        | AIR FLOW DEVICE                         | PART #       |
|------------------|-----------------------------------------|--------------|
|                  | CONSTANT FLOW - LOW PRESSURE            | NV3-701-53   |
|                  | FLOW CONTROL                            | NV3-702-53   |
|                  | CONSTANT FLOW - LOW PRESSURE - CE       | NV3-711-53   |
| XL LEATHER       | COLD TUBE                               | NV3-703-53   |
|                  | HOT TUBE                                | NV3-704-53   |
|                  | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | NV3-705-53   |
|                  | CONSTANT FLOW - LOW PRESSURE            | NV3-701-54   |
|                  | FLOW CONTROL                            | NV3-702-54   |
|                  | CONSTANT FLOW - LOW PRESSURE - CE       | NV3-711-54   |
|                  | COLD TUBE                               | NV3-703-54   |
| XL BLAST JACKET  | HOT TUBE                                | NV3-704-54   |
|                  | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | NV3-705-54   |
|                  | PX4 AIR®                                | NV3-709-54   |
|                  | PX4 AIR <sup>®</sup> - GLOBAL           | NV3-709-54-G |
|                  | CONSTANT FLOW - LOW PRESSURE            | NV3-701-55   |
|                  | FLOW CONTROL                            | NV3-702-55   |
|                  | CONSTANT FLOW - LOW PRESSURE - CE       | NV3-711-55   |
|                  | COLD TUBE                               | NV3-703-55   |
| XXL BLAST JACKET | HOT TUBE                                | NV3-704-55   |
|                  | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | NV3-705-55   |
|                  | PX4 AIR®                                | NV3-709-55   |
|                  | PX4 AIR <sup>®</sup> - GLOBAL           | NV3-709-55-G |

#### L4<sup>™</sup> LIGHT



#### **NOVA 2000**®

\_\_\_\_\_

| CAPE TYPE        | AIR FLOW DEVICE              | PART #     |
|------------------|------------------------------|------------|
|                  | FLOW CONTROL                 | NV2000     |
|                  | COLD TUBE                    | NV2000CT   |
| STANDARD - NYLON | HOT TUBE                     | NV2000HT   |
|                  | CONSTANT FLOW - LOW PRESSURE | NV2000LP   |
|                  | FLOW CONTROL - CE            | NV2000-CE  |
|                  | FLOW CONTROL                 | NV2000XL   |
| XL NYLON         | COLD TUBE                    | NV2000XLCT |
| AL NYLON         | HOT TUBE                     | NV2000XLHT |
|                  | CONSTANT FLOW - LOW PRESSURE | NV2000XLLP |
|                  | FLOW CONTROL                 | NV2000L    |
| LEATHER          | COLD TUBE                    | NV2000LCT  |
|                  | HOT TUBE                     | NV2000LHT  |
|                  | CONSTANT FLOW - LOW PRESSURE | NV2000LLP  |
|                  | FLOW CONTROL - CE            | NV2000L-CE |

| POWER ADAPTER | PART #     |
|---------------|------------|
| US            | 09-501-4   |
| AU/NZ         | 09-501-4AU |
| EU            | 09-501-4EU |
| UK            | 09-501-4UK |
| US            | 09-501-8   |
| AU/NZ         | 09-501-8AU |
| EU            | 09-501-8EU |
| UK            | 09-501-8UK |



#### **ASTRO**<sup>™</sup>

| САРЕ ТҮРЕ        | AIR FLOW DEVICE              | PART #    |
|------------------|------------------------------|-----------|
| STANDARD - NYLON | FLOW CONTROL                 | 02-800    |
|                  | FLOW CONTROL - CE            | 02-800-CE |
|                  | CONSTANT FLOW - LOW PRESSURE | 02-802    |
| LEATHER          | FLOW CONTROL                 | 02-800L   |

#### NOVA 1<sup>®</sup>

| САРЕ ТҮРЕ        | AIR FLOW DEVICE                 | PART #      |
|------------------|---------------------------------|-------------|
| STANDARD - NYLON | CONSTANT FLOW DEVICE - LOW FLOW | NV1-01-50   |
|                  | PX4 AIR®                        | NV1-09-50   |
|                  | PX4 AIR <sup>®</sup> - GLOBAL   | NV1-09-50-G |

#### **GX4® GAS MONITOR**

| CO CALIBRATION         | POWER OPTIONS               | PART #       |
|------------------------|-----------------------------|--------------|
|                        | POWER ADAPTER - US & CANADA | 08-400-01    |
|                        | POWER ADAPTER - AUSTRALASIA | 08-400-01-AU |
| 10PPM                  | POWER ADAPTER - EUROPE      | 08-400-01-EU |
|                        | POWER ADAPTER - UK          | 08-400-01-UK |
|                        | 12V BATTERY CLIPS           | 08-401-01    |
| 5PPM (FOR CANADA ONLY) | POWER ADAPTER - US & CANADA | 08-400-02    |
|                        | 12V BATTERY CLIPS           | 08-401-02    |

#### **RADEX® FILTER**

| SYSTEM TYPE          | USER CAPABILITY | PART # |
|----------------------|-----------------|--------|
|                      | 2               | 04-900 |
| AIRLINE FILTER       | 6               | 04-906 |
| BREATHING AIR SYSTEM | 2               | 04-907 |
|                      | 6               | 04-908 |

#### T100<sup>™</sup> SERIES TYCHEM<sup>®</sup> QC SYSTEMS<sup>®</sup>

| MATERIAL               | HEAD SYSTEM | LENS TYPE | BIB LENGTH | AIR FLOW DEVICE                         | PART #                                  |                    |          |
|------------------------|-------------|-----------|------------|-----------------------------------------|-----------------------------------------|--------------------|----------|
|                        |             |           |            | CONSTANT FLOW VALVE                     | 07-101                                  |                    |          |
|                        |             |           |            | FLOW CONTROL VALVE                      | 07-102                                  |                    |          |
|                        |             |           |            | COLD TUBE                               | 07-103                                  |                    |          |
|                        |             |           | STANDARD   | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-105                                  |                    |          |
|                        |             |           |            | PX4 AIR®                                | 07-109                                  |                    |          |
|                        |             |           |            | PX4 AIR <sup>®</sup> - GLOBAL           | 07-109-G                                |                    |          |
|                        |             | STANDARD  |            | CONSTANT FLOW VALVE                     | 07-101-X                                |                    |          |
|                        |             |           |            | FLOW CONTROL VALVE                      | 07-102-X                                |                    |          |
|                        |             |           |            | COLD TUBE                               | 07-103-X                                |                    |          |
|                        |             |           |            | EXTRA                                   | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-105-X           |          |
|                        |             |           |            | PX4 AIR®                                | 07-109-X                                |                    |          |
| TVCUEM® OC             | HEAD        |           |            | PX4 AIR <sup>®</sup> - GLOBAL           | 07-109-X-G                              |                    |          |
| TYCHEM <sup>®</sup> QC | HARNESS     | STANDAR   |            | CONSTANT FLOW VALVE                     | 07-101-S                                |                    |          |
|                        |             |           |            |                                         |                                         | FLOW CONTROL VALVE | 07-102-S |
|                        |             |           |            |                                         | COLD TUBE                               | 07-103-S           |          |
|                        |             |           | STANDARD   | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-105-S                                |                    |          |
|                        |             |           |            |                                         | PX4 AIR®                                | 07-109-S           |          |
|                        |             | SAFETY    |            | PX4 AIR <sup>®</sup> - GLOBAL           | 07-109-S-G                              |                    |          |
|                        |             | SAFETY    |            | CONSTANT FLOW VALVE                     | 07-101-SX                               |                    |          |
|                        |             |           |            | FLOW CONTROL VALVE                      | 07-102-SX                               |                    |          |
|                        |             |           |            | COLD TUBE                               | 07-103-SX                               |                    |          |
|                        |             |           | EXTRA      | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-105-SX                               |                    |          |
|                        |             |           |            | PX4 AIR®                                | 07-109-SX                               |                    |          |
|                        |             |           |            | PX4 AIR <sup>®</sup> - GLOBAL           | 07-109-SX-G                             |                    |          |



#### T100<sup>™</sup> SERIES TYCHEM<sup>®</sup> QC SYSTEMS<sup>®</sup> continued

| MATERIAL    | HEAD SYSTEM                            | LENS TYPE                               | <b>BIB LENGTH</b>   | AIR FLOW DEVICE                         | PART #      |
|-------------|----------------------------------------|-----------------------------------------|---------------------|-----------------------------------------|-------------|
|             |                                        |                                         |                     | CONSTANT FLOW VALVE                     | 07-201      |
|             |                                        |                                         |                     | FLOW CONTROL VALVE                      | 07-202      |
|             |                                        |                                         | CTANDADD            | COLD TUBE                               | 07-203      |
|             | STANDARD<br>C40 <sup>™</sup> CLIMATE 0 | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-205              |                                         |             |
|             |                                        |                                         |                     | PX4 AIR®                                | 07-209      |
|             |                                        | STANDARD                                |                     | PX4 AIR <sup>®</sup> - GLOBAL           | 07-209-G    |
|             |                                        | STANDARD                                |                     | CONSTANT FLOW VALVE                     | 07-201-X    |
|             |                                        |                                         |                     | FLOW CONTROL VALVE                      | 07-202-X    |
|             |                                        |                                         | EXTRA               | COLD TUBE                               | 07-203-X    |
|             |                                        |                                         | EXIKA               | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-205-X    |
|             |                                        |                                         |                     | PX4 AIR®                                | 07-209-X    |
|             |                                        |                                         |                     | PX4 AIR <sup>®</sup> - GLOBAL           | 07-209-X-G  |
| I YCHEM" QC | YCHEM® QC HARD HAT                     | STANDARD                                | STANDARD            | CONSTANT FLOW VALVE                     | 07-201-S    |
|             |                                        |                                         |                     | FLOW CONTROL VALVE                      | 07-202-S    |
|             |                                        |                                         |                     | COLD TUBE                               | 07-203-S    |
|             |                                        |                                         |                     | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-205-S    |
|             |                                        |                                         | PX4 AIR®            | 07-209-S                                |             |
|             |                                        | CAFETY                                  |                     | PX4 AIR <sup>®</sup> - GLOBAL           | 07-209-S-G  |
|             |                                        | FLOW                                    | CONSTANT FLOW VALVE | 07-201-SX                               |             |
|             |                                        |                                         | FLOW CONTROL VALVE  | 07-202-SX                               |             |
|             |                                        |                                         |                     | COLD TUBE                               | 07-203-SX   |
|             |                                        |                                         | EXTRA               | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-205-SX   |
|             |                                        |                                         |                     | PX4 AIR®                                | 07-209-SX   |
|             |                                        |                                         |                     | PX4 AIR <sup>®</sup> - GLOBAL           | 07-209-SX-G |

#### T100<sup>™</sup> SERIES TYCHEM<sup>®</sup> SL SYSTEMS<sup>®</sup>

\_\_\_\_\_\_


| MATERIAL               | HEAD SYSTEM | LENS TYPE | BIB LENGTH | AIR FLOW DEVICE                         | PART #      |          |
|------------------------|-------------|-----------|------------|-----------------------------------------|-------------|----------|
|                        |             |           |            | CONSTANT FLOW VALVE                     | 07-151      |          |
|                        |             |           |            | FLOW CONTROL VALVE                      | 07-152      |          |
|                        |             |           |            | COLD TUBE                               | 07-153      |          |
|                        |             |           | STANDARD   | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-155      |          |
|                        |             |           |            | PX4 AIR®                                | 07-159      |          |
|                        |             | STANDADD  |            | PX4 AIR <sup>®</sup> - GLOBAL           | 07-159-G    |          |
|                        |             | STANDARD  |            | CONSTANT FLOW VALVE                     | 07-151-X    |          |
|                        |             |           |            | FLOW CONTROL VALVE                      | 07-152-X    |          |
|                        |             |           | EXTRA      | COLD TUBE                               | 07-153-X    |          |
|                        |             |           | EXTRA      | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-155-X    |          |
|                        |             |           |            | PX4 AIR®                                | 07-159-X    |          |
| TYCHEM <sup>®</sup> SL | HEAD        |           |            | PX4 AIR <sup>®</sup> - GLOBAL           | 07-159-X-G  |          |
| I YCHEMI' SL           | HARNESS     | STANDARD  | -          | CONSTANT FLOW VALVE                     | 07-151-S    |          |
|                        |             |           |            | FLOW CONTROL VALVE                      | 07-152-S    |          |
|                        |             |           |            |                                         | COLD TUBE   | 07-153-S |
|                        |             |           | STANDARD   | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-155-S    |          |
|                        |             |           |            | PX4 AIR®                                | 07-159-S    |          |
|                        |             |           |            | PX4 AIR <sup>®</sup> - GLOBAL           | 07-159-S-G  |          |
|                        |             | SAFETY    |            | CONSTANT FLOW VALVE                     | 07-151-SX   |          |
|                        |             |           |            | FLOW CONTROL VALVE                      | 07-152-SX   |          |
|                        |             |           |            | COLD TUBE                               | 07-153-SX   |          |
|                        |             |           | EXTRA      | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-155-SX   |          |
|                        |             |           |            | PX4 AIR®                                | 07-159-SX   |          |
|                        |             |           |            | PX4 AIR <sup>®</sup> - GLOBAL           | 07-159-SX-G |          |



#### T100<sup>™</sup> SERIES TYCHEM<sup>®</sup> SL SYSTEMS<sup>®</sup> continued

| MATERIAL                | HEAD SYSTEM | LENS TYPE | BIB LENGTH                              | AIR FLOW DEVICE                         | PART #              |          |
|-------------------------|-------------|-----------|-----------------------------------------|-----------------------------------------|---------------------|----------|
|                         |             |           |                                         |                                         | CONSTANT FLOW VALVE | 07-251   |
|                         |             |           |                                         | FLOW CONTROL VALVE                      | 07-252              |          |
|                         |             |           | STANDADD                                | COLD TUBE                               | 07-253              |          |
|                         |             |           | STANDARD                                | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-255              |          |
|                         |             |           |                                         | PX4 AIR®                                | 07-259              |          |
|                         |             | STANDARD  |                                         | PX4 AIR <sup>®</sup> - GLOBAL           | 07-259-G            |          |
|                         |             | STANDARD  |                                         | CONSTANT FLOW VALVE                     | 07-251-X            |          |
|                         |             |           |                                         | FLOW CONTROL VALVE                      | 07-252-X            |          |
|                         |             |           | EXTRA                                   | COLD TUBE                               | 07-253-X            |          |
|                         | EXI         | EATRA     | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-255-X                                |                     |          |
|                         |             |           |                                         | PX4 AIR®                                | PX4 AIR®            | 07-259-X |
| TYCHEM <sup>®</sup> SL  | HARD HAT    |           |                                         | PX4 AIR <sup>®</sup> - GLOBAL           | 07-259-X-G          |          |
| I ICHEM <sup>®</sup> SL |             |           | STANDARD                                | CONSTANT FLOW VALVE                     | 07-251-S            |          |
|                         |             |           |                                         | FLOW CONTROL VALVE                      | 07-252-S            |          |
|                         |             |           |                                         | COLD TUBE                               | 07-253-S            |          |
|                         |             |           |                                         | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-255-S            |          |
|                         |             | PX4 AIR®  |                                         | PX4 AIR®                                | 07-259-S            |          |
|                         |             | SAFETY    |                                         | PX4 AIR <sup>®</sup> - GLOBAL           | 07-259-S-G          |          |
|                         |             | SAFETT    |                                         | CONSTANT FLOW VALVE                     | 07-251-SX           |          |
|                         |             |           |                                         | FLOW CONTROL VALVE                      | 07-252-SX           |          |
|                         |             |           | EXTRA                                   | COLD TUBE                               | 07-253-SX           |          |
|                         |             |           | EATRA                                   | C40 <sup>™</sup> CLIMATE CONTROL DEVICE | 07-255-SX           |          |
|                         |             |           |                                         | PX4 AIR®                                | 07-259-SX           |          |
|                         |             |           |                                         | PX4 AIR <sup>®</sup> - GLOBAL           | 07-259-SX-G         |          |

#### T150<sup>™</sup> SERIES



#### **PX4 AIR® PAPR**

| BELT MATERIAL | POWER OPTIONS | PART #      |
|---------------|---------------|-------------|
|               | US            | 03-901      |
| NYLON         | GLOBAL        | 03-901-G    |
| 50            | US            | 03-901-FR   |
| FR            | GLOBAL        | 03-901-FR-G |

| AIR FLOW DEVICE              | PART #      |
|------------------------------|-------------|
| CONSTANT FLOW                | 11-901      |
| FLOW CONTROL                 | 11-902      |
| CONSTANT FLOW - LOW PRESSURE | 11-906      |
| PX4 AIR®                     | 11-909      |
| PX4 AIR® - GLOBAL            | 11-909-G    |
| CONSTANT FLOW                | 11-901-S    |
| FLOW CONTROL                 | 11-902-S    |
| CONSTANT FLOW - LOW PRESSURE | 11-906-S    |
| PX4 AIR®                     | 11-909-S    |
| PX4 AIR® - GLOBAL            | 11-909-S-G  |
| CONSTANT FLOW                | 11-901-C    |
| FLOW CONTROL                 | 11-902-C    |
| CONSTANT FLOW - LOW PRESSURE | 11-906-C    |
| PX4 AIR®                     | 11-909-C    |
| PX4 AIR® - GLOBAL            | 11-909-C-G  |
| CONSTANT FLOW                | 11-901-CS   |
| FLOW CONTROL                 | 11-902-CS   |
| CONSTANT FLOW - LOW PRESSURE | 11-903-CS   |
| PX4 AIR®                     | 11-909-CS   |
| PX4 AIR® - GLOBAL            | 11-909-CS-G |





----

riplit

Protecting you for life's best moments



#### **Z-LINK®**

| PAGE 15                                                | PART #     |
|--------------------------------------------------------|------------|
| PX4 Air <sup>®</sup> PAPR                              | 03-901     |
| Air Flow Meter                                         | 04-091     |
| Supplied Air Breathing Tube                            | 04-830     |
| PX4 Air® Breathing Tube (for Z-Link®)                  | 04-835     |
| Ultra Magnifying Lens 1.0                              | 13-072-1   |
| Ultra Magnifying Lens 1.5                              | 13-072-1.5 |
| Ultra Magnifying Lens 2.0                              | 13-072-2   |
| Ultra Magnifying Lens 2.5                              | 13-072-2.5 |
| Helmet Shell                                           | 16-511     |
| Jaw (includes 16-515)                                  | 16-514     |
| Jaw Seal                                               | 16-515     |
| Side Padding System                                    | 16-520-S   |
| Fit System (includes 16-520-T, 16-521, 16-522, 16-525, |            |
| 16-526, 16-530, 16-531)                                | 16-520-T   |
| Impact Absorber                                        | 16-521     |
| Comfort Pad                                            | 16-522     |
| Head Harness System Bracket and Air Deflector          | 16-525     |
| Brow Pad                                               | 16-526     |
| Side Padding Frames                                    | 16-527     |
| Foam Side Pads                                         | 16-528     |
| Ratchet Assembly                                       | 16-530     |
| Head Harness (includes 16-530)                         | 16-531     |
| Visor                                                  | 16-611     |
| Welding Visor (includes ADF Lens)                      | 16-670     |
| Welding Visor                                          | 16-671     |
| Welding Lens Retainer                                  | 16-672     |
| Weld Visor Attachment Clips                            | 16-673     |
| Zutec® FR Face Seal                                    | 16-711     |
| Tychem® QC Face Seal                                   | 16-712     |
|                                                        |            |
| Tychem® SL Face Seal                                   | 16-713     |
| Zytec® FR Shoulder Cape                                | 16-721     |
| Tychem® QC Shoulder Cape                               | 16-722     |
| Tychem® SL Shoulder Cape                               | 16-723     |
| Safety Lens Anti Fog/Anti Scratch                      | 16-810     |
| Safety Lens - Infared (shade 3)                        | 16-810-IR3 |
| Safety Lens - Infared (shade 5)                        | 16-810-IR5 |
| Safety Lens - Mirror Tinted Anti Fog                   | 16-810-MT  |
| Safety Lens - Smoke Tinted Anti Fog/Anti Scratch       | 16-810-ST  |
| Safety Lens - Yellow Tinted Anti Fog/Anti Scratch      | 16-810-YT  |
| Tear-off Lens (pk 50)                                  | 16-811     |
| ADF Lens                                               | 16-871     |
| Welding Impact Lens (pk 10)                            | 16-872     |
| ADF Rear Lens (pk 10)                                  | 16-873     |
| Magnifying Lens Holder                                 | 16-875     |
| Communication System - Intrinsically Safe              | 16-921-IS  |
| Communication System                                   | 16-922     |
| ~                                                      |            |

#### **COMMS-LINK®**

| PAGE 24                                                     | PART #    |
|-------------------------------------------------------------|-----------|
| Push to Talk Button - Intrinsically Safe                    | 09-813    |
| Push to Talk Button                                         | 09-913    |
| Motorola Connection Cable (two-pin)                         | 09-930    |
| Motorola Connection Cable (multi-pin)                       | 09-931    |
| Motorola Connection Cable (multi-pin)                       | 09-932    |
| Kenwood Connection Cable (two-pin)                          | 09-933    |
| Motorola Connection Cable (multi-pin)                       | 09-934    |
| Communication Retainer Clip                                 | 16-529    |
| Communication System - Intrinsically Safe (includes 16-529) | 16-921-IS |
| Communication System (includes 16-529)                      | 16-922    |

#### Z3<sup>™</sup> WELDER

| PAGE 33                                  | PART #     |
|------------------------------------------|------------|
| Supplied Air Breathing Tube (for Z3™)    | 03-031     |
| Swivel Air Fitting Elbow                 | 03-032     |
| PX4 Air® Breathing Tube (for Z3™)        | 04-839     |
| Hose Holder                              | 13-041     |
| Head Harness                             | 13-042     |
| Comfort Padding (Sweat Band, Neck Pad)   | 13-043     |
| Hard Hat Adapter Clips                   | 13-045     |
| Outer Lens Frame                         | 13-050     |
| Outer Lens Frame Seals                   | 13-051     |
| Impact Lens (pk 10)                      | 13-052     |
| Ultra Rear Lens (pk 10) (107mm x 71.5mm) | 13-054     |
| ADF Ultra Filter (107.5mm x 71.5mm)      | 13-062     |
| Magnifying Lens Holder                   | 13-071     |
| Ultra Magnifying Lens 1.0                | 13-072-1   |
| Ultra Magnifying Lens 1.5                | 13-072-1.5 |
| Ultra Magnifying Lens 2.0                | 13-072-2   |
| Ultra Magnifying Lens 2.5                | 13-072-2.5 |
| Welding Shield                           | 13-310     |
| Flex Face Seal                           | 13-323     |
| Hard Hat (includes 13-045)               | 13-325     |

#### Z100<sup>™</sup> SERIES

| PAGE 42                                       | PART # |
|-----------------------------------------------|--------|
| Constant Flow Valve Assembly (NIOSH approved) | 03-101 |
| Constant Flow Valve Assembly (CE approved)    | 03-102 |
| Quick Release Hose Tail with 3/8" NPT         | 03-110 |
| Adaptor: 1/4" RPB® Plug to 3/8" NPT Male      | 03-111 |
| PX4 Air® Breathing Tube (for Z100™)           | 04-836 |
| Head Harness Mounting Clips (pk 2)            | 07-121 |
| Hose Clamp (single bond nylon, 1-13/32)       | 07-122 |
| Peel-off Lens (pk 50)                         | 07-123 |
| Hard Hat Clip (for 07-721)                    | 07-125 |
| Hard Hat (includes 07-125 Hard Hat Clip)      | 07-126 |

#### **Z100<sup>™</sup> SERIES** continued

| PAGE 42                                    | PART #   | PAGE 59                                                       | PART #    |
|--------------------------------------------|----------|---------------------------------------------------------------|-----------|
| Zytec® FR Hood with Safety Lens            | 07-160-S | Push to Talk Button - Intrinsically Safe                      | 09-813    |
| Head Suspension                            | 07-920   | Chest Harness                                                 | 09-814    |
| Brow Pad (for 07-920, pk 5)                | 07-924   | Raider High Noise Headset                                     | 09-815    |
| Chin Strap (for 07-920 and 07-721)         | 07-926   | Raider High Noise Headset - Intrinsically Safe (includes PTT) | 09-816    |
| Silenced Cool Tube Assembly                | 4000-40  | Push to Talk Button                                           | 09-913    |
| Supplied Air Breathing Tube (for Z100™)    | NV2021F  | R-Tex High Noise Headset                                      | 09-915    |
| Safety Quick Release Tail 1/4" Male Thread | NV2032CE | R-Tex High Noise Headset (includes PTT)                       | 09-916    |
|                                            |          | Motorola Connection Cable (two-pin)                           | 09-930    |
| NOVA 3 <sup>®</sup>                        |          | Motorola Connection Cable (multi-pin)                         | 09-931    |
| PAGE 50                                    | PART #   | Motorola Connection Cable (multi-pin)                         | 09-932    |
| PX4 Air® Breathing Tube (for Nova 3®)      | 04-838   | Kenwood Connection Cable (two-pin)                            | 09-933    |
| Adjustable Head Support                    | 07-900   | Motorola Connection Cable (multi-pin)                         | 09-934    |
| Inner Bib                                  | NV2012   | Intrinsically Safe Headset for Nova Talk™                     |           |
| Domes                                      | NV2041   | (includes Side Padding, pair)                                 | 09-803    |
| Supplied Air Breathing Tube (for Nova 3®)  | NV2021B  | Side Padding Covers (for Nova 3® Talk™ 5 pairs)               | NV3-733TK |

| PAGE 50                                    | PART #      | Motorola Connection Cable (multi-pin)                     | 09-932       |
|--------------------------------------------|-------------|-----------------------------------------------------------|--------------|
| PX4 Air® Breathing Tube (for Nova 3®)      | 04-838      | Kenwood Connection Cable (two-pin)                        | 09-933       |
| Adjustable Head Support                    | 07-900      | Motorola Connection Cable (multi-pin)                     | 09-934       |
| Inner Bib                                  | NV2012      | Intrinsically Safe Headset for Nova Talk™                 |              |
| Domes                                      | NV2041      | (includes Side Padding, pair)                             | 09-803       |
| Supplied Air Breathing Tube (for Nova 3®)  | NV2041      | Side Padding Covers (for Nova 3® Talk™ 5 pairs)           | NV3-733TK    |
| Inner Gasket                               | NV3-721     |                                                           |              |
| Inner Lens (pk 10)                         | NV3-722     | L4™ LIGHT                                                 |              |
| Tinted Inner Lens (pk 10)                  | NV3-722-T   | PAGE 70                                                   | PART #       |
| Inner Lens Frame                           | NV3-723     | AC Power Cable - US                                       | 09-021       |
| Outer Lens (pk 50)                         | NV3-724     | AC Power Cable - AU/NZ                                    | 09-021-AU    |
| Tear-off Lens (pk 50)                      | NV3-725     | AC Power Cable - EU                                       | 09-021-EU    |
| Visor Kit (includes Hinge and Latch)       | NV3-726     | AC Power Cable - UK                                       | 09-021-UK    |
| Hinge Lock                                 | NV3-727-2   | L4™ Light and Mount Unit (includes 09-520)                | 09-510       |
| Visor Mount Kit                            | NV3-727/8   | Mounting Clip                                             | 09-520       |
| Air Inlet Kit                              | NV3-729     | Outer Lens (pk 10)                                        | 09-522       |
| Padding Connections (left and right)       | NV3-723     | Light Cable                                               | 09-524       |
| Side Padding Frames (left and right)       | NV3-731     | Battery Charger (AC cable not included)                   | 09-525       |
| Side Padding Foam and Covers 10mm          | NV3-732-A10 | Battery Pack (4 hour)                                     | 09-530-4     |
| Side Padding Foam and Covers 15mm          | NV3-732-A15 | Battery Pack (8 hour)                                     | 09-530-8     |
| Side Padding Foam and Covers 20mm          | NV3-732-A20 |                                                           |              |
| Side Padding Covers (5 pairs)              | NV3-732-A20 | NOVA 2000®                                                |              |
| Head Liner Kit (includes NV3-734-1)        | NV3-733     | PAGE 78                                                   | PART #       |
| Head Liner Clips (pk 4)                    | NV3-734-1   | Nylon Respirator Cape                                     | NV2002       |
| Head Liner Foam Padding                    | NV3-735     | Extra Length Nylon Respirator Cape                        | NV2002XL     |
| Neck Pad                                   | NV3-735-1   | Leather Respirator Cape                                   | NV2002L      |
| Cassette Lens System                       | 1443-753-1  | Nylon Blast Jacket size XL                                | NV2002HB-XL  |
| (5 Tear-off and Outer Lens fused together) | NV3-745     | Nylon Blast Jacket size XXL                               | NV2002HB-XXL |
| Nylon Respirator Cape                      | NV3-750     | Window Frame Gasket                                       | NV2003       |
| Extra Length Nylon Respirator Cape         | NV3-751     | Visor Kit                                                 | NV2004       |
| Leather Respirator Cape                    | NV3-752     | Air Inlet Assembly                                        | NV2006/7     |
| Extra Length Leather Respirator Cape       | NV3-753     | Air Inlet Assembly (for Helmets with Low Flow Indicators) | NV2006/7 CE  |
| Blast Jacket size XL                       | NV3-754     | Latch Kit                                                 | NV2008       |
| Blast Jacket size XXL                      | NV3-755     | Helmet Liner size Medium                                  | NV2009       |
| Cape Cover Band                            | NV3-759     | Helmet Liner size Large                                   | NV2009LH     |

#### NOVA 3<sup>®</sup> TALK<sup>™</sup>

| I | • | 1 | Δ | 1 | ( | ; |  | 2 | 7 | , | ( | ) |
|---|---|---|---|---|---|---|--|---|---|---|---|---|
|   |   |   |   |   |   |   |  |   |   |   |   |   |

| PAGE / U                                   | PARI#     |
|--------------------------------------------|-----------|
| AC Power Cable - US                        | 09-021    |
| AC Power Cable - AU/NZ                     | 09-021-AU |
| AC Power Cable - EU                        | 09-021-EU |
| AC Power Cable - UK                        | 09-021-UK |
| L4™ Light and Mount Unit (includes 09-520) | 09-510    |
| Mounting Clip                              | 09-520    |
| Outer Lens (pk 10)                         | 09-522    |
| Light Cable                                | 09-524    |
| Battery Charger (AC cable not included)    | 09-525    |
| Battery Pack (4 hour)                      | 09-530-4  |
| Battery Pack (8 hour)                      | 09-530-8  |

rpb

#### NOVA 2000<sup>®</sup> continued

| PAGE 78                                                 | PART #      |
|---------------------------------------------------------|-------------|
| Helmet Liner size Small                                 | NV2009SH    |
| Hygiene Kit (includes 2 alcohol wipes) size Medium      | NV2009/10   |
| Hygiene Kit (includes 2 alcohol wipes) size Large       | NV2009/10LH |
| Hygiene Kit (includes 2 alcohol wipes) size Small       | NV2009/10SH |
| Side Wings (pair) size Medium                           | NV2010      |
| Side Wings (pair) size Large                            | NV2010LH    |
| Side Wings (pair) size Small                            | NV2010SH    |
| Side Wings (pair, for wearers with glasses) size Medium | NV2010G     |
| Side Wings (pair, for wearers with glasses) size Large  | NV2010GLH   |
| Side Wings (pair, for wearers with glasses) size Small  | NV2010GSH   |
| Inner Bib                                               | NV2012      |
| Cape Cover Band                                         | NV2013      |
| Tear-off Lens (pk 50)                                   | NV2017      |
| Inner Lens (pk 10)                                      | NV2018      |
| Tinted Inner Lens (pk 10)                               | NV2018-T    |
| Supplied Air Breathing Tube (for Nova 2000®)            | NV2021      |
| Outer Lens (pk 50)                                      | NV2031      |
| Velstuds (pk 8)                                         | NV2038      |
| Domes                                                   | NV2041      |
| Hand Strap                                              | NV2042      |

#### NOVA 2000® TALK™

| PAGE 85                                                       | PART # |
|---------------------------------------------------------------|--------|
| Headset (includes Side Wings, pair)                           | 09-811 |
| Side Wings (pair)                                             | 09-812 |
| Push to Talk Button - Intrinsically Safe                      | 09-813 |
| Chest Harness                                                 | 09-814 |
| Raider High Noise Headset - Intrinsically Safe                | 09-815 |
| Raider High Noise Headset - Intrinsically Safe (includes PTT) | 09-816 |
| Side Wings (pair, includes Headset)                           | 09-911 |
| Side Wings (pair, without Headset)                            | 09-912 |
| Push to Talk Button                                           | 09-913 |
| R-Tex High Noise Headset (includes PTT)                       | 09-916 |
| Motorola Connection Cable (two-pin)                           | 09-930 |
| Motorola Connection Cable (multi-pin)                         | 09-931 |
| Motorola Connection Cable (multi-pin)                         | 09-932 |
| Kenwood Connection Cable (two-pin)                            | 09-933 |
| Motorola Connection Cable (multi-pin)                         | 09-934 |
|                                                               |        |

#### NOVA 1<sup>®</sup>

| PAGE 96            | PART # |
|--------------------|--------|
| Visor Strap (pk 5) | 02-805 |
| Window Gasket Seal | 02-807 |
| Inner Lens (pk 10) | 02-810 |
|                    |        |

#### NOVA 1<sup>®</sup> continued

| PAGE 96                                                 | PART #      |
|---------------------------------------------------------|-------------|
| Tinted Inner Lens (pk 10)                               | 02-810-T    |
| Outer Lens (pk 50)                                      | 02-811-015  |
| Tear-off Lens (pk 50)                                   | 02-816      |
| PX4 Air® Breathing Tube (for Nova 1®)                   | 04-838      |
| Helmet Dome Holder                                      | NV1-123     |
| Visor Kit                                               | NV1-124     |
| Helmet Liner size Medium                                | NV2009      |
| Helmet Liner size Large                                 | NV2009LH    |
| Helmet Liner size Small                                 | NV2009SH    |
| Hygiene Kit (includes 2 alcohol wipes) size Small       | NV2009/10SH |
| Hygiene Kit (includes 2 alcohol wipes) size Medium      | NV2009/10   |
| Hygiene Kit (includes 2 alcohol wipes) size Large       | NV2009/10LH |
| Side Wings (pair) size Small                            | NV2010SH    |
| Side Wings (pair) size Medium                           | NV2010      |
| Side Wings (pair) size Large                            | NV2010LH    |
| Side Wings (pair, for wearers with glasses) size Small  | NV2010GSH   |
| Side Wings (pair, for wearers with glasses) size Medium | NV2010G     |
| Side Wings (pair, for wearers with glasses) size Large  | NV2010GLH   |
| Inner Bib                                               | NV2012      |
| Supplied Air Breathing Tube (for Nova 1®)               | NV2021B     |
| Low Flow Indicator Assembly                             | NV2030      |
| Velstuds                                                | NV2038      |
| Domes                                                   | NV2041      |
| Air Inlet                                               | NV3-729     |
| Nylon Respirator Cape                                   | NV3-750     |
| Extra Length Nylon Respirator Cape                      | NV3-751     |
| Leather Respirator Cape                                 | NV3-752     |
| Extra Length Leather Respirator Cape                    | NV3-753     |
| Blast Jacket size XL                                    | NV3-754     |
| Blast Jacket size XXL                                   | NV3-755     |
| Cape Cover Band                                         | NV3-759     |

#### NOVA 1<sup>®</sup> TALK<sup>™</sup>

| PAGE 105                                                      | PART # |
|---------------------------------------------------------------|--------|
| Headset (includes Side Wings, pair)                           | 09-811 |
| Side Wings (pair)                                             | 09-812 |
| Push to Talk Button - Intrinsically Safe                      | 09-813 |
| Chest Harness                                                 | 09-814 |
| Raider High Noise Headset - Intrinsically Safe                | 09-815 |
| Raider High Noise Headset - Intrinsically Safe (includes PTT) | 09-816 |
| Side Wings (pair, includes Headset)                           | 09-911 |
| Side Wings (pair, without Headset)                            | 09-912 |
| Push to Talk Button                                           | 09-913 |
| R-Tex High Noise Headset (includes PTT)                       | 09-916 |
| Motorola Connection Cable (two-pin)                           | 09-930 |

#### **NOVA 1<sup>®</sup> TALK**<sup>™</sup>continued

| PAGE 105                              | PART # |
|---------------------------------------|--------|
| Motorola Connection Cable (multi-pin) | 09-931 |
| Motorola Connection Cable (multi-pin) | 09-932 |
| Kenwood Connection Cable (two-pin)    | 09-933 |
| Motorola Connection Cable (multi-pin) | 09-934 |

#### **ASTRO**<sup>™</sup>

| PAGE 116                                                  | PART #     |
|-----------------------------------------------------------|------------|
| Visor Kit (includes Strap and Screws)                     | 02-804     |
| Visor Strap (pk 5)                                        | 02-805     |
| Cleat and Screws                                          | 02-806     |
| Window Gasket Seal                                        | 02-807     |
| Suspension Clips (pk 4)                                   | 02-808     |
| Head Harness (NIOSH approved)                             | 02-809     |
| Inner Lens (pk 10)                                        | 02-810     |
| Tinted Inner Lens (pk 10)                                 | 02-810-T   |
| Outer Lens (pk 50)                                        | 02-811-015 |
| Cape Cover Band                                           | 02-812     |
| Nylon Respirator Cape                                     | 02-813     |
| Leather Respirator Cape                                   | 02-814     |
| Tear-off Lens (pk 50)                                     | 02-816     |
| Air Inlet Assembly                                        | NV2006/7   |
| Air Inlet Assembly (for Helmets with Low Flow Indicators) | NV2006/7CE |
| Inner Bib                                                 | NV2012     |
| Supplied Air Breathing Tube (for Astro™)                  | NV2021     |
| Low Flow Indicator Assembly                               | NV2030     |
| Domes                                                     | NV2041     |
| Hand Strap                                                | NV2042     |

#### T100<sup>™</sup> SERIES

~~~~~

PAGE 126	PART #	PX4 AIR <sup>®</sup> PAPR	
Constant Flow Valve Assembly (NIOSH approved)	03-101	PAGE 146	PART #
Constant Flow Valve Assembly (CE approved)	03-102	Swivel Air Fitting Elbow	03-032
Quick Release Hose Tail with 3/8" NPT	03-110	Fan Housing	03-911
Adaptor: 1/4" RPB <sup>®</sup> Plug to 3/8" NPT Male	03-111	Fan Housing - Low Flow	03-912
PX4 Air® Breathing Tube (for T100™)	04-836	Filler Door	03-921
Tychem <sup>®</sup> QC Hood	07-110	Door Cover	03-922
Tychem <sup>®</sup> QC Hood, Safety Lens	07-110-S	Door Latch	03-923
Tychem® QC Hood, Extra Length Bib	07-110-X	Belt Loops (pair)	03-924
Tychem® QC Hood, Extra Length Bib, Safety Lens	07-110-SX	Complete Charger Kit - US	03-950
Head Harness Mounting Clips (pk 2)	07-121	Complete Charger Kit - AU/NZ	03-950-AU
Hose Clamp (Single Bond Nylon, 1-13/32)	07-122	Complete Charger Kit - EU	03-950-EU
Peel-off Lens (pk 50)	07-123	Complete Charger Kit - UK	03-950-UK
Hard Hat Clip (for 07-721)	07-125	Battery Charger	03-951
Hard Hat (includes 07-721 and 07-125 Hard Hat Clip)	07-126	24 Volt Power Supply Unit - US	03-952
Tychem® SL Hood (chemical)	07-150	24 Volt Power Supply Unit - AU/NZ	03-952-AU
	•••••••••••		

#### T100<sup>™</sup> SERIES continued

PAGE 126	PART #
Tychem® SL Hood (chemical), Safety Lens	07-150-S
Tychem® SL Hood (chemical), Extra Length Bib	07-150-X
Tychem® SL Hood (chemical),Extra Length Bib, Safety Lens	07-150-SX
Head Suspension	07-920
Brow Pad (for 078-920, pk 5)	07-924
Chin Strap (for 07-920 and 07-721)	07-926
Silenced Cool Tube Assembly	4000-40
Supplied Air Breathing Tube (for T100™)	NV2021F
Safety Quick Release Tail 1/4" Male Thread	NV2032CE

#### T150<sup>™</sup> SERIES

PAGE 136	PART #
Supplied Air Breathing Tube (for T150™)	03-031
Swivel Air Fitting Elbow	03-032
PX4 Air® Breathing Tube (for T150™)	04-839
Visor and Rubber Face Seal	11-910
Visor and Silicon Face Seal	11-910-S
Inner Face Seal	11-911
Inhalation Valve	11-912
Clamping Band	11-913
Visor and Valves	11-914
Inhalation Valve (for Inner Face Seal)	11-915
TPR Face Seal	11-916
Silicon Face Seal	11-916-S
Tear-off Lens (pk 50)	11-924
Rubber Head Suspension	11-933
Comfort Nylon Head Suspension	11-934
Breathing Tube Bracket	11-948

### DVA AID® DADE

rpb

#### PX4 AIR<sup>®</sup> PAPR continued

PAGE 146	PART #
24 Volt Power Supply Unit - EU	03-952-EU
24 Volt Power Supply Unit - UK	03-952-UK
Battery	03-955
Belt Supports (pair)	03-965
Pre-filter (pk 10)	03-981
Spark Arrestor	03-982
P100 Filter Cartridge	03-985
Flow Meter	04-091
PX4 Air® Breathing Tube (for Z-Link®)	04-835
PX4 Air® Breathing Tube (for T100™, Z100™)	04-836
PX4 Air® Breathing Tube (for Nova 3®)	04-838
PX4 Air® Breathing Tube (for Z3™, T150™)	04-839
2" Belt with Nylon Buckle	07-765
2" NOMEX <sup>®</sup> Belt with Acetal Buckle	07-765-FR
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - EU	09-021-EU
Power Cable - UK	09-021-UK

#### **GX4® GAS MONITOR**

PAGE 156	PART #
12 Volt Cable with Battery Clips	08-227-H
Aluminum Wall Bracket	08-231
Gas Sensor Cartridges - Carbon Monoxide 10ppm	08-420-01
Gas Sensor Cartridges - Carbon Monoxide 5ppm	08-420-02
Gas Sensor Cartridges - Hydrogen Sulfide 10ppm	08-420-03
Gas Sensor Cartridges - Oxygen 19.5% - 23%	08-420-04
Blank Sensor Case	08-420
Sensor Manifold Tube	08-422
Heavy Duty Field Case	08-424
Mounting Bracket (pair)	08-425
Air Supply Hose and One Touch Connector	08-428
M5 Inlet Filter, Sintered Brass	08-429
Power Adapter Pack - US	08-430
Power Adapter Pack - AS/NZ	08-430-AU
Power Adapter Pack - UK	08-430-UK
Power Adapter Pack - EU	08-430-EU
Auxiliary Cable 50' with Bare End	08-434
Auxiliary Strobe Light with 50' Cable	08-435
Auxiliary Strobe and Alarm Tower with 50' Cable	08-436
Calibration Adapter Kit	08-450
Calibration Flow Regulator 1.5 SLPM	
(includes 08-450, for Zero Air and CO gas bottles)	08-451
Calibration Flow Regulator 1.5 SLPM	
(includes 08-450, for $H_2S$ gas bottles)	08-451
Zero Air	08-460
CO 20ppm in Air	08-461

#### **GX4® GAS MONITOR** continued

PAGE 156	PART #
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - UK	09-021-UK
Power Cable - EU	09-021-EU

#### **RADEX® AIRLINE FILTER**

PAGE 169	PART #
1/4" Coupler 3/8" FNPT	04-911
3/8" Brass Tee	04-912
3/8″ Brass Cap	04-913
Pressure Regulator	04-914
Pressure Gauge	04-915
Pressure Relief Valve (125 psi)	04-916
3/8″ Brass Nipple	04-917
Filter Lid (for 04-900)	04-918
O-ring (set of 2)	04-919
Bolt, Nut, Washer (set of 4)	04-920
Filter Body	04-921
Brass Drain Tap	04-922
Base Mount	04-923
Auto Drain Unit	04-924
Micro Mist Filter 1/2"	04-925
1" x 1/2" Reducing Nipple	04-926
Mainline Pre-filter	04-927
Brass Elbow	04-928
Filter Element (for 04-927 Mainline Pre-filter)	04-929
Micro Mist Element (for 04-925 Micro Mist Filter)	04-930
Auto Drain Assembly (for 04-924 Auto Drain Unit)	04-931
Six Outlet Filter Lid	04-961
Super High Low Regulator	04-962
Pressure Gauge (for 04-962)	04-963
1/4" Coupler 3/8" MNPT (to fit 04-965 Manifold)	04-964
6 Outlet Manifold	04-965
1″ NPT Hex Nipple	04-966
Replacement Filter Cartridge (generic)	AFC100
Replacement Radex® Filter Cartridge	APF3100
Inlet Filter Element	9700-01
Exhaust Filter Element	9700-02
Pressure Relief Valve	9700-03
Pressure Gauge	9700-04
Inlet Filter Assembly (includes 9700-01)	9700-08
Exhaust Filter Canister	9700-15
1/2" Hansen Coupler	9700-72AD

#### **AIR SUPPLY**

PAGE 178	PART #	PAGE 192	PART #
1/2" Hansen Coupler	9700-72AD	Spindle and Knob	4000-09
Quick Release 3/8" Hose Tail	NV2024	Locking Screw	4000-10
Quick Release Coupler 1/4" Female Thread	NV2025	Regulator Assembly	4000-11
100' Breathing Air Supply Hose 3/8" Diameter		Temperature Shield	4000-12
(includes Quick Release Filtings)	NV2027	Hot Air Spinner	4000-13
25' Breathing Air Supply Hose 3/8" Diameter		Flow Reducer	4000-14
(includes Quick Release Fittings)	NV2028	Outlet Valve	4000-15
10m Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings)	NV2028CE	Silencer Disc	4000-16
	INVZUZOCE	Silencer Disc - Brass	4000-16B
50' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings)	NV2029	Retainer Nut	4000-17
3/8" Hose Tail 1/4" Male Thread	NV2033	Outlet Valve Complete Assembly	4000-18
50' Breathing Air Supply Hose 1/2" Diameter		Outlet Valve (for 4000-40)	4000-38
(includes Quick Release Filtings*)	NV2035	Hot Air Tube Assembly	4000-20
100' Breathing Air Supply Hose 1/2" Diameter		Silenced Cool Air Tube Assembly	4000-40
(includes Quick Release Filtings*)	NV2036	Constant Flow Valve - Low Pressure	NV2015
		Flow Control Valve (NIOSH)	NV2016
C40 <sup>™</sup> CLIMATE CONTROL DE\	/ICE	Flow Control Valve (CE)	NV2016CE
PAGE 186	PART #	Belt Complete with Buckles	NV2022
1/4" Plug to 1/4" NPT Male Swivel	03-012-PMS	Safety Quick Release Tail 1/4" Male Thread	NV2032CE
1/4" Safety Plug to 1/4" NPT Male Swivel	03-022-PMS	Adapter 1/2" Low Pressure Plug to 3/8" NPT Male Thread	NV2034
U Tube Assembly	03-510		

PAGE 186	PART #
1/4" Plug to 1/4" NPT Male Swivel	03-012-PMS
1/4" Safety Plug to 1/4" NPT Male Swivel	03-022-PMS
U Tube Assembly	03-510
Bottom Case	03-514
Top Case Assembly	03-521
Exhaust Assembly	03-522
Silencer Assembly	03-526
Inlet Collar	03-536
Silencers (pair)	03-537
Belt	NV2022

#### **FLOW CONTROL**

PAGE 192	PART #		
Constant Flow Valve Assembly (NIOSH approved)	03-101	SAFETY ESSENTIALS	
Constant Flow Valve Assembly (CE approved)	03-102	PAGE 204	PART #
Constant Flow Valve - Low Pressure	03-106	Safety Glasses - Clear	18-221-C
Adaptor: 1/4" RPB <sup>®</sup> Plug to 3/8" NPT Male	03-111	Safety Glasses - Smoked	18-221-S
Cold Air Tube Assembly	4000-01	Plus Safety Glasses - Clear	18-241-C
Top Thread Cap BSP Thread (for 4000-01)	4000-03	Plus Safety Glasses - Smoked	18-241-S
Top Thread Cap GHT Thread (for 4000-20)	4000-03GHT	Ultra Safety Glasses - Clear	18-261-C
Cold Air Spinner	4000-04	Ultra Safety Glasses - Smoked	18-261-S
Cool Air Tube Body	4000-05 B	S100™ Ear Plugs	18-322
Hot Air Tube Body	4000-05R	Do-Rag	05-613
Quick Release Tail 1/4" Male Thread	4000-06	Head Sock	05-601
Breaker	4000-07	Double Palm Leather Blasting Gloves	07-701
Regulator Body	4000-08	Knee Pads (pair)	07-761



#### FLOW CONTROL continued

#### **BLAST SUIT**

#### **PAGE 200** PART # 07-755-S Blast Suit size Small 07-755-M Blast Suit size Medium Blast Suit size Large 07-755-L Blast Suit size XL 07-755-XL Blast Suit size XXL 07-755-XXL Blast Suit size XXXL 07-755-XXXL Blast Suit size XXXXL 07-755-XXXXL

כלקי



## NOTES