

Features

- Rated currents 16A
- General purpose filtering performance
- The compact size can be applied to various situations.
- YB12 filters are also available as two-stage filters (YB35) in noisy environment

RS PRO EMI FILTER

RS Stock No.:237-8707, 237-8708



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- Electrical and electronic equipment
- Medical equipment
- Datacom equipment
- Office automation equipment

General Specifications

H\Y Vt'a dUMi'glnY WUb VY Udd`jYX hc`j Uf]ci g'g]hi UH]cbg'M6%&Z]hyfg'UFY U'gc Uj U]UV`Y Ug`
 Hk c!ghU[Y Z]hyfg fIM6') E]b'bc]gmYbj]fcb'a Ybh''H\YfY UfY U'j Uf]YhmcZdUfhg'UbX`
 Vt'a V]bUh]cbg'hc'a YYhX]ZZYfYbhW ghca Yffij'9A 7 hyghg. 7i ghca]nYX'dfcXi Wtg UMWt'fX]b[`
 hc W ghca Yffij'fYei]fYa Ybhg`

Mechanical Specifications

Size	%&\$L%\$\$L) \$a a f@L K `L`<E`
Weight	%&) \$[_ g`

Electrical Specifications

FUHYX'Jc`HU[Y'A UI ``	%& #&) \$J 57`
CdYFUH]b[`ZYei YbWWh) \$#` \$<n`
FUHYX W ffYbhg`	%* 5`
<]dchFUH]b[`	@B) \$\$J 87 , @#B!; `&&) \$J 87


Protection Category

according to IEC 60529	IP40
------------------------	------


Approvals

Declarations	CE
Standards Met	IEC/EN 60939

Physical Dimensions



Electrical Schematic



Insertion loss table (In 50ohm system according IEC/CISPR No.17)

— Common mode - - - - - Differential mode

16A

