


### **FEATURES**

- Essential for all workshops and onsite service engineers
- Range of sizes
- Quick identification and easy storage
- Robust casing suitable for transport
- Temperature range of Nitrile: -30°C to 120°C and FPM: -20°C to 200°C

# RS PRO Metric O-Ring Kit Nitrile, Kit Contents 510 Pieces

RS Stock No.: 756-034



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

# Seal & O-Ring Kits



### **Product Description**

RS Pro O-Ring kit, available in a robust box that contains an assortment of the most popular sizes, essential for emergency repairs or routine maintenance. These kits are ideal for maintenance engineers to provide a quick and reliable choice of sealing solutions to suit the job in hand.

#### **General Specifications**

Туре	Metric O-Ring Kit		
Material	Nitrile		
Kit Contents	510 Pieces		
Applications	Automotive, Aerospace And General Engineering		

#### **Mechanical Specifications**


naidic35 (black)		Nitrile 70° Shore hardness (black) and FPM 80° Shore hardness (black)
------------------	--	---

#### **Operation Environment Specifications**

Temperature Range Of Nitrile	-30°C to 120°C
Temperature Range Of FPM	-20°C to 200°C







## Contents

50	50	50	50	50	50
0041-16	0061-16	0081-16	0101-16	0121-16	0141-16
4.1 x 7.3	6.1 x 9.3	8.1 x 11.3	10.1 x 13.3	12.1 x 15.3	14.1 x 17.3
25	25	25	25	25	25
0056-24	0066-24	0076-24	0096-24	0116-24	0146-24
5.6 x 10.4	6.6 x 11.4	7.6 x 12.4	9.6 x 14.4	11.6 x 16.4	14.6 x 19.4
10	10	10	10	10	10
0195-30	0245-30	0265-30	0315-30	0325-30	0395-30
19.5 x 25.5	24.5 x 30.5	26.5 x 32.5	31.5 x 37.5	32.5 x 38.5	39.5 x 45.5