

FEATURES

- Steel threaded inserts
- M4 threading
- Suitable for material thickness range of 0.5 mm to 3 mm
- Fixing hole diameter 6 mm
- Flange diameter 9 mm
- Outer body diameter 9 mm
- Body depth 11.3 mm
- Plain finish

RS PRO Plain, M4 Steel Threaded Insert, 9mm diameter 6mm Depth 11.3mm

RS Stock No.: 425-7531



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO threaded inserts are an easy way to create stable threaded holes for screw fixings in thin sheet components where rear access isn't an option. When installed appropriately using a riveter tool, the serrated part expands inside the hole to provide high torque resistance.

General Specifications

Thread Size	M4
Material	Steel
Finish	Plain
Application	Maintenance of domestic electronics like refrigerators

Mechanical Specifications

Flange Diameter	9mm
Fixing Hole Diameter	6mm
Body Outside Diameter	9mm
Body Depth	11.3mm
Thickness Of Material Maximum	3mm
Thickness Of Material Minimum	0.5mm

Approvals

Compliance/Certifications	EN61340
----------------------------------	---------

