

### **FEATURES**

- IP67 rated
- Insulation Resistance >= 100 MΩ
- Brass nickel plated coupling nut

# RS PRO M12 MALE REAR PANEL MOUNT TO RJ45 8 PIN SHIELDED 0.5m TEAL PUR CAT6 CABLE

RS Stock No.: 2305692



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to



the leading brands without paying a premium price.

#### Product Description ATTRIBUTE 1

#### M12 to Ethernet Network Cable Assemblies

A comprehensive range of shielded M12 Ethernet connector cable assemblies, featuring M12 to RJ45 connectors in CAT6 PUR Black Cable, and M12 to open ended cables all in varying lengths to suit application.

#### Features and Benefits:

- IP67 rated
- Brass nickel plated coupling nut
- Insulation Resistance >= 100 M $\Omega$

### **General Specifications**

30 V
1.5A
>= 100 MΩ
-25°C +85°C
A-Coded
Thread Locking
Yes

Material Speci	ifications
----------------	------------

	M12	RJ45
Grip Material	Cu-Zn	РВТ
Contact	Cu-Zn	Phosphor Bronze
Contact Plating	Gold Flash	Gold Flash
Contact Carrier	Nylon 66	РВТ
Grip Color		Black
Coupling Nut	M16 x 1.5	

Cable Specifications	
Cable Length-L	0.5 m

# RS PRO M12 MALE TO RJ45 CONNECTOR



Cable Type	Cat6 (4 x 2 Twisted Pair) PUR Shielded
Sheath Color	Teal
Cross Section of Wire	AWG 26
Cable Dia	6.8 ± 0.1 mm
Core Insulation	PE
Termination	RJ45
Transfer Parameters	CAT6
Transfer Rate	10 Gbit/s
Shielding Details	Braiding 75% Approx.

Protection Category	
Degree of Protection	IP67 (M12) – IP20 (RJ45)

Additional Information	
Custom Tariff Number	85369090

Approvals	
Standards Met	IEC 61076-2-101 (M12)

### **Similar Products**

Stock No.	Brand	Product Name	Attribute 1	Attribute 2
2305693	RS PRO	M12 Male Rear Panel Mount to RJ45 01 meter Teal PUR Cable	Industrial Automation Cable Assemblies	M12 Ethernet Connector



## Connection Diagrams / Assembly Diagrams / Illustrations / Accessories



