

# ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of product	Silicone F Code-Nr. 132000
<ul> <li>1.2. Relevant identified uses of the substance or mixtu</li> <li>Recommended intended purpose(s)</li> <li>1-Component Adhesives and Sealants, permanently elastic</li> </ul>	-
1.3. Details of the supplier of the safety data sheet	
Distributor	WEICON GmbH & Co. KG Königsberger Str. 255,, DE-48157 Münster Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322 - 244 E-Mail : msds@weicon.de Internet : www.weicon.de
Advice	Produktsicherheit / Product-Safety-Department Phone ++49(0)251 / 9322 - 0 E-mail (competent person): msds@weicon.de
1.4. Emergency telephone number	
	EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English)
Manufacturer	WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster
1.4. Emergency telephone number	
	GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h): Tel: ++49 69 222 25285 (Deutsch, Englisch)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and categories	Hazard Hazard Statements	Classification procedure
Skin Irrit. 2	H315	
Eye Dam. 1	H318	
Hazard Statement	5	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	

# 2.2. Label elements



# Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



611303

Signal word Danger

# **Hazard Statements**

H315	Causes skin irritation.
H318	Causes serious eye damage.

## **Precautionary Statements**

P102	Keep out of reach of children.
P264 P280	Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 P305 + P351 + P338 P310 P332 + P313 P362	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing.
P501	Dispose of contents/container to hazardous or special waste collection point.

# Hazardous ingredients for labeling

triacetoxyethylsilane

## 2.3. Other hazards

## Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/ information on ingredients**

3.1. Substances not applicable

# 3.2. Mixtures

**Description** Sealant

# Hazardous ingredients

EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
241-677-4	triacetoxyethylsilane	2 < 3	Skin Corr. 1B, H314 / Acute Tox. 4, H302 /
224-221-9	methylsilanetriyl triacetate	1 < 1,5	Acute Tox. 4, H302 / Skin Corr. 1B, H314 /
			Eye Dam. 1, H318
Name			<b>REACH registration number</b>
triacetoxyeth	ylsilane		01-2119881778-15
	241-677-4 224-221-9 Name	241-677-4 triacetoxyethylsilane 224-221-9 methylsilanetriyl triacetate	241-677-4     triacetoxyethylsilane     2 < 3



## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**General information** Remove moisted clothing immediately.

# In case of inhalation

Ensure of fresh air. In the event of symptoms refer for medical treatment.

#### In case of skin contact

Dab affected skin part with a cotton ball or cellulose and wash it afterwards with plenty of water and a mild cleaner. Consult a doctor if skin irritation persists.

## In case of eye contact

After eye contact, rinse opened eye for 15 minutes under running water. Transfer to hospital for specialist examination.

## In case of ingestion

Do not induce vomiting. Call for a doctor immediately. Rinse out mouth thoroughly with water.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed** No information available.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media Alcohol-resistant foam Dry powder Carbon dioxide Water spray jet

Unsuitable extinguishing media Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible. Carbon monoxide (CO) Carbon dioxide (CO2) Silicon dioxide

#### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

#### Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Ensure adequate ventilation. Use personal protective clothing.

High risk of slipping due to leakage/spillage of product.

#### 6.2. Environmental precautions

Do not discharge into the drains or bodies of water.. Do not discharge into the subsoil/soil.

#### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust). After taking up the material dispose according to regulation.

## 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace. Take the usual precautions when handling with chemicals.

#### **General protective measures**

Avoid contact with eyes and skin Do not inhale gases/vapours/aerosols.

#### Hygiene measures

At work do not eat, drink and smoke. Wash hands before breaks and after work.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking Pay attention to general rules of internal fire prevention.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Requirements for storage rooms and vessels** Prevent penetration into the ground. Keep only in original container.

# Advice on storage compatibility

Do not store with acids or alkalies. Do not store together with food.

# Further information on storage conditions

Store closed container at cool and aired place. Protect from frost. Protect from atmospheric moisture and water Protect from heat and direct solar radiation. Store in a dry place. Protect from heat/overheating.



#### 7.3. Specific end use(s) Recommendation(s) for intended use See section 1.2

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters **DNEL-/PNEC-values DNEL** worker

CAS No	Substance name	Value	Code	Remark
17689-77-9	triacetoxyethylsilane	32,5 mg/m3	DNEL acute inhalative (local)	
		32,5 mg/m3	DNEL long-term inhalative (local)	
PNEC				
CAS No	Substance name	Value	Code	Remark
17689-77-9	triacetoxyethylsilane	1 mg/l	PNEC sewage treatment plant (STP	)
		0,2 mg/l	PNEC aquatic, freshwater	
		0,02 mg/l	PNEC aquatic, marine water	
		0,031 mg/kg	PNEC soil, freshwater	
		0,074 mg/kg	PNEC sediment, marine water	
		0,74 mg/kg	PNEC sediment, freshwater	

# Additional advice

The statutory local and national regulations have to be observed.

#### 8.2. Exposure controls

#### **Respiratory protection**

In case of insufficient ventilation or long-term effect use breathing apparatus. Short term: filter apparatus, Filter A/P2

#### Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: butyl rubber, 0,7mm; 480min

# Eye protection

tightly fitting goggles

#### Other protection measures protective clothing

# Appropriate engineering controls

Sufficient ventilation and exhaustion.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties Colour

Appearance pasty

Odour characteristic

colourless



# Odour threshold

not determined

## Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not applicable				
boiling point	not determined				
melting point	not determined				
Flash point	> 100 °C				
Vapourisation rate	not applicable				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	not applicable				
Upper explosion limit	not applicable				
Vapour pressure	< 100 hPa	20 °C			
Relative density	1,03 g/cm3	23 °C			
Vapour density	not determined				
Solubility in water					insoluble
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not applicable				
Decomposition temperature	not determined				
Viscosity dynamic	11000 mPa*s	23 °C			
Oxidising properties not applicable					
Explosive properties not applicable					
9.2. Other information					

No information available.



# **SECTION 10: Stability and reactivity**

**10.1. Reactivity** No information available.

# **10.2. Chemical stability** No information available.

**10.3. Possibility of hazardous reactions** No hazardous reactions known.

**10.4. Conditions to avoid** Moisture.

# 10.5. Incompatible materials

Substances to avoid strong bases Acid Moisture.

# **10.6. Hazardous decomposition products**

May form acetic acid in contact with water / moisture.

#### **Thermal decomposition**

Remark No decomposition if used as directed.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

## Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 5000 mg/kg			Calculated out of the components.
Skin irritation	irritant			
Eye irritation	irritant - risk of strong eye injuries			
Skin sensitization	non-sensitizing			
Experiences made from practice Risk of strong eye injuries.				

Irritates eyes and skin.

#### Additional information

The product is to be handled with the caution usual with chemicals. Other hazardous properties may not be excluded.



# **SECTION 12: Ecological information**

## 12.1. Toxicity

No information available.

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

Contains following heavy metals and compounds of the 76/464/EWG no

#### **•** • • •

**General regulation** In sewage treatment plants it may be separated mechanically. Biological degradability is impossible to determinate because of insolubility in water. Do not allow uncontrolled leakage of product into the environment. Product is not allowed to be discharged into aquatic environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste code No.	Name of waste
07 02 17	waste containing silicones other than those mentioned in 07 02 16
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09

#### **Recommendations for the product**

Remove in accordance with local official regulations.

# **Recommendations for packaging**

Dispose of according to the local waste regulations.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	; -	-	-



# 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

#### Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content 0 %

# 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

## **Recommended uses and restrictions**

National and local regulations concerning chemicals shall be observed. For industrial use only.

#### **Further information**

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product. Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.3

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.