


## FEATURES

- Different lengths of Ethernet cable up to 30 meters
- Variety of different colours
- Low Smoke Zero Halogen sheathed data cable
- Cables are pre-terminated on both ends with an over moulded RJ-45 plug
- Booted strain relief gives the Cat 6 cable support and latch protection
- High-performance data transmission patch cable

## RS PRO Grey Cat6 Cable UTP LSZH Male RJ45/Male RJ45, 15m

RS Stock No.: 791-7090



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

These RS PRO patch cables, also known as Ethernet patch cables are manufactured using Category 6 cables, commonly referred to as Cat 6 Cable. They are electrical cables often used in office environments as a connector to link computers to a network hub, router or Ethernet switch.

## General Specifications

|                                |                                                                |
|--------------------------------|----------------------------------------------------------------|
| <b>Terminated/Unterminated</b> | Terminated                                                     |
| <b>Connector Type</b>          | Male RJ45/ Male RJ45                                           |
| <b>Connector B</b>             | Plug                                                           |
| <b>Connector A</b>             | Plug                                                           |
| <b>Shield Type</b>             | UTP                                                            |
| <b>Outer Sheath Material</b>   | LSZH                                                           |
| <b>Sheath Colour</b>           | Grey                                                           |
| <b>Application</b>             | To link computers to a network hub, router or Ethernet switch. |

## Mechanical Specifications

|               |     |
|---------------|-----|
| <b>Length</b> | 15m |
|---------------|-----|

## Approvals

|                                  |                         |
|----------------------------------|-------------------------|
| <b>Compliance/Certifications</b> | 2011/65/EU and 2015/863 |
| <b>Standards Met</b>             | RoHS Compliant          |

