

FEATURES

- Single handed operation
- Light and compact
- Safety version
- Silicon free

RS PRO Pneumatic Quick Connect Couplings

RS Stock No.: 2312524



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the

leading brands without paying a premium price.

Pneumatic Quick Connect Couplings



Product Description

The RS PRO female socket - safety - Italian 5 mm mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages applications. It is available in nickel-plated brass. Used for compressed air and for moulding injection cooling system.

General Specifications

Material	Nickel Plated Brass
Applications	Lubrication System, Cooling System, Pneumatic Machinery Equipment

Mechanical Specifications


Connection Type	Threaded, Tube		
Tube Connection Size	12		
Coupling Gender	Female		
Threaded Connection	3/8 in Female		
Thread Size	3/8in		
Hose Barb Connection	30.5mm		
Wrench Size	20Hex		
Length	54mm		

Pneumatic Quick Connect Couplings



Parameters	2312523	2312525	
Brand	RS PRO	RS PRO	
Connection Type	Threaded, Tube	Threaded, Tube	
Tube Connection Size	11	15	
Coupling Gender	Female	Female	
Threaded Connection	1/4 in Female	1/2 in Female	
Thread Size	1/4in	1/2in	
Hose Barb Connection	30.5mm	30.5mm	
Wrench Size	17	24	
Length	53mm	57mm	





А	В	С	D	СН	Pack.
3/8	12	54	30.5	20	10