





Tracker

Mobility and Stability

in all terrains for a more
Profitable, Safer Workplace



-  Maintenance Tasks
-  Process Inspection
-  Indoor Outdoor
-  Australian Made

www.stockmaster.co

StockMaster™
SAFETY AT EVERY STEP

StockMaster Tracker is an Auto-Safe and easy to use all terrain, mobile platform ladder.


StockMaster Tracker is a versatile and easy to use mobile work platform. With two large diameter wheels it moves easily over sealed and unsealed surfaces or slopes making it ideal for indoor or outdoor use. Featuring a Tilt, Steer and Brake control it is fast and easy to move around. Take hold of the control, raise the unit to the mobile position and to move to the job. Release the control and Tracker automatically returns to the stationary mode where it is braked and totally stable.

One control does it all creating a much safer product

With the Tilt, Steer and Brake control actuated, you are positioned away from the front of the ladder to allow a normal walking step. Tracker moves easily to the job in much less time than competing products and requires no set up when you get there. Tracker is easier and faster to move around and saves time on the job.

StockMaster Tracker Platform Ladders . . .

- ✓ Move easily over sealed or unsealed surfaces and slopes
- ✓ Reposition quickly and require no set-up
- ✓ Are designed and tested to a 150 kg load rating
- ✓ Meet Australian, US and European Union Standards and there is a size to suit your job.



Tracker is easier and faster to move around and saves time on the job.



With two large diameter wheels Tracker moves easily over sealed and unsealed surfaces.

StockMaster Tracker is a modular design enabling parts replacement in the event of accidental damage. It is manufactured from high-quality materials and built to last. With reasonable care StockMaster Tracker will give many years of service, and get the job done.

StockMaster Tracker meets or exceeds all the requirements of the Australian Standard AS 1892.1:2018, US Standard ANSI-ASC A14.2 -2007 and the European Standard EN 131: Parts 1 & 2

StockMaster Tracker Platform Heights (all dimensions in millimeters.)

860 - 1145 - 1435 - 1720 - 2005 - 2295
2580 - 2865 - 3155 - 3440 - 3735 - 4015


See full details at www.stockmaster.co



Tracker PRO

Mobility and Stability

in all terrains for a more
Profitable, Safer Workplace

-  Maintenance **Tasks**
-  Process **Inspection**
-  Indoor **Outdoor**
-  Australian **Made**

Mobility and Stability
in all terrains for a more Profitable, Safer Workplace

TrackerPRO

StockMaster TrackerPRO is an Auto-Safe and easy to use all terrain, mobile platform ladder.

StockMaster TrackerPRO is a versatile and easy to use mobile work platform. With two large diameter wheels it moves easily over sealed and unsealed surfaces or slopes making it ideal for indoor or outdoor use. Featuring a Tilt, Steer and Brake control it is fast and easy to move around. Take hold of the control, raise the unit to the mobile position and to move to the job. Release the control and TrackerPRO automatically returns to the stationary mode where it is braked and totally stable.

One control does it all creating a much safer product

With the Tilt, Steer and Brake control actuated, you are positioned away from the front of the ladder to allow a normal walking step. TrackerPRO moves easily to the job in much less time than competing products and requires no set up when you get there. TrackerPRO is easier and faster to move around and saves time on the job.

StockMaster TrackerPRO features a Safety Rail system that can be adjusted to suit your job, providing improved ergonomics and easy access to maintenance, inspection, manufacturing processes and many other tasks, and with TrackerPRO you are protected against accidentally stepping off the front of the platform. Featuring the unique and fully automatic StockMaster Auto-Gate TrackerPRO frees your hands to carry an item and still maintain a safe grip as you leave or enter the workplace.

StockMaster TrackerPRO Platform Ladders . . .


- ✓ Move easily over sealed or unsealed surfaces and slopes
- ✓ Reposition quickly and require no set-up
- ✓ Are complete with a safety railing system that can be adjusted to suit the job
- ✓ Are equipped with an automatic closing gate at the platform entry
- ✓ Are designed and tested to a 150 kg load rating
- ✓ Meet Australian, US and European standards and, there is a size to suit your job



TrackerPRO is easier and faster to move around and saves time on the job.



With two large diameter wheels TrackerPRO moves easily over sealed and unsealed surfaces.



StockMaster Tracker PRO features a Safety Rail system that can be adjusted to your task.

StockMaster TrackerPRO is a modular design enabling parts replacement in the event of accidental damage. It is manufactured from high-quality materials and built to last. With reasonable care StockMaster TrackerPRO will give many years of service, and get the job done.

StockMaster TrackerPRO meets or exceeds all the requirements of the Australian Standard AS 1892.1:2018, US Standard ANSI-ASC A14.2 -2007 and the European Standard EN 131: Parts 1 & 2

StockMaster TrackerPRO Platform Heights (all dimensions in millimeters.)

860 - 1145 - 1435 - 1720 - 2005 - 2295
2580 - 2865 - 3155 - 3440 - 3735 - 4015

See full details at www.stockmaster.co

www.stockmaster.co

StockMasterTM
SAFETY AT EVERY STEP