


# Weather Resistant Cable Ties

## Cable Harnessing Accessories



### Features

- Carbonate A was added for greater resistance to ultra violet in outdoor usage
- Prolongs useful life of cable tie under sunshine / outdoor application
- High quality, durable Black ties
- Excellent resistance to ultra violet light



### Specification Table

Length (L)	Width (W)	Max. Bundle Diameter	Min. Tensile Strength		Part Number
			lbs (kgs)		
100 (3.937)	2.5	25	18 (8)	Miniature	CV100W
					0301CV-100W
120 (4.724)*	4.8	30	50 (22)	Standard	CV120LW
142 (5.591)	2.5	35	18 (8)	Miniature	CV140SW
	3.2		40 (18)	Intermediate	CV140W
165 (6.496)	2.5	44	18 (8)	Miniature	CV165W
160 (6.299)	4.8	42	50 (22)	Standard	CV160LW
203 (7.992)	2.5	55	18 (8)	Miniature	CV200MW
	3.6	-	-	-	CV200AW
	4.6	55	55 (22)	Standard	CV200W
292 (11.496)	3.6	85	40 (18)	Intermediate	CV292W
300 (11.811)	4.8		50 (22)	Standard	CV300SW
370 (14.567)	3.6	-	-	-	CV368SW
	4.8				CV368W
380 (14.961)	7.6	110	120 (55)	Heavy Duty	CV380W

\* 1,000 per pack

Dimensions : Millimetres (Inches)

**Important Notice :** This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com  
 www.farnell.com  
 www.newark.com  
 www.cpc.co.uk

