




Switches > DIP & SIP Switches



Switch Contact Plating Material: Gold

Case Color: Blue

Case Material: Polyester GF

Sealed Device: Yes

Number of Switches: 5

Features

Contact Features

	30 µin
Switch Contact Plating Material	Gold
Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Tin

Body Features

Case Color	Blue
Case Material	Polyester GF
Sealing Method	Strippable Transparent Protective Seal
Product Orientation	Vertical

Product Type Features

Sealed Device	Yes
DIP & SIP Switch Type	DIP
Actuator Style	Rocker (Top Actuated)

Configuration Features

Number of Switches	5
--------------------	---



Configuration (Pole-Throw)	Single Pole - Single Throw
Number of Positions	5

Electrical Characteristics

Contact Current Rating	1 A
Operating Voltage	40 VDC

Termination Features

Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Length	3.56 mm[.14 in]

Housing Features

Centerline (Pitch)	2.54 mm[.1 in]
--------------------	----------------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Dimensions

Product Length	14.73 mm[.58 in]
Product Height	8.64 mm[.34 in]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Tube
Packaging Quantity	21

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.




Solder Process Capability

Wave solder capable to 265°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 435668-7
LO PROFILE DIP SW 8P AU



TE Part # 2-5435668-8
DIP SW 8 POSN W/TAPE AU



TE Part # 3-5435668-4
DIP SW 4 POSN W/TAPE AU



TE Part # 2-5435668-5
DIP SW 6 POSN W/TAPE AU


Customers Also Bought



TE Part #206705-3
CPC RECPT ASSEMBLY SIZE 13-9




TE Part #6368150-1
MJ,TE,8P,CAT5,SHIELDED



TE Part #3-1734839-0
FPC CONN. 0.5MM PITCH T/C,30P



TE Part #87215-7
20 MODII HDR DRST UNSHRD .100



TE Part #1-1971817-3
3P,RAST 2.5 Tab Header,Ex- Locking, THV



TE Part #203540-E
MJ HS VG * 8 8 4 * * * 30 3/4 J 3 2035



TE Part #5-103329-4
04 MODII HDR SRRA B/A .100 CL LF



TE Part #1372295-9
CUTTING BLADE

Documents

Product Drawings
DIP SW 5 POSN SEALED



English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_3-5435640-6_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_3-5435640-6_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_3-5435640-6_A1.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-5435640-6_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-5435640-6_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-5435640-6_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English