Cable Spiral Wrapping



Features

- Black spiral wrap
- 5 m in length
- Minimum cable diameter of 8 mm
- Maximum cable diameter of 10 mm
- Maximum bundle diameter of 10 mm
- Internal diameter of 8 mm
- Nylon construction
- Wall thickness of 0.8 mm
- Restriction of Hazardous Substances (RoHS) compliant
- Complies with ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007 Electrostatic Control Standards

RS PRO Spiral Wrap, I.D 8 mm 10 mm, Nylon

RS Stock No: 210-8572



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Cable Spiral Wrapping



Product Description

This black spiral wrap from RS PRO offers an easy-to-use way to organise and protect cables between 8 mm and 10 mm in diameter.

The spiral wrap comes in a length of 5 m. It's reusable and easy to remove. As part of the RS PRO series, it's also made with quality and safety in mind. The spiral wrap is made from nylon, so it's resistant to abrasions and extinguishes itself in case of fire. It can also withstand harsh chemicals, so it's particularly durable and safe for use in a variety of environments.

You can use this spiral wrap to protect cables from wear and tear and to prevent accidental tripping by keeping cables bundled. It's useful for bundling computer wires in office settings or hoses in automotive shops.

General Specifications

Minimum Cable Diameter	8 mm
Maximum Cable Diameter	10 mm
Colour	Black
Internal Diameter	8 mm
Material	Nylon
Maximum Bundle Diameter	10 mm
Wall Thickness	0.8 mm
Length	5 m

Variants

RS PRO Spiral Wrap, I.D 8mm 10 mm, Nylon	RS stock no: 210-8572
RS PRO Spiral Wrap, I.D 13.4mm 16 mm, Nylon	RS stock no: 210-8588
RS PRO Spiral Wrap, I.D 20mm 23 mm, Nylon	RS stock no: 288-4923
RS PRO Spiral Wrap, I.D 25mm 25 mm, Nylon	RS stock no: 210-8594

Cable Spiral Wrapping

