

FEATURES

- Flame retardant
- Non-releasable
- Suitable for a multitude of uses
- Easy to thread
- Nylon 66 material

RS PRO Black Nylon Flame Retardant Cable Tie, 550mm x 12.7 mm

RS Stock No.: 811-1754



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

RS PRO flame-retardant cable ties are a type of fastener used for holding items together, most commonly electrical cables or wires. These cable ties are made from Nylon 66 (also known as nylon 6.6) that is classified to UL 94V-0, making them ideal for use where fire resistance is critical. These ties are a one-piece, self-locking fastener that functions like straps to keep cables tidy. They are available in a range of sizes and lengths.

General Specifications

| Туре | Flame Retardant |
|----------------|-------------------------------------------------------------------------------------------------------------------|
| Colour | Black |
| Material | Nylon66 |
| Application | Bundling wire together, applications in industries such as: Automotive industry,Transportation,Aerospace Industry |
| Fire Behaviour | Flame Retardant |
| Quantity | 50 |


Mechanical Specifications

| Length | 550mm |
|-------------------------|---------|
| Width | 12.7mm |
| Tensile Strength | 1117.2N |
| Maximum Bundle Strength | 159mm |

Approvals

| Standards Met | UL 94V-0 |
|---------------|----------|
| | |





| RS Artitcle No | SIZE | Max. Bundle Dia. | Min Loop Tensile Strength | | COLOR | Packsize |
|-------------------|----------|------------------------|------------------------------|-----|-------|----------|
| | | | lbs | kgs | COLOR | Facksize |
| 8111739 | 254×17.8 | 42 | 120 | 55 | Black | 50 |
| 8111741 | 380×12.7 | 105 | 250 | 114 | | |
| 8111745 | 480×12.7 | 137 | 250 | 114 | | |
| 8111748 | 280×12.7 | 73 | 250 | 114 | | |
| 8111754 | 550×12.7 | 159 | 250 | 114 | | |
| 8111773 | 100×2.5 | 22 | 18 | 8 | | 100 |
| 8111776 | 150×3.6 | 36 | 40 | 18 | | |
| 8111779 | 203×4.8 | 52 | 50 | 22 | | |
| 8111782 | 380×7.6 | 105 | 120 | 55 | | |