

Page 1 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Hybrid Additive

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Fuel additive

Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementAsp. Tox.1H304-May be fatal if swallowed and enters airways.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)





Page 2 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

H304-May be fatal if swallowed and enters airways.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P301+P310-IF SWALLOWED: Immediately call a POISON CENTER / doctor. P331-Do NOT induce vomiting. P405-Store locked up. P501-Dispose of contents / container to an approved waste disposal facility.

EUH066-Repeated exposure may cause skin dryness or cracking.

Hydrocarbons, C10, aromatics, >1% naphthalene Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

2.3 Other hazards

œ

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC)

1907/2006 (< 0,1 %). The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

CAS

content %

01-2119457273-39-XXXX
918-481-9
80-<100
EUH066
Asp. Tox. 1, H304
01-2119456620-43-XXXX
926-141-6
1-<10
EUH066
Asp. Tox. 1, H304
01-2119463588-24-XXXX
919-284-0
(64742-94-5)
1-<2,5
EUH066
STOT SE 3, H336
Asp. Tox. 1, H304
Aquatic Chronic 2, H411
Substance for which an EU exposure limit value applies.
601-052-00-2
202-049-5

91-20-3 0,1-<1



Page 3 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

Classification according to Regulation (EC) 1272/2008 (CLP), M-factors

Acute Tox. 4, H302 Carc. 2, H351 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

If, for example, the note P is applied for a hydrocarbon then this has already been taken into account for the classification named here. Quote: "Note P - The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7)."

Article 4 of the regulation (EC) no. 1272/2008 (CLP regulation) was also observed and taken into account for the classification named here.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

ആ

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

Danger of aspiration.

In case of vomiting, keep head low so that the stomach content does not reach the lungs.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. With long-term contact: Irritation of the eyes Headaches Dizziness Nausea Product removes fat. Drying of the skin. Dermatitis (skin inflammation) Ingestion: Danger of aspiration. Lung damage In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Gastric lavage (stomach washing) only under endotracheal intubation.

Subsequent observation for pneumonia and pulmonary oedema.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

CO2 Dry extinguisher Foam



Page 4 of 16

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Toxic pyrolysis products. Flammable vapour/air mixtures

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid inhalation, and contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Keep away from sources of ignition - Do not smoke. Do not heat to temperatures close to flash point.

Take precautions against electrostatic charges.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.



Page 5 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

Remove contaminated clothing and protective equipment before entering areas in which food is consumed. **7.2 Conditions for safe storage, including any incompatibilities**

Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Solvent resistant floor Do not store with oxidizing agents. Store in a well ventilated place. Protect from direct sunlight and warming. 7.3 Specific end use(s)

GB

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40): 800 mg/m3

Chemical Name	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics							
WEL-TWA: 800 mg/m3		WEL-STEL:			<100			
Monitoring procedures:	-	- Draeger - Hydrocarbons 0,1%/c (81 03 571)						
		Draeger - Hydrocarbons 2/a (81 03						
	-	Compur - KITA-187 S (551 174)	,					
BMGV:			Other information: (O paragraphs 84-87, EH4		o RCP-method,			
Chemical Name	Hydrocarbons, C1	1-C14, n-alkanes, isoalkanes, cycli	cs, <2% aromatics		Content %:1-<10			
WEL-TWA: 1200 mg/m3 (>=C7 nc	rmal and branched	WEL-STEL:						
chain alkanes)								
Monitoring procedures:	-	Draeger - Hydrocarbons 0,1%/c (81	03 571)					
	-	Draeger - Hydrocarbons 2/a (81 03	581)					
	-	Compur - KITA-187 S (551 174)						
BMGV:			Other information:					
Chemical Name	Hydrocarbons, C1	0, aromatics, >1% naphthalene			Content %:1-<2,5			
WEL-TWA: 500 mg/m3 (Aromatics	s)	WEL-STEL:						
Monitoring procedures:	-	Draeger - Hydrocarbons 0,1%/c (81	03 571)					
	-	Draeger - Hydrocarbons 2/a (81 03	581)					
BMGV:			Other information:					
Chemical Name	Naphthalene				Content %:0,1-<1			
WEL-TWA: 500 mg/m3 (Aromatics	s) (WEL), 10 ppm	WEL-STEL:						
(50 mg/m3) (EU)								
Monitoring procedures:	-	Compur - KITA-153 U(C) (551 182)						
	-	NIOSH 5506 (POLYNUCLEAR AR	OMATIC HYDROCARBO	ONS by H	IPLC) - 1998			
	-	NIOSH 5515 (POLYNUCLEAR ARC	OMATIC HYDROCARBC	ONS by G	C) - 1994			
	-	OSHA 35 (Napthalene) - 1982						
BMGV:			Other information:					
Hydrocarbons C10 aromatics >1	% nanhthalona							

Area of application	Exposure route / Environmental	Effect on health	Descriptor	Value	Unit	Note
	compartment					
Consumer	Human - dermal	Long term, systemic effects	DNEL	7,5	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	32	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	7,5	mg/kg bw/d	



Page 6 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

ആ

Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	151	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	12,5	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	151	mg/m3	

Naphthalene						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	2,4	µg/l	
	Environment - marine		PNEC	0,24	µg/l	
	Environment - sewage treatment plant		PNEC	2,9	mg/l	
	Environment - sediment, freshwater		PNEC	0,0672	mg/kg dry weight	
	Environment - sediment, marine		PNEC	0,0672	mg/kg dry weight	
	Environment - soil		PNEC	0,0533	mg/kg dry weight	
	Environment - sporadic (intermittent) release		PNEC	0,02	mg/l	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	3,57	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	25	mg/m3	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	25	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).



Page 7 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

Skin protection - Hand protection: Solvent resistant protective gloves (EN ISO 374). If applicable Suitable are, e.g., protective gloves from KCL GmbH Co., D-36124 Eichenzell, e-mail vertrieb@kcl.de, following specifications: Protective Viton® / fluoroelastomer gloves (EN ISO 374). Vitojec 890 Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,4 Permeation time (penetration time) in minutes: > 480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: If OES or MEL is exceeded. Filter A2 P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

ആ

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

properties
Liquid
Light yellow
Characteristic
There is no information available on this parameter.
There is no information available on this parameter.
Flammable
0,7 Vol-% (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics)
6 Vol-% (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics)
>63 °C
235-315 °C (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics)
There is no information available on this parameter.
Mixture is non-soluble (in water).
<7 mm2/s (40°C)
Insoluble
Does not apply to mixtures.
There is no information available on this parameter.
0,811 g/ml (15°C)



Page 8 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

Relative vapour density: Particle characteristics: **9.2 Other information**

Explosives: Oxidising liquids:

œ

There is no information available on this parameter. Does not apply to liquids.

There is no information available on this parameter. No

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** Heating, open flame, ignition sources **10.5 Incompatible materials** Avoid contact with strong oxidizing agents. **10.6 Hazardous decomposition products** No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Hybrid Additive						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	Analogous conclusion
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	Analogous conclusion
Acute toxicity, by inhalation:	LC50	>4951	mg/m3/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Analogous conclusion, Vapours
Skin corrosion/irritation:					OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant, Analogous conclusion
Serious eye damage/irritation:					OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant, Analogous conclusion



Page 9 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

œ.

Despiratory or alig		
Respiratory or skin	OECD 406 (Skin	Not sensitizising,
sensitisation:	Sensitisation)	Analogous
		conclusion
Germ cell mutagenicity:	OECD 473 (In Vitro	Negative,
	Mammalian	Analogous
	Chromosome	conclusion
	Aberration Test)	
Germ cell mutagenicity:	OECD 474 (Mammalian	Negative,
	Erythrocyte	Analogous
	Micronucleus Test)	conclusion
Germ cell mutagenicity:	Salmonella OECD 471 (Bacterial	Negative
	typhimurium Reverse Mutation Test)	
Carcinogenicity:	OECD 453 (Combined	Negative,
	Chronic	Analogous
	Toxicity/Carcinogenicity	conclusion
	Studies)	
Reproductive toxicity:	OECD 414 (Prenatal	Negative,
	Developmental Toxicity	Analogous
	Study)	conclusion
Specific target organ toxicity -	OECD 408 (Repeated	Negative,
repeated exposure (STOT-RE):	Dose 90-Day Oral	Analogous
	Toxicity Study in	conclusion
	Rodents)	
Aspiration hazard:		Yes
Symptoms:		unconsciousness
		, headaches,
		dizziness,
		mucous
		membrane
		irritation

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	>5000	mg/m3/8h	Rat	OECD 403 (Acute Inhalation Toxicity)	Vapours
Skin corrosion/irritation:					OECD 404 (Acute Dermal Irritation/Corrosion)	Analogous conclusion, Drying of the skin., Dermatitis (skin inflammation)
Serious eye damage/irritation:					OECD 405 (Acute Eye Irritation/Corrosion)	Analogous conclusion, Slightly irritant
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact), Analogous conclusion
Germ cell mutagenicity:				Mouse	in vivo	Negative
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative, Analogous conclusion
Germ cell mutagenicity:					OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative, Analogous conclusion



Page	10	of	16

- (GB) -

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

Carcinogenicity:					OECD 453 (Combined	Analogous
					Chronic	conclusion,
					Toxicity/Carcinogenicity	Negative
					Studies)	
Reproductive toxicity:					OECD 414 (Prenatal	Analogous
					Developmental Toxicity	conclusion,
					Study)	Negative
Specific target organ toxicity -						Analogous
single exposure (STOT-SE):						conclusion, No
						indications of
						such an effect.
Specific target organ toxicity -	NOAEL	>=1000	mg/kg	Rat	OECD 408 (Repeated	
repeated exposure (STOT-RE):			bw/d		Dose 90-Day Oral	
					Toxicity Study in	
					Rodents)	
Aspiration hazard:						Yes
Symptoms:						drying of the
						skin.,
						headaches,
						fatigue,
						dizziness,
						nausea,
						diarrhoea,
						vomiting

Hydrocarbons, C10, aromatics, >1% naphthalene							
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit			
Acute toxicity, by inhalation:	LC50	>590	mg/m3	Rat		Vapours	
Aspiration hazard:						Yes	

Naphthalene						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	490	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2500	mg/kg	Rat		
Acute toxicity, by inhalation:	LC50	>110	mg/l/4h	Rat		Vapours
Respiratory or skin sensitisation:				Guinea pig		No (skin contact)
Symptoms:						lack of appetite, ataxia, breathing difficulties, unconsciousness , diarrhoea, cornea opacity, headaches, cramps, gastrointestinal disturbances, mucous membrane irritation, dizziness, nausea and vomiting., sweating, Reddening, eyes, reddened

11.2. Information on other hazards

Hybrid Additive						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:						Does not apply to mixtures.



Safety data sheet accordir Revision date / version: 01 Replacing version dated / Valid from: 01.11.2021 PDF print date: 01.11.202 Hybrid Additive	1.11.2021 / 002 version: 18.07.2	8		inex II			
Other information:							No other relevant information available on adverse effects on health.
Hydrocarbons, C10-C13,	n-alkanes, iso	alkanes, cv	clics. <2%	aromatics			
Toxicity / effect	Endpo			Unit	Organism	Test method	Notes
Other information:							Repeated exposure may cause skin dryness or cracking.
					cal informat	ion	
Possibly more information Hybrid Additive Toxicity / effect		tal effects, s	see Section 2	2.1 (classific	ation).		Notes
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish:	on environmen Endpoint					Test method	Notes n.d.a.
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia:		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a.
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae:		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a.
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a. Isolate as much
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae:		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a. Isolate as much as possible with
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and degradability:		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a. Isolate as much as possible with an oil separator.
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a. Isolate as much as possible with
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and degradability: 12.3. Bioaccumulative potential: 12.4. Mobility in soil:		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a. Isolate as much as possible with an oil separator.
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and degradability: 12.3. Bioaccumulative potential: 12.4. Mobility in soil: 12.5. Results of PBT and vPvB assessment		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. lsolate as much as possible with an oil separator. n.d.a. n.d.a. n.d.a.
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and degradability: 12.3. Bioaccumulative potential: 12.4. Mobility in soil: 12.5. Results of PBT and vPvB assessment 12.6. Endocrine		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. lsolate as much as possible with an oil separator. n.d.a. n.d.a. n.d.a. Does not apply
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and degradability: 12.3. Bioaccumulative potential: 12.4. Mobility in soil: 12.5. Results of PBT and vPvB assessment 12.6. Endocrine disrupting properties:		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a.n.d.a.n.d.a.Isolate as much as possible with an oil separator.n.d.a.n.d.a.n.d.a.n.d.a.boes not apply to mixtures.
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and degradability: 12.3. Bioaccumulative potential: 12.4. Mobility in soil: 12.5. Results of PBT and vPvB assessment 12.6. Endocrine		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. lsolate as much as possible with an oil separator. n.d.a. n.d.a. n.d.a. Does not apply
Hybrid AdditiveToxicity / effect12.1. Toxicity to fish:12.1. Toxicity to daphnia:12.1. Toxicity to algae:12.1. Toxicity to algae:12.2. Persistence anddegradability:12.3. Bioaccumulativepotential:12.4. Mobility in soil:12.5. Results of PBTand vPvB assessment12.6. Endocrinedisrupting properties:12.7. Other adverse		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a. Isolate as much as possible with an oil separator. n.d.a. n.d.a. n.d.a. n.d.a. n.d.a. N.d.a. N.d.a. N.d.a. No information
Hybrid Additive Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.2. Persistence and degradability: 12.3. Bioaccumulative potential: 12.4. Mobility in soil: 12.5. Results of PBT and vPvB assessment 12.6. Endocrine disrupting properties: 12.7. Other adverse		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a. Isolate as much as possible with an oil separator. n.d.a. n.d.a. n.d.a. n.d.a. N.d.a. Does not apply to mixtures. No information available on other adverse effects on the
Hybrid AdditiveToxicity / effect12.1. Toxicity to fish:12.1. Toxicity to daphnia:12.1. Toxicity to algae:12.2. Persistence anddegradability:12.3. Bioaccumulativepotential:12.4. Mobility in soil:12.5. Results of PBTand vPvB assessment12.6. Endocrinedisrupting properties:12.7. Other adverseeffects:		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a. Isolate as much as possible with an oil separator. n.d.a. n.d.a. n.d.a. N.d.a. No information available on other adverse effects on the environment.
Hybrid AdditiveToxicity / effect12.1. Toxicity to fish:12.1. Toxicity to daphnia:12.1. Toxicity to algae:12.1. Toxicity to algae:12.2. Persistence anddegradability:12.3. Bioaccumulativepotential:12.4. Mobility in soil:12.5. Results of PBTand vPvB assessment12.6. Endocrinedisrupting properties:12.7. Other adverse		tal effects, s	see Section 2	2.1 (classific	ation).		n.d.a. n.d.a. n.d.a. Isolate as much as possible with an oil separator. n.d.a. n.d.a. n.d.a. n.d.a. N.d.a. Does not apply to mixtures. No information available on other adverse effects on the

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
Water solubility:							Product floats or
-							the water
							surface.
12.1. Toxicity to fish:	LL50	96h	>1000	mg/l	Oncorhynchus	OECD 203 (Fish,	
					mykiss	Acute Toxicity	
						Test)	
12.1. Toxicity to fish:	NOELR	28d	0,101	mg/l	Oncorhynchus		
					mykiss		
12.1. Toxicity to daphnia:	EL50	48h	>1000	mg/l	Daphnia magna	OECD 202	
				_		(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to daphnia:	NOELR	21d	0,176	mg/l	Daphnia magna		



B Page 12 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

12.1. Toxicity to algae:	EL50	72h	>1000	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	80	%	activated sludge	OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Readily biodegradable
Other organisms:	EL50	48h	>1000	mg/l	Tetrahymen pyriformis	· · · · · ·	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Water solubility:	-						Insoluble
12.1. Toxicity to fish:	NOELR	28d	0,17	mg/l	Oncorhynchus mykiss	QSAR	
12.1. Toxicity to fish:	LL50	96h	>1000	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	NOELR	21d	1,22	mg/l	Daphnia magna	QSÁR	
12.1. Toxicity to daphnia:	EL50	48h	>1000	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	NOELR	72h	1000	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	69	%		OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		6-8				High
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

Hydrocarbons, C10, aror	matics, >1% na	phthalene					
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3. Bioaccumulative potential:	Log Pow		3,3		-		
12.1. Toxicity to fish:	LC50	96h	2-5	mg/l	Pimephales promelas		
12.1. Toxicity to daphnia:	EC50	48h	3-10	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	1 - 3	mg/l	Pseudokirchneriell a subcapitata		
12.2. Persistence and degradability:		28d	58	%		OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Inherent
12.3. Bioaccumulative potential:	BCF		<100				Low

Naphthalene							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	0,11	mg/l	Oncorhynchus mykiss		
12.4. Mobility in soil:	Koc		240- 1300				



Page 13 of 16

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

12.1. Toxicity to fish:	LC50	96h	1,99	mg/l	Pimephales	Does not
					promelas	conform with EU
						classification.
12.1. Toxicity to daphnia:	EC50	48h	1,6-24,1	mg/l	Daphnia magna	
12.1. Toxicity to daphnia:	NOEC/NOEL	>60d	0,6	mg/l	Daphnia pulex	
12.1. Toxicity to algae:	ErC50	72h	0,4	mg/l	Skeletonema	
					costatum	
12.2. Persistence and		28d	2	%		Not readily
degradability:						biodegradable
12.3. Bioaccumulative	BCF	28d	40-300			Lowfish
potential:						
Other information:	BOD5		0	%		
Other information:	COD		22	%		
Other information:	Log Pow		3,3			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 07 04 other organic solvents, washing liquids and mother liquors

14 06 03 other solvents and solvent mixtures

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements	
14.1. UN number or ID number:	n.a.
Transport by road/by rail (ADR/RID)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Classification code:	n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
14.5. Environmental hazards:	Not applicable



Page 14 of 16

ദ്ര

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

95,3 %

1-16

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Asp. Tox. 1, H304	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Asp. Tox. — Aspiration hazard STOT SE — Specific target organ toxicity - single exposure - narcotic effects Aquatic Chronic — Hazardous to the aquatic environment - chronic Acute Tox. — Acute toxicity - oral Carc. — Carcinogenicity Aquatic Acute — Hazardous to the aquatic environment - acute

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.



Page 15 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive

ദ്ര

National Lists of Occupational Exposure Limits for each country as amended. Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the ADR International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community FC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect European Economic Community EEC EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN **European Norms** FPA United States Environmental Protection Agency (United States of America) $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) et cetera etc. EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general Globally Harmonized System of Classification and Labelling of Chemicals GHS Global warming potential GWP Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer International Air Transport Association IATA IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. no data available n.d.a.



ദ്ര Page 16 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0028 Replacing version dated / version: 18.07.2019 / 0027 Valid from: 01.11.2021 PDF print date: 01.11.2021 Hybrid Additive NIOSH National Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic Polyethylene PF PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List REACH-IT List-No. Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon United Nations Recommendations on the Transport of Dangerous Goods UN RTDG VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.