

# **Safety Data Sheet**

**LOCTITE 241** 

Page 1 of 7

SDS No.: 173035

V001.5

Revision: 27.09.2016 printing date: 16.12.2019

respiratory tract irritation

# Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** LOCTITE 241

Other means of identification: LOCTITE 241 BO 250ML EGFD

**Product code:** IDH195767

Recommended use of the chemical and restrictions on use

**Intended use:** Adhesive

Identification of manufacturer, importer or distributor

Importer: Henkel Singapore Pte Ltd 401 Commonwealth Drive, #03-01/02, Haw Par Technocentre, Singapore. 149598

Phone: +65 62660100 Fax: +65 62661161

E-mail address of person responsible for Safety Data

Sheet:

 $ap\hbox{-}ua\hbox{-}psra.sea@henkel.com$ 

**Emergency information:** FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call

CHEMTREC: +1 703-741-5970

## Section 2. Hazards identification

### **GHS Classification:**

Hazard Class Hazard Category Target organ

Serious eye damage/eye irritation Specific target organ toxicity -

single exposure

Chronic hazards to the aquatic

environment

Category 2 Category 3

Category 3

**GHS** label elements:

Hazard pictogram:



Signal word:

Warning

SDS No.: 173035 Page 2 of 7

V001.5 LOCTITE 241

**Hazard statement:** H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

**Precaution:** 

**Prevention:** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling. P273 Avoid release to the environment. P280 Wear eye protection/face protection.

**Response:** P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

**Storage:** P403+P233 Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

## Section 3. Composition / information on ingredients

### **Substance or Mixture:**

Mixture

#### **Declaration of hazardous chemical:**

Hazard component CAS-No.	Content	GHS Classification
Cumene hydroperoxide	1- 10 %	Organic peroxides E
80-15-9		H242
		Acute toxicity 4; Oral
		H302
		Acute toxicity 3; Inhalation
		H331
		Acute toxicity 4; Dermal
		H312
		Skin corrosion 1
		H314
		Target Organ Systemic Toxicant - Repeated exposure 2
		H373
		Chronic hazards to the aquatic environment 2
		H411
N,N-Diethyl-p-toluidine	1- 10 %	Acute toxicity 3; Oral
613-48-9		H301
		Acute toxicity 3; Inhalation
		H331
		Acute toxicity 3; Dermal
		H311
		Target Organ Systemic Toxicant - Repeated exposure 2
		H373

# Section 4. First aid measures

SDS No.: 173035 Page 3 of 7

V001.5 LOCTITE 241

**Inhalation:** Move to fresh air. If symptoms persist, seek medical advice.

**Skin contact:** Rinse with running water and soap.

Obtain medical attention if irritation persists.

**Eye contact:** Rinse immediately with plenty of running water (for 10 minutes), seek medical attention

from a specialist.

**Ingestion:** Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

Indication of immediate medical attention and special treatment

needed:

See section: Description of first aid measures

### Section 5. Fire fighting measures

**Suitable extinguishing media:** Foam, extinguishing powder, carbon dioxide.

Specific hazards arising from the

chemical:

In the event of a fire, carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides

(NOx) can be released.

Special protection equipment and precautions for firefighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

**Additional fire fighting advice:** In case of fire, keep containers cool with water spray.

### Section 6. Accidental release measures

**Personal precautions:** Ensure adequate ventilation.

Avoid skin and eye contact.

**Environmental precautions:** Do not let product enter drains.

**Clean-up methods:** For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

Dispose of contaminated material as waste according to Section 13.

# **Section 7. Handling and storage**

**Handling:** Use only in well-ventilated areas.

Avoid skin and eye contact. See advice in section 8

Storage: Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

SDS No.: 173035 Page 4 of 7

V001.5 LOCTITE 241

## Section 8. Exposure controls / personal protection

Components with specific control parameters for workplace:

**Respiratory protection:** Ensure adequate ventilation.

Do not inhale vapors and fumes.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if

the product is used in a poorly ventilated area

Filter type: A (EN 14387)

**Hand protection:** Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection

index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6,

corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the

gloves should be replaced.

**Eye protection:** Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk

of splashing.

Protective eye equipment should conform to EN166.

**Body protection:** Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for

dusts.

**Engineering controls:** Ensure good ventilation/extraction.

Hygienic measures: Good industrial hygiene practices should be observed. Do not eat, drink or smoke while

working. Wash hands before work breaks and after finishing work.

### Section 9. Physical and chemical properties

Appearance: blue

Odor:
Odor threshold (CA):
pH:
Melting point / freezing point:
Specific gravity:
Boiling point:

Niquid
characteristic
No data available.
3.00 - 6.00
No data available.
No data available.
> 149 °C (> 300.2 °F)

Boiling point: > 149 °C (> 300.2 °I Flash point: > 100 °C (> 212 °F) Evaporation rate: No data available. Flammability (solid, gas): No data available. Lower explosive limit: No data available. Upper explosive limit: No data available. Vapor pressure: 0.1330000 mbar

(None; 25.0 °C (77 °F))

**Vapor density:**No data available. **Density:**1.0800 g/cm3

SDS No.: 173035 Page 5 of 7

V001.5 LOCTITE 241

Solubility: No data available.

Partition coefficient: n- No data available.

octanol/water:

Auto ignition:

Decomposition temperature:

Viscosity:

No data available.

No data available.

No data available.

**VOC content:** < 3.00 %

(2010/75/EC)

# Section 10. Stability and reactivity

**Reactivity/Incompatible** Peroxides.

materials: Reaction with strong bases

Reaction with strong oxidants.

Chemical stability: Stable under recommended storage conditions.

Conditions to avoid: No decomposition if stored and applied as directed.

**Hazardous decomposition** 

products:

carbon oxides.

## Section 11. Toxicological information

**Oral toxicity:** Acute toxicity estimate (ATE) : > 2,000 mg/kg

Method: Calculation method

**Inhalative toxicity:** Acute toxicity estimate (ATE) : > 20 mg/l

Exposure time: 4 h Test atmosphere: Vapor. Method: Calculation method

**Dermal toxicity:** Acute toxicity estimate (ATE) : > 2,000 mg/kg

Method: Calculation method

Symptoms of Overexposure: RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

EYE: Irritation, conjunctivitis.

### Acute oral toxicity:

Cumene hydroperoxide	Value type	LD50
80-15-9	Value	550 mg/kg
	Species	rat
	Method	not specified

### Acute dermal toxicity:

Cumene hydroperoxide	Value type	LD50
80-15-9	Value	1,200 - 1,520 mg/kg
	Species	
	Method	not specified

#### Skin corrosion/irritation:

Cumene hydroperoxide	Result	corrosive
80-15-9	Exposure time	
	Species	rabbit
	Method	Draize Test

SDS No.: 173035 Page 6 of 7 **LOCTITE 241** 

V001.5

## Germ cell mutagenicity:

Cumene hydroperoxide	Result	positive
80-15-9	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Cumene hydroperoxide	Result	negative
80-15-9	Type of study / Route of administration	dermal
	Metabolic activation / Exposure time	
	Species	mouse
	Method	

## Repeated dose toxicity:

Cumene hydroperoxide	Result	
80-15-9	Route of application	inhalation: aerosol
	Exposure time / Frequency of treatment	6 h/d5 d/w
	Species	rat
	Method	

# Section 12. Ecological information

**Ecotoxicity:** Do not empty into drains / surface water / ground water., Harmful to aquatic life

with long lasting effects.

## **Toxicity:**

Cumene hydroperoxide	Value type	LC50
80-15-9	Value	3.9 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Cumene hydroperoxide	Value type	EC50
80-15-9	Value	18 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Cumene hydroperoxide	Value type	ErC50
80-15-9	Value	3.1 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchnerella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Cumene hydroperoxide	Value type	EC10
80-15-9	Value	70 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	
	Method	

# Persistence and degradability:

Cumene hydroperoxide	Result	
80-15-9	Route of application	no data
	Degradability	0 %
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)

# Bioaccumulative potential / Mobility in soil:

Cumene hydroperoxide	Bioconcentration factor (BCF)	9.1
80-15-9	Exposure time	
	Species	calculation
	Temperature	
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)

SDS No.: 173035 Page 7 of 7

V001.5 LOCTITE 241

Cumene hydroperoxide	LogPow	2.16
80-15-9	Temperature	
	Method	

# Section 13. Disposal considerations

#### **Product**

**Method of disposal:** Dispose of in accordance with local and national regulations.

Contribution of this product to waste is very insignificant in comparison to article in

which it is used

### **Packaging**

Disposal of uncleaned packages: Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

# Section 14. Transport information

#### **General information:**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## **Section 15. Regulatory information**

Regulatory Information: Workplace Safety And Health Act (Chapter 354A) Workplace Safety And Health (Approved Codes

of Practice) Notification 2013 SS586 Specification for Hazard Communication for hazardous

chemicals and dangerous good Part 1,2,3

### Global inventory status:

Regulatory list Notification

TSCA yes NDSL yes KECI (KR) yes IECSC yes

# Section 16. Other information

**Disclaimer:** This information is based on our current level of knowledge and relates to the product in

the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.