

SAFETY DATA SHEET

Version 8.4 Revision Date 14.02.2023 Print Date 14.02.2023

SEC ⁻ 1.1	FION 1: Identification of t Product identifiers	he substance/mixture and of the company/undertaking	
1.1	Product name :	Hydrochloric acid c(HCl) = 2 mol/l (2 N) Titripur®	
		1.09063 109063 Millipore	
1.2 Other means of identification			
	No data available		
1.3 Relevant identified uses of the substance or mixture and uses advised agains			
	Identified uses :	Reagent for analysis	
1.4 Details of the supplier of the safety data sheet			
	Company :	Sigma-Aldrich Pte Ltd (Co. Registration No. 199403788W) 2 Science Park Drive #05-01/12 Ascent Building SINGAPORE 118222 SINGAPORE	
	Fax :	+65 6890 6633 +65 6890 6639 TechnicalService@merckgroup.com	
1.5	Emergency telephone		
	Emergency Phone # :	1-800-262-8200	
SEC ⁻ 2.1	FION 2: Hazards identifica GHS Classification Corrosive to Metals (Catego	ory 1), H290	
2 2		atements mentioned in this Section, see Section 16.	
2.2	Pictogram	luding precautionary statements	
	Signal Word	Warning	
	Hazard statement(s) H290	May be corrosive to metals.	
	Precautionary statement(s)		
	Prevention P234	Keep only in original container.	
Millipo	ore- 1.09063	Page 1 of 9	
The l	ife science business of Merck op	erates as MilliporeSigma in	



ResponseP390Absorb spillage to prevent material damage.StorageP406Store in corrosive resistant container with a resistant inner
liner.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

Substance / Mixture : Mixture

3.2 Mixtures

Hazardous ingredients

Component		Classification	Concentration
Hydrochloric Acid			
CAS-No. EC-No. Index-No.	7647-01-0 231-595-7 017-002-01-X	Met. Corr. 1; Skin Corr./Irrit. 1B; Eye Dam./Irrit. 1; STOT SE 3; H290, H314, H318, H335 Concentration limits: >= 0.1 %: Met. Corr. 1, H290; >= 25 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit. 2, H315; 10 - < 25 %: Eye Irrit. 2, H319; >= 10 %: STOT SE 3, H335;	>= 5 - < 10 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Millipore- 1.09063





SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture Hydrogen chloride gas Not combustible.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.Advice for emergency responders:Protective equipment see section 8.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.

Millipore- 1.09063



7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers. Tightly closed.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.3 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Hydrochloric Acid	7647-01-0	PEL (short term)	5 ppm 7.5 mg/m3	Singapore. Workplace Safety and Health Act - First Schedule Permissible Exposure Limits of Toxic Substances

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Millipore- 1.09063

Page 4 of 9



Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	· · · · · · · · · ·	
a)	Physical state	liquid
b)	Color	colorless
c)	Odor	odorless
d)	Melting point/freezing point	No data available
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	< 1 at 20 °C
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	at 20 °C soluble
n)	Partition coefficient: n-octanol/water	No data available
o)	Vapor pressure	No data available
p)	Density	ca.1.03 g/cm3 at 20 °C
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

Millipore- 1.09063

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 9

- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with: Metals Violent reactions possible with: The generally known reaction partners of water.

10.4 Conditions to avoid

no information available

- **10.5 Incompatible materials** Metals, metal alloys
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Remarks: Possible damages: slight irritation

Serious eye damage/eye irritation

Remarks: Possible damages: slight irritation

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity No data available

Reproductive toxicity

Millipore- 1.09063

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 9

No data available

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2 Additional Information

irritant effects

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

Components

Hydrochloric Acid

Acute toxicity

Oral: No data available Inhalation: Cough Difficulty in breathing Inhalation: absorption Symptoms: mucosal irritations, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:, damage of respiratory tract, tissue damage Dermal: No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: Corrosive (OECD Test Guideline 431)

Serious eye damage/eye irritation

Eyes - Bovine cornea Result: Corrosive (OECD Test Guideline 437)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: Conflicting results have been seen in different studies.

Carcinogenicity

Carcinogenicity - Did not show carcinogenic effects in animal experiments. (IUCLID)

Reproductive toxicity No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Millipore- 1.09063

Page 7 of 9





The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:, damage of respiratory tract, tissue damage

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

SECTION 12: Ecological information

12.1 Toxicity

Mixture No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available

12.7 Other adverse effects

Discharge into the environment must be avoided.

Components

Hydrochloric Acid

No data available Toxicity to fish

LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l $\,$ - 96 h Remarks: (IUCLID)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Millipore- 1.09063

Page 8 of 9



SECTION 14: Transport information 14.1 UN number					
	ADR/RID: 1789	IMDG: 1789	IATA-DGR: 1789		
14.2	UN proper shipping ADR/RID: IMDG: IATA-DGR:	name HYDROCHLORIC ACID HYDROCHLORIC ACID Hydrochloric acid			
14.3	Transport hazard cla ADR/RID: 8	ass(es) IMDG: 8	IATA-DGR: 8		
14.4	Packaging group ADR/RID: III	IMDG: III	IATA-DGR: III		
14.5	Environmental haza ADR/RID: no	r ds IMDG Marine pollutant: no	IATA-DGR: no		
14.6 Special precautions for user None					
14.7	Incompatible mater Metals, metal alloys	als			
	Other regulations Hazchem Code	: 2R			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SECTION 16: Other information

Training adviceProvide adequate information, instruction and training for operators. **Full text of H-Statements referred to under sections 2 and 3.**

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.09063

