

## Features

- 3 x 25mm chipboard screw
- Suitable for MDF, composite boards and timber
- No pilot hole required
- Steel construction
- Hardened
- Zinc passivated
- Corrosion resistant

### **RS PRO Cross Recess Pozidriv Countersunk Chipboard Screw (3 x 25mm)**

RS Stock No.: 263-1814



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

The RS PRO Cross Recess Pozidriv Countersunk Chipboard Screw is a high quality and tough chipboard screw specifically designed for use on timber, particle boards and MDF. Featuring a Pozidriv head profile with a countersunk build enabling the screw to sit below or level with the surface.

The chipboard screw is self-cutting and does not require any pilot hole in the majority of timber, and is hard enough to easily be used on end grain sections without causing any splitting.


Constructed from high quality hardened Steel and then Zinc passivated creating a strong, wear resistant wood screw with excellent anticorrosion properties, fit for use indoor and out on a wide variety of wood types.

## General Specifications

Thread Size	3 mm
Length Metric	25 mm
Head Shape	Countersunk
Drive Type	Pozidriv
Material	Steel
Finish	Yellow Passivated, Zinc Plated

## Similar Products

RS Stock No	Size (mm)	RS Stock No	Size (mm)	RS Stock No	Size (mm)
2631808	3.0 x 12	2631864	4.0 x 40	1443485	5.0 x 60
1443470	3.0 x 16	1443478	4.0 x 45	2631959	5.0 x 70
1443471	3.0 x 20	2631870	4.0 x 50	1443486	5.0 x 75
2631814	3.0 x 25	1443479	4.0 x 60	1443487	5.0 x 80
1443472	3.5 x 12	2631892	4.5 x 25	1443488	5.0 x 90
2631820	3.5 x 16	1443480	4.5 x 30	1443489	5.0 x 100
1443473	3.5 x 20	1443481	4.5 x 35	2631965	6.0 x 40
2631836	3.5 x 25	2631909	4.5 x 40	1443490	6.0 x 50
2631842	3.5 x 40	1443482	4.5 x 50	1443491	6.0 x 60
1443474	3.5 x 45	1443483	4.5 x 60	2631971	6.0 x 70
1443475	3.5 x 50	2631915	4.5 x 70	1443492	6.0 x 80
2631858	4.0 x 25	2631921	5.0 x 30	1443493	6.0 x 90
1443476	4.0 x 30	2631937	5.0 x 40	1443494	6.0 x 100
1443477	4.0 x 35	1443484	5.0 x 50		



d1	3	3.5	4	4.5	5	6
d2 max.	6.00	7.00	8.00	9.00	10.00	12.00
k max.	1.95	2.30	2.60	2.95	3.26	3.80
Recess min.	1.76	1.60	2.05	2.64	2.89	3.00
Penetration max.	2.01	2.06	2.51	3.10	3.35	3.45
Recess No.	1	2	2	2	2	3