

FEATURES

- All fluids usable in aggressive environment
- Mechanical resistance
- Silicon free

RS PRO MALE PLUG EU DN7.8 INOX 3/8

RS Stock No.: 2312693



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Pneumatic Quick Connect Couplings



Product Description

The RS PRO male plug EU DN7.8 inox 3/8 works in 0 to 16 bar pressure range. It mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages applications. It provides high performance for multiple fluids in a wide range of temperature and pressure. Operating temperature range is from - 15 °C to + 200 °C. RoHS and REACH compliant.

General Specifications

Material	Steel		
Applications	Lubrication System, Cooling System, Pneumatic		
Applications	Machinery Equipment		


Mechanical Specifications

Connection Type	Threaded, Tube		
Tube Connection Size	7.5mm		
Coupling Gender	Male		
Threaded Connection	3/8 in Male 3/8in		
Thread Size			
Wrench Size	19		
Length	34mm		



Similar Products

Parameters	2312693	2312694	
Brand	RS PRO	RS PRO	
Connection Type	Threaded, Tube	Threaded, Tube	
Tube Connection Size	7.5mm	9mm	
Coupling Gender	Male	Male	
Threaded Connection	1/4 in Male	1/2 in Male	
Thread Size	1/4in	1/2in	
Wrench Size	19	24 36mm	
Length	34mm		





Α	В	С	D	СН	Pack.
3/8	7.5	34	-	19	2