


FEATURES

- Material : UL approved Nylon 66
- Color: Natural, available in other colors.
- Drill hole on board to fix tie mount and then insert tie into the mount for bundling cables.

RS PRO Push Tie Mount

RS Stock No.: 2138530



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description ATTRIBUTE 1


- Material: UL approved Nylon 66, 94V-2
- Color: Natural, available in other colors.
- Drill hole on board to fix tie mount and then insert tie into the mount for bundling cables.

General Specifications

Series	Push Tie Mount
Туре	
Colour	Natural
Material	Nylon66
UV Resistant	No
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	
Quantity	100

Mechanical Specifications

RS Article	Т	Mounting Hole	Thickness	Packing
2138530	5	6.3	3.2	100 pcs





Approvals

Declarations	
Standards Met	RoHS, HF

Similar Products

Stock No.	Brand	Product Name	Colour	Material
865-9679	RS PRO	Push Tie Mount	Natural	Nylon66
865-9688	RS PRO	Push Tie Mout	Natural	Nylon66



