

FEATURES

- Cable length is 10m
- Insulation resistance is greater than or equal to 100Mohm
- PNP output type
- Un-terminated and partially stripped wire

RS PRO M08 CONNECTOR ASSEMBLY 3 PIN STRAIGHT 10m PVC Cable

RS Stock No.: 2055987



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

RS PRO M08 CONNECTOR ASSEMBLY



Product Description

RS PRO Connector Assembly

The RS PRO pre-wired connector assembly has a straight orientation and M8 female connection with 3 core PVC multi-strand cable. This connector's voltage rating is 30V and the current rating is up to 4A per contact. The connector grip body is made from polyurethane with brass nickel plated coupling nut and neoprene O-ring.

Features and Benefits

- Cable length is 10m
- Insulation resistance is greater than or equal to 100Mohm
- PNP output type
- Status indicator
- · Un-terminated and partially stripped wire

General Specifications

Rated Operational Voltage	60 V
Current Rating	4A
Insulation Resistance	>= 100 MΩ
Temperature Range	-25°C +75°C
Coding	A-Coded

Material Specifications

Grip Material	PU
Contact	Cu-Zn
Contact Plating	Gold Flash
Contact Carrier	Nylon 66
Grip Color	Black
Coupling Nut	Brass Nickel-Plated

Cable Specifications	
Cable Length-L	10 m
Cable Type	3 Core PVC Multi Strand

RS PRO M08 CONNECTOR ASSEMBLY




Sheath Colour	Black
Cross Section of Wire	0.25 sq. mm
Core Dia	1.25 mm
Cable Dia	4.4 ± 0.1 mm
Termination	Partially Stripped

Additional Information	
Custom Tariff Number	85369090

Similar Products

Stock No.	Brand	Product Name	Attribute 1	Attribute 2
877-1012	RS PRO	M8 Single Ended Cable Assembly	Industrial Automation Cable Assemblies	Actuator/Sensor Cable
186-3126	RS PRO	M8 Single Ended Cable Assembly	Industrial Automation Cable Assemblies	Actuator/Sensor Cable



All Dimensions are in mm.