Heavy Duty Connector Inserts Slim

multicomp PRO

RoHS

Compliant



Specifications

Housing	
Rated Current	: 10A
Rated Voltage Conductor-Ground	: 230V
Rated Voltage Conductor-Conductor	: 400V
Rated Impulse Voltage	: 4KV
Pollution Degree	: 3
Insulation Resistance	: ≥10 ¹⁰ Ω
Material	: Polycarbonate
Temperature Range	: -40°C to +125°C
Mating Cycles	: ≥500
Material	: Copper Alloy
Surface	: Silver plated / Gold plated
Contact Resistance	: ≤1mΩ
Wire Gauge	: 1mm~2.5mm²
AWG	: 18-14
Tightening Torque	: 0.25Nm

10A, 230/400V, 3-Pin Insert

Screw Terminal



1
0

-

Part Number	Inserts
MP009515	Male
MP009514	Female

MP009515

MP009514


10A, 230/400V, 4-Pin Insert



MP009517

MP009516

Part Number	Inserts
MP009517	Male
MP009516	Female




Dimensions : Millimetres

F

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro



Diagram



Μ

Part Number Table

Description	Part Number
Heavy Duty Connector Insert, 10A, 230/400V, 3 Pin, Female, Screw Terminal	MP009514
Heavy Duty Connector Insert, 10A, 230/400V, 3 Pin, Male, Screw Terminal	MP009515
Heavy Duty Connector Insert, 10A, 230/400V, 4 Pin, Female, Screw Terminal	MP009516
Heavy Duty Connector Insert, 10A, 230/400V, 4 Pin, Male, Screw Terminal	MP009517

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

