Straight 1.0/2.3 Plug - Crimp





Specifications

Connector Body Style : Straight Plug
Coaxial Termination : Crimp
Connector Mounting : Cable

Coaxial Cable Types : Belden 1855A

Electrical Specifications

Frequency Range : DC 6GHz Nominal Impedance : 75Ω Voltage Rating : 250V Max. VSWR : 1.3 Max.

Material Specifications

Bodies : Brass per JIS-C3604

Beryllium Copper per ASTM B196 UNS C17300

Centre Contact : Brass per JIS-C3604

Insulation : PTFE per ASTM D1457 and ASTM D1710

Crimp Ferrule : Brass per JIS-C2700

Mechanical Specifications

Interface in accordance with : DIN 41626-2


Cable Attachment : Outer: Crimp; Inner: Solder

Crimp Size Required : Ferrule: 4.6mm (0.181") Hex. Crimp Tool

Environmental Specification

Operating Temperature : -55°C to +125°C

Diagram



Dimensions: Millimetres (Inches)



STRIPPING D	DIMENSION

5.30 (.209)	
'	12.7 ±0.3 (.500 ±.012)

No.	Description	Material	Finish
1	Shell	Brass	Nickel 100µ" Min.
2	Spring	Beryllium Copper	Nickel
3	Chassis	Beryllium Copper	Gold 3µ" Min.
4	Insulation	PTFE	-
5	Body	Brass	Nickel 100µ" Min.
6	Chassis	Brass	Nickel 100µ" Min.
7	Centre Contact	Brass	Gold 30µ" Min.
8	Ferrule	Brass	Nickel

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



Straight 1.0/2.3 Plug - Crimp



Part Number Table

	Description	Part Number
ĺ	Straight 1.0/2.3 Plug, Crimp, 75Ω, Belden 1855A	MC002952

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

