

FEATURES

- Single handed operation
- Light and compact
- Safety version
- Silicon free

RS PRO Pneumatic Quick Connect Couplings

RS Stock No.: 2312523



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the

leading brands without paying a premium price.

Pneumatic Quick Connect Couplings



Product Description

The RS PRO female socket - safety - Italian 5 mm mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages applications. It is available in nickel-plated brass. Used for compressed air and for moulding injection cooling system.

General Specifications

Material	Nickel Plated Brass
Applications	Lubrication System, Cooling System, Pneumatic Machinery Equipment

Mechanical Specifications

Connection Type	Threaded, Tube			
Tube Connection Size	11			
Coupling Gender	Female			
Threaded Connection	1/4 in Female			
Thread Size	1/4in			
Wrench Size	17Hex			
Length	53mm			
Hose Barb Connection	30.5mm			


Pneumatic Quick Connect Couplings



Similar Products

Parameters	2312524	2312525	
Brand	RS PRO	RS PRO	
Connection Type	Threaded, Tube	Threaded, Tube	
Tube Connection Size	12	15	
Coupling Gender	Female	Female	
Threaded Connection	3/8 in Female	1/2 in Female	
Thread Size	3/8in	1/2in	
Hose Barb Connection	30.5mm	30.5mm	
Wrench Size	20Hex 24Hex		
Length	54mm	57mm	





А	В	С	D	СН	Pack.
1/4	11	53	30.5	17	10