

FEATURES

- UL approved Nylon 66 (UV RESISTANT BLACK), 94V-2.
- Carbon black was added for greater resistance to ultra violet in outdoor usage.
- Prolong useful life of cable tie under sunshine/outdoor application.
- UV resistant cable tie: for outdoor use with UV feature.
- Easy to thread.

RS PROUV Resistant Black Cable Ties

RS Stock No.: 2133004



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to



the leading brands without paying a premium price.

Product Description ATTRIBUTE 1

- · Material: UL approved Nylon 66 (UV RESISTANT BLACK), 94V-2.
- · Carbon black was added for greater resistance to ultra violet in outdoor usage.
- · Prolong useful life of cable tie under sunshine/outdoor application.
- · UV resistant cable tie: for outdoor use with UV feature.
- · Insert tie into the lock of head and pull out easily to bundle it.

General Specifications

Series	
Туре	Non-Releasable
Colour	Black
Material	Nylon 66
Finish	
Application	
Resistant To	
UV Resistant	Yes
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	Self-Extinguishing
Quantity	50

Mechanical Specifications

Length	914mm(36")
Width	9.0mm
Tensile Strength	175lbs/80kgs
Maximum Bundle Strength	275mm
Thickness	

Cable Ties



Cable Diameter

Protection Category

IP Rating

Classification

eCl@ss	(1	0	.0	.1)	
LINSPSC	•	16	\cap	1)	

Approvals

Declarations	
Standards Met	UL

Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
811-1524	RS PRO	UV Resistant black cable tie	Black	Nylon 66	175lbs/80kg
811-1681	RS PRO	Black cable tie	Black	Nylon 66	175lbs/80kg

















