




# ENGLISH



## MALE - MALE Cylindrical mounts

Cylindrical mounts are simple and cost-effective vibration isolators that can be used in either compression and/or shear. We offer a large combination of size and studs.

- H = Height
- D = Diameter
- G = Tread
- L = Stud Length

| RS Code | Item Code      | Description                                      | Metal               | D (mm) | H (mm) | G x L (mm) | Max Compression Load (kg) | Max Shear Load (kg) |
|---------|----------------|--|---------------------|--------|--------|------------|---------------------------|---------------------|
| 1712566 | A0607M35-1.5   | Cylindrical. Mount (M/M) 6x7mm<br>M3x5 50 ShA    | Mild steel          | 6      | 7      | M3x5       | 1.65                      | 0.5                 |
| 1712567 | A0808M36-A4-2  | Cylindrical. Mount (M/M) 8x8mm<br>M3x6 60 ShA    | Stainless steel 316 | 8      | 8      | M3x6       | 4.4                       | 1.5                 |
| 1712569 | A1520M515-2.5  | Cylindrical. Mount (M/M) 15x20mm<br>M5x15 65 ShA | Mild steel          | 15     | 20     | M5x15      | 12                        | 4.8                 |
| 1712570 | A2020M618-A4-2 | Cyl. Mount (M/M) 20x20mm M6x18<br>60 ShA         | Stainless Steel 316 | 20     | 20     | M6x18      | 23.5                      | 9.2                 |
| 1712571 | A2020M820-1.55 | Cylindrical Mount (M/M) 20x20mm<br>M8x20 55 ShA  | Mild steel          | 20     | 20     | M8x20      | 17.6                      | 6.72                |
| 1712572 | A2510M820-A4-2 | Cylindrical. Mount (M/M) 25x10mm<br>M8x20 60 ShA | Stainless steel 316 | 25     | 10     | M8x20      | 60.3                      | 14.4                |

|         |                     |  |                        |    |    |        |        |      |
|---------|---------------------|--|------------------------|----|----|--------|--------|------|
| 1712573 | A2520M820-A4-2      | Cylindrical Mount<br>(M/M) 25x20mm<br>M8x20 60 ShA   | Stainless<br>steel 316 | 25 | 20 | M8x20  | 38.5   | 14.4 |
| 1712575 | A2525M618-A4-2      | Cylindrical. Mount<br>(M/M) 25x25mm<br>M6x18 60 ShA  | Stainless<br>steel 316 | 25 | 25 | M6x18  | 36.6   | 14.4 |
| 1712576 | A3030M620-2         | Cylindrical Mount<br>(M/M) 30x30mm<br>M6x20 60 ShA   | Mild steel             | 30 | 30 | M6x20  | 52.9   | 20.8 |
| 1712577 | A3040M1025-2        | Cylindrical. Mount<br>(M/M) 30x40mm<br>M10x25 60 ShA | Mild steel             | 30 | 40 | M10x25 | 50.8   | 20.8 |
| 1712578 | A3045M823-2         | Cylindrical Mount<br>(M/M) 30x45mm<br>M8x23 60 ShA   | Mild steel             | 30 | 45 | M8x23  | 40     | 20.8 |
| 1712579 | A3225M820-0.5       | Cylindrical. Mount<br>(M/M) 32x25mm<br>M8x20 40 ShA  | Mild steel             | 32 | 25 | M8x20  | 26     | 6.93 |
| 1712581 | A4020M820-1.5       | Cylindrical Mount<br>(M/M) 40x20mm<br>M8x20 50 ShA   | Mild steel             | 40 | 20 | M8x20  | 80.2   | 21.5 |
| 1712582 | A4030M823-A4-2      | Cylindrical Mount<br>(M/M) 40x30mm<br>M8x23 60 ShA   | Stainless<br>steel 316 | 40 | 30 | M8x23  | 122.6  | 36.9 |
| 1712583 | A5030M1025-A4-<br>2 | Cylindrical Mount<br>(M/M) 50x30mm<br>M10x25 60 ShA  | Stainless<br>steel 316 | 50 | 30 | M10x25 | 170.6  | 57.7 |
| 1712584 | A5050M1237-2        | Cylindrical Mount<br>(M/M) 50x50mm<br>M12x37 60 ShA  | Mild steel             | 50 | 50 | M12x25 | 146    | 57.7 |
| 1712585 | A6035M823-1.55      | Cylindrical Mount<br>(M/M) 60x35mm<br>M8x23 55 ShA   | Mild steel             | 60 | 35 | M8x23  | 197.92 | 48   |
| 1712586 | A6035M1025-A4-<br>2 | Cylindrical Mount<br>(M/M) 60x35mm<br>M10x25 60 ShA  | Stainless<br>steel 316 | 60 | 35 | M10x25 | 229.8  | 68   |
| 1712587 | A6050M1232-2.5      | Cylindrical Mount<br>(M/M) 60x50mm<br>M12x32 65 ShA  | Mild steel             | 60 | 50 | M12x32 | 198.6  | 81.6 |

|         |                       |  |                        |     |    |        |       |       |
|---------|-----------------------|--|------------------------|-----|----|--------|-------|-------|
| 1712588 | A7540M1647-2          | Cylindrical Mount<br>(M/M) 75x40mm<br>M16x47 60 ShA  | Mild steel             | 75  | 40 | M16x47 | 385.3 | 129.9 |
| 1712589 | A10040M1637-A4-<br>55 | Cylindrical Mount<br>(M/M) 100x40mm<br>M16x37 55 ShA | Stainless<br>steel 316 | 100 | 40 | M16x37 | 726.5 | 169.6 |