


RoHS
Compliant



Specifications

Product name	: Self-closing warp
Material	: Polyester
Operating temperature	: -40°C to +150°C
Flammability	: Refers to UL94, conforms to V0
Abrasion resistance	: Refers to ISO6722, abrasion \geq 1000 cycles
Aging	: Refers to ISO6722, after aging at 175°C for 240H, the sample has no signs of cracking, embrittlement.
Type	: Orange (OR02)
Characteristics and use	: Soft, light weight, dust proof, orange unique design is convenient for high voltage identification. The open structure design is easy for installation, maintenance. It is widely used for mechanical abrasion protection for automotive high voltage wiring harness.
Standard package (m/R)	: 25

Diagram



Dimensions : Millimetres

Part Number Table

Description	Nominal ID D	Functional ID D	Width	Thickness	Part Number
Cable Sleeving, Self Closing Wrap, Orange, 25m	19	20	100 \pm 10	0.5 \pm 0.15	MP009022
Cable Sleeving, Self Closing Wrap, Orange, 25m	29	31	135 \pm 10		MP009024
Cable Sleeving, Self Closing Wrap, Orange, 25m	25	27	120 \pm 10		MP009023

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
sg.element14.com/b/multicomp-pro