



**ThermoPro
TP50 LCD Digital Hygrometer Indoor
Thermometer Humidity Monitor**

ThermoPro



SKU: THEPROTP50WH
Manufacture warranty period: 12 months
Country of Origin: China

Description:

With highly accurate temperature readings ($\pm 2\sim 3\%$ RH and $\pm 1^{\circ}\text{C}$) and a wide temperature range from $-50^{\circ}\text{C} \sim 70^{\circ}\text{C}$ (-58°F to 158°F), humidity range 10% to 99% RH, the humidity meter TP50 is the perfect monitoring device to keep you and your environment conditions optimal.

Not just reliable readings, the temperature and humidity monitor are equipped to give you daily updates on the record humidity/temperature high and low of any given day, allowing you to compare the current readings to those of the past.

Another convenient feature is the unit with extremely sensitive humidity sensor will quickly inform you of the comfort level (DRY, COMFORTABLE, WET) in the environment based off the humidity.

Features:

- 2.7" smart display with large numbers allows you to read easily and move the device from location to location
- The humidity temperature gauge displays all-time high and low records for both humidity and temperature
- Magnet on the back can be attached to the refrigerator or any metal surface
- The humidity gauge features a kickstand and sets the device upright at an easy-to-read angle
- Press the button on the back to switch between $^{\circ}\text{C}$ and $^{\circ}\text{F}$ and hold for 2 seconds to clear the record maximum and minimum humidity/temperature readings




Specifications:


- Temperature
 - Range: -50~+70°C (-58~+158°F)
 - Resolution: 0.1 °C (0.1° F)
 - Accuracy: ± 1°C (1.8°F)
- Humidity
 - Range: 10%~99%RH
 - Resolution: 1%RH
 - Accuracy: ±2% (30% to 80%); ±3%RH (other)
- Refresh rate: 10 seconds
- Comfort Indicator: Face icon (Dry, Comfort, Wet)
- Operation temperature: +10~60°C
- Power supply: 1.5V (AAA size) X 1
- Product dimension: 79 x 67 x 23mm
- Weight: approx. 70g
- Storage condition:
 - Temperature: -20°C~60°C
 - Humidity: 20~80%RH

Package Includes:




- 1 x Temperature and humidity monitor
- 1 x AAA battery
- 1 x User Manual



| | |
|--------------|---|
| ☹️ DRY--- | Humidity < 50% |
| 😊 COMFORT--- | 50% < Humidity < 70% (20°C) 68°F < Temperature < 79°F (26°C) |
| ☹️ WET--- | Humidity > 70% |





| ThermoPro | | | |
|--------------------------|---|---|---|
| Model | TP49 | TP50 | TP55 |
| Picture |  |  |  |
| Product dimension (mm) | 66 x 55 x 15 | 79 x 67 x 23 | 110 x 86 x 24 |
| Temperature | | | |
| | Range: | -50~+70°C | |
| | Resolution: | 0.1 °C | |
| | Accuracy: | ± 1°C | |
| Humidity | | | |
| | Range: | 10%~99%RH | |
| | Resolution: | 1%RH | |
| | Accuracy: | ±2%(30% to 80%); ±3%RH(other) | |
| Refresh rate: | 10 seconds | | |
| Operation temperature: | 10~60°C | | |
| Storage condition | | | |
| | Temperature: | -20°C~60°C | |
| | Humidity: | 20~80%RH | |
| Comfort Indicator: | Face icon | Face icon | Word |
| Max/Min | No | Yes | Yes (All time/24H) |
| Back Light | No | No | Yes |
| Touch Screen | No | No | Yes |
| Power supply | 1.5V (AAA size) X 1 | | 1.5V (AAA size) X 2 |
| Desktop Stand | Yes | Yes | Yes |
| Wall Mount | Yes | No | Yes |
| Magnet Mount | Yes | Yes | Yes |