

### **FEATURES**

- Set of 3 including a taper, second and plug tap
- Left hand thread
- Variety of metric sizes available
- Ideal for hand or machine use
- Manufactured from HSS

# RS PRO HSS M6 Straight Flute Threading Tap, 66mm Length

RS Stock No.: 668-1078



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

# **Threading Taps**



## **Product Description**

Introducing 3 piece RS PRO HSS left-hand straight flute taps, a selection of high quality and professional threading taps ideal for cutting thread (tapping) by hand or machine, into drilled holes in materials such as metal and wood.

### **General Specifications**

Thread Size	M6
Туре	Straight Flute Tap
Pitch	1.0mm
Thread Standard	Metric
Thread Direction	Left Hand
No. Of Flutes	3
Applications	Construction, DIY, Plumbing, Workshops, Renovations

### **Mechanical Specifications**

Overall Length	66mm
Material	HSS
Shank Diameter	6.3mm
Maximum Thread Length	19mm
Square Length	8mm
Square A/F0	5.0mm
Tapping Drill Size	5mm





ISO HSS Tap Set, Straight Flute, Left Hand,

RS	MANUEACTUR		OVERALL	MAX	SHANK	SQUARE DETAILS		NO. OF	TAPPING
STOCK	MANUFACTUR E PART NO.	DESIGNATION	LENGTH(mm)	THREAD	DIA.	SQUARE	SQUARE	FLUTES	DRILL
NUMBER			LENGTH(IIIII)	LENGTH(mm)	(mm)	LENGTH(mm)	A/F(mm)		SIZE(mm)
6681062	T11000300LH	M3X0.50	48	11	3.15	5	2.5	3	2.5
6681071	T11000400LH	M4X0.70	53	13	4	6	3.15	3	3.3
6681074	T11000500LH	M5X0.80	58	16	5	7	4.0	3	4.2
6681078	T11000600LH	M6X1.0	66	19	6.3	8	5.0	3	5
6681087	T11000800LH	M8X1.25	72	22	6.3	8	5.0	3	6.8
6681080	T11001000LH	M10X1.5	80	24	8	9	6.3	3	8.5
6681084	T11001200LH	M12X1.75	89	29	9	10	7.1	4	10.3

### 3pc DIN HSS Tap Set, Straight Flute

RS	MANUFACTUR		OVERALL	MAX	SHANK	SQUARE DETAILS		NO. OF	TAPPING
STOCK	E PART NO.	DESIGNATION	LENGTH(mm)	THREAD	DIA.	SQUARE	SQUARE	FLUTES	DRILL
NUMBER				LENGTH(mm)	(mm)	LENGTH(mm)	A/F(mm)		SIZE(mm)
6681093	T10141/4UNF	1/4-28UNF	56	18	6	8	4.9	3	5.5
6681096	T10143/8UNF	3/8-24UNF	63	18	7	8	5.5	4	8.5
6681090	T10147/16UNF	7/16-20UNF	63	18	8	9	6.2	4	9.9
6681100	T10131/4UNC	1/4-20UNC	56	22	6	8	4.9	3	5.1
6681103	T10133/8UNC	3/8-16UNC	70	28	7	8	5.5	3	7.9
6681107	T10137/16UNC	7/16-14UNC	86	30	8	9	6.2	4	9.3
6681116	T10131/2UNC	1/2-13UNC	80	32	9	10	7.0	4	10.7