



## **K 2 Full Control**

The K 2 Full Control pressure washer from Kärcher with targeted pressure regulation for light dirt, such as on bicycles, garden tools and garden furniture. Area performance of  $20 \text{ m}^2/\text{h}$ .







#### 1 Full Control Click Vario Power spray lance and dirt blaster

- Three pressure settings and a detergent setting ensure the optimal setting for every surface.
- Settings are chosen by turning the Full Control Click Vario Power spray lance

### 2 Supports for accessories, high-pressure gun and cable

Spray lances are always within easy reach and everything can be compactly stored on the device once cleaning is complete.



#### 3 Telescopic handle

- For a convenient pulling height.
- Retractable for optimal storage.

#### 4 Detergent use

- Suction hose for use of detergents.
- For devices with the Car Cleaning Kit, detergent is applied using the accompanying foam nozzle.

## **TECHNICAL DATA AND EQUIPMENT**





#### K 2 Full Control

- Full Control Click Vario Power spray lance with pressure
- setting display
- Telescopic handle
  Spray lance storage

| Technical data                          |           |                 |
|---|-----------|-----------------|
| Order no.                               |           | 1.673-400.0     |
| EAN code                                |           | 4054278158136   |
| Pressure                                | bar / MPa | 20-110 / 2-11   |
| Flow rate                               | l/h       | 360             |
| Max. inlet temperature                  | °C        | 40              |
| Connection load                         | kW        | 1.4             |
| Weight without accessories              | kg        | 4.3             |
| Dimensions (L × W × H)                  | mm        | 246 × 280 × 586 |
| Current type                            | v         | 230-240         |
| Area performance                        | m²/h      | 20              |
|   |           |                 |
| Equipment                               |           |                 |
| High-pressure gun                       |           | G 120 Q         |
| Vario Power Jet                         |           | -               |
| Dirt blaster                            |           | 1               |
| High-pressure hose                      | m         | 4               |
| Quick Connect on the side of the device | 2         | 1               |
| Detergent application via               |           | Suction         |
| Integrated water filter                 |           | 1               |
| A3/4" garden hose connector adapter     |           | 1               |
| Click VPS                               |           | 1               |
| Included in delivery.                   |           |                 |
|   |           |                 |

# ACCESSORIES FOR K 2 FULL CONTROL 1.673-400.0

|   |                      |   |             | 5 |       |   |     |
|---|----------------------|---|-------------|---|-------|---|-----|
|   |                      |   |             |   |       |   | T   |
|   |                      | Order no.                                   |             |   | Price | Description   |     |
| Spray lances  |                      |   |             |   |       |   | 1   |
| DB 120 dirt blaster Full Control for<br>K 2-K 3                                 | 1                    | 2.642-727.0                                 |             |   |       | Dirt blaster with powerful entry rotary nozzle for Kårcher pressure washers in classes K 2 and K 3. For particularly  |     |
| Telescopic spray lance  | 2                    | 2.642-347.0                                 |             |   |       | stubborn dirt like that on mossy or weathered surfaces.<br>Telescopic spray lance (1.20 m - 4 m) for easy cleaning of<br>difficult to reach areas. With shoulder strap, bayonet con-<br>nection and integrated, ergonomically adjustable trigger gun<br>Weight: ca. 2 kg      | n.  |
| Splash guard  | 3                    | 2.642-706.0                                 |             |   |       | Transparent splash guard for class K 2 to K 7 Kärcher pres-<br>sure washers protects the operator and surrounding area  |     |
| Angled spray lance  | 4                    | 2.638-817.0                                 |             |   |       | from spray water. Ideal for cleaning corners and edges.<br>Extra-long angled spray lance (about 1 m) for easy cleaning<br>of difficult to reach areas, e.g. roof gutters or vehicle under-  |     |
| 1-step lance extension  | 5                    | 2.643-240.0                                 |             |   |       | bodies.<br>Extends spray lance by 0.4 m. For effective cleaning of<br>difficult to reach areas. Suitable for all Kärcher accessories.   |     |
| VP 180 S vario power jet short<br>360° for K 2-K 7                              | 6                    | 2.643-254.0                                 |             |   |       | VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is  |     |
| VP 120 vario power jet Full Con-<br>trol for K 2-K 3                            | 7                    | 2.642-724.0                                 |             |   |       | ideal for cleaning areas that are difficult to reach.<br>Vario power spray lance for pressure washers in classes K 2<br>to K 3. Continuously adjustable from low-pressure detergen<br>jet to high-pressure jet, simply by turning the spray lance.                            |     |
| Brushes   |                      | <u> </u>                                    |             | 1 | 1     | jet to high pressore jet, simply by torhing the spray lance.  | _   |
| WB 150 power brush  | 8                    | 2.643-237.0                                 |             |   |       | WB 150 power brush for splash-free cleaning of sensitive<br>surfaces. The effective combination of high pressure and<br>manual brush pressure saves energy, water and up to 30%<br>time.  |     |
| WB 100 rotating wash brush  | 9                    | 2.643-236.0                                 |             |   |       | Rotating wash brush with joint for cleaning all smooth sur-<br>faces, e.g. paint, glass or plastic. 18° infinitely adjustable<br>joint on handle for cleaning difficult to reach areas.   |     |
| WB 60 soft surface wash brush   | 10                   | 2.643-233.0                                 |             |   |       | Soft brush for cleaning large areas, e.g. cars, caravans, boats<br>conservatories or roller shutters). Working width of 248 mm<br>ensures good coverage.  |     |
| Wheel washing brush   | 11                   | 2.643-234.0                                 |             |   |       | Wheel washing brush for effective cleaning also in difficult<br>to reach areas. Uniform 360° water distribution for a perfec<br>cleaning result.  | t 🗆 |
| Wash brush  | 12                   | 6.903-276.0                                 |             |   |       | Wash brush with soft bristles for cleaning sensitive areas<br>and areas which are difficult to access in the outside area.<br>Suitable for all Kärcher K 2 to K 7 pressure washers.   |     |
| High-pressure replacement hose: W   | ith an               | ti-twist system and Quick Con               | nect system |   |       | - Concore for an Harener IV 2 to IV 7 pressure washers.   | 1   |
| H 10 Q Flex PremiumFlex anti<br>twist   | 13                   | 2.643-585.0                                 |             |   |       | Innovative PremiumFlex high-pressure hose with anti-twist<br>system for twist-free work. 10 m long. Includes Quick Con-<br>nect adaptor. For devices in the K 2 to K 7 ranges. Not<br>suitable for hose reel devices or for Full Control devices in<br>the K 4 to K 7 ranges. |     |
| High-pressure replacement hose: sy<br>H 9 Q high-pressure hose Quick<br>Connect | <b>istem</b> 1<br>14 | from 2009 with Quick Connect<br>2.641-721.0 | system      |   |       | 9 m high-pressure replacement hose for K 2 to K 7 pressure<br>washers manufactured since 2009, on which the hose is<br>attached to the spray gun and device with a Quick Connect  |     |
| High-Pressure replacement hose kit  | t syste              | m from 1992                                 |             | 1 | 1     | quick coupling. 180 bar, 60°C.  | 1   |
| Adapter set extension hose  | -                    | 2.643-037.0                                 |             |   |       | Two-part adapter set for connecting an extension hose with<br>screw thread to a pressure washer with a Quick Connect<br>system. Not for hose reel machines.   |     |

# ACCESSORIES FOR K 2 FULL CONTROL 1.673-400.0

| 16 17   |    |                              |                              | 21    |   |
|---|----|------------------------------|------------------------------|-------|---|
| 24 <b>4 2</b> 6   |    | 27                           | 28                           | 29    |   |
|   |    | Order no.                    |                              | Price | Description   |
| High-pressure extension hose: Syst<br>XH 10 Q extension hose Quick<br>Connect |    | <b>2008 onwards for devi</b> | es with Quick Connect system |       | High-pressure extension hose for greater flexibility. 10 m<br>robust DN 8 quality hose for durability. For K 3 to K 7 de-<br>vices manufactured since 2008 with Quick Connect adapter.<br>Connect between spray gun and high-pressure hose. |
| Special applications  |    |                              |                              |       |   |
| FJ 6 foam jet   | 17 | 2.643-147.0                  |                              |       | FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying    I  |
| FJ 10 C foam jet Connect 'n' Clean<br>with ultra foam cleaner 3-in-1          | 18 | 2.643-143.0                  |                              |       | cleaning products to stone and wood surfaces and façades.  Ultra foam cleaner + quick-change system FJ 10 C Connect  'n' Clean foam nozzle. Easy change between different deter-  gents with just a simple click.                           |
| FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1                    | 19 | 2.643-144.0                  |                              |       | Car shampoo + quick-change system FJ 10 C Connect 'n'<br>Clean foam nozzle. Easy change between different deter-<br>gents with just a simple click.   |
| PC 20 roof gutter and pipe clean-<br>ing kit                                  | 20 | 2.642-240.0                  |                              |       | The gutter and pipe cleaning kit works all by itself - with<br>high pressure. It easily cleans outflows, pipe blockages and<br>gutters. Hose length: 20m.   |
| PC 7.5 pipe cleaning kit  | 21 | 2.637-729.0                  |                              |       | Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.  |
| PC 15 pipe cleaning kit   | 22 | 2.637-767.0                  |                              |       | Pipe cleaning kit with 15 m hose for clearing blockages in  |
| Vario joint   | 23 | 2.640-733.0                  |                              |       | pipes, drains and downpipes.      C        Vario joint, rotates 180° for cleaning difficult to reach areas.      For connection between gun and accessory or extension        lance and accessory.      E                                   |
| Organiser   | 24 | 2.641-630.0                  |                              |       | Kärcher organiser, the practical wall-mounted storage sys-<br>tem for Kärcher accessories. With two modules for flexible<br>mounting. Ideal for protecting wash brushes and bristles<br>from bending.                                       |
| FJ 10 C foam jet Connect 'n' Clean<br>with stone cleaner 3-in-1               | 25 | 2.643-145.0                  |                              |       | Stone cleaner + quick-change system FJ 10 C Connect 'n'<br>Clean foam nozzle. Easy change between different deter-<br>gents with just a simple click.   |
| Sand and wet-blasting kit   | 26 | 2.638-792.0                  |                              |       | Sand and wet-blasting kit for removing rust, paint and stub-<br>born dirt using Kärcher abrasive.   |
| Miscellaneous<br>G 180 Q trigger gun Quick Connect                            | 27 | 2.642-889.0                  |                              |       | The new G 180 Q spray gun with Quick Connect is 13 cm<br>longer and is now even more convenient to use and more<br>ergonomic when cleaning with Kärcher pressure washers.   |
| Water filter  | 28 | 4.730-059.0                  |                              |       | Water filter protects pressure washer pumps against dirt  |
| Garden hose adapter   | 29 | 2.640-732.0                  |                              |       | Adapter for garden hose connection – suitable for attaching<br>all Kärcher brushes to garden hoses with the quick-coupling  |
| O-ring set  | 30 | 2.640-729.0                  |                              |       | system.<br>Replacement O-ring set for easy replacement of O-rings and C   |
| Surface cleaners  |    |                              |                              |       | safety plugs on pressure washer accessories.  |
| T 350 T-Racer surface cleaner   | 31 | 2.643-252.0                  |                              |       | With the T-Racer surface cleaner T 350, large surfaces can<br>be cleaned without splashing. Continuous pressure adjust-<br>ment for hard and sensitive surfaces. Handle for vertical<br>cleaning.   |
| Replacement nozzles accessories   | 32 | 2.643-338.0                  |                              |       | High-quality replacement nozzles for all T-Racer surface<br>cleaners (except T 350) for unit classes K 2 to K 7, gutter<br>cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K<br>2 to K 5.                                      |

# K 2 Full Control, 1.673-400.0, 2018-04-06

## KARCHER

# ACCESSORIES FOR K 2 FULL CONTROL 1.673-400.0



|  |    | Order no.   |  |  | Price | Description  |  |
|--|----|-------------|--|--|-------|--|--|
| Replacement nozzles accessories<br>for T 350 | 33 | 2.643-335.0 |  |  |       | The high-quality replacement nozzles guarantee easy re-<br>placement of nozzles and are suitable for the T-Racer T 300<br>/ T 350 surface cleaners for the pressure washer unit class-<br>es K 2 to K 7. |  |
| Accessory kits                               |    |             |  |  |       |  |  |
| Accessory Kit Bike Cleaning                  | 34 | 2.643-551.0 |  |  |       | Cleaning and care to perfection! The accessories kit for<br>motorbike and bicycle cleaning includes 1 wheel washing<br>brush, 1 universal wash brush, 1 litre of Car Shampoo 3-in-1<br>and 1 VPS 160 S.  |  |
| Accessories set for wood cleaning            | 35 | 2.643-553.0 |  |  |       | Accessories kit for wood cleaning, With Power scrubber PS<br>40, Wood Cleaner 3-in-1 and Connect 'n' Clean FJ 10 C foam<br>jet. Ideal for cleaning and maintaining wood and stone sur-<br>faces.         |  |
| Accessory Kit Car Cleaning                   | 36 | 2.643-554.0 |  |  |       | The accessories kit for car cleaning: With WB 50, 1 litre of<br>Ultra Foam Cleaner 3-in-1, 1 bottle of insect remover, 1<br>bottle of rim cleaner, as well as Connect 'n' Clean FJ 10 C<br>UFC foam jet. |  |

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR K 2 FULL CONTROL 1.673-400.0

## KÄRCHER



|  |   | Order no.   |   | Price | Description   |   |
|--|---|-------------|---|-------|---|---|
| Hose connection systems                    |   | 11          | I | <br>  |   |   |
| Universal Hose Connector with<br>Aqua Stop | 1 | 2.645-192.0 |   |       | Universal hose coupling with Aqua Stop. Ergonomic design<br>for convenient handling.  |   |
| Universal Hose Connector                   | 2 | 2.645-191.0 |   |       | Ergonomically designed universal hose coupling for conven-<br>ient handling.  | C |
| Hoses                                      |   |             |   |       |   |   |
| Hose set for pressure washers              | 3 | 2.645-156.0 |   |       | Hose set for high-pressure cleaning or garden watering.<br>With 10 m PrimoFlex <sup>®</sup> hose (3/4"), G3/4 tap adaptor, 1 x<br>universal hose connector and universal connector with Aqua<br>Stop.   | C |
| Water supply hose set                      | 4 | 2.645-258.0 |   |       | Hose set for water supply (pressure washer, garden water-<br>ing). With 10 m PrimoFlex <sup>®</sup> hose (½"), hose connector with<br>and without Aqua Stop, and Universal connection for<br>non-threaded taps.                                 |   |
| PrimoFlex® hose - 1/2" 20 m                | 5 | 2.645-138.0 |   |       | The PrimoFlex <sup>®</sup> (1/2") flexible garden hose is 20 m long,<br>temperature-resistant, comes with pressure-resistant rein-<br>forcement technology and contains no substances that are<br>harmful to health. Bursting pressure: 24 bar. | C |
| Hose storage and hose trolley              |   |             |   |       |   |   |
| Hose Trolley HT 3.420 Kit 5/8"             | 6 | 2.645-167.0 |   |       | Compact hose trolley with height adjustable handle, angled<br>hose connector, free-wheeling crank, and innovative folding<br>function for space-saving stowage. Fully assembled.  | C |
| Premium Hose Reel HR 7.315 Kit<br>1/2"     | 7 | 2.645-164.0 |   |       | Watering Station for the practical and space-saving stowage<br>of hoses and garden accessories. With removable drum,<br>storage possibility for nozzles, spray guns, and spray lances<br>and spacious storage box. Fully equipped.              |   |

■ Included in delivery. □ Available accessories.