# High Temperature Cable Tie multicomp





#### Specification

Material : UL approved Nylon 46, 94V-2.


Colour : Brown

Application : One piece self-lock cable tie save the time and make effective for installation.

Feature : Designed for extra high-temperature up to 150°C.

Part Number	Length L		Width	Max. Bundle	Min Loop Tensile Strength		Packing
	mm	inch	W	Dia.	lbs	kgs	. comig
MP010043	100	4"	2.5	22	18	8	100 pcs / Bag
MP010044	150	6"	3.6	36	40	18	
MP010045	203	8"	4.6	52	50	22	
MP010046	300	11 7/8"	4.8	83	50	22	
MP010047	380	15"	7.6	105	120	55	
MP010048	385	15 3/18"	4.8	110	50	22	

## Dimensions



## Part Number Table

Description	Part Number
Cable Tie, High Temp, Nylon 46, 100mm, PK100	MP010043
Cable Tie, High Temp, Nylon 46, 150mm, PK100	MP010044
Cable Tie, High Temp, Nylon 46, 203mm, PK100	MP010045
Cable Tie, High Temp, Nylon 46, 300mm, PK100	MP010046
Cable Tie, High Temp, Nylon 46, 385mm, PK100	MP010047
Cable Tie, High Temp, Nylon 46, 380mm, PK100	MP010048

#### **Dimensions : Millimetres**

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

