

## FEATURES

- Micrometer graduated with an accuracy of 0.01mm
- Positive spindle lock fitted
- Supplied with a storage box and an adjustment spanner
- Features carbide measuring faces and a painted frame

# RS Outside Micrometer

## DIN863

RS Stock No.: 2614508



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Micrometers

### Product Description

Accuracy conforms to DIN 863  
 Hammertone blue baked enamel finish  
 Tungsten carbide measuring faces  
 Non-glare satin chrome barrel & sleeve  
 Microfine graduations for accurate reading  
 Micrometers above 25mm supplied with setting rod  
 Spindle locking lever  
 Spindle diameter 6.5mm  
 Standard models have ratchet thimble  
 Supplied in fitted case with adjustment tools  
 Micrometer graduations: Metric: 0.01mm

### General Specifications

|                      |             |
|----------------------|-------------|
| <b>Range</b>         | 250mm-275mm |
| <b>Resolution</b>    | 0.01mm      |
| <b>Repeatability</b> | 0.01mm      |
| <b>Accuracy</b>      | ±0.009mm    |

### Mechanical Specifications

|  |  |
|--|--|
|  |  |
|--|--|

### Electrical Specifications

|  |  |
|--|--|
|  |  |
|--|--|

### Protection Category

|  |  |
|--|--|
|  |  |
|--|--|

### Classification

|                         |  |
|-------------------------|--|
| <b>eCl@ss</b> (Version) |  |
| <b>UNSPSC</b> (Version) |  |

**Approvals**

|                                     |  |
|-------------------------------------|--|
| <b>Declarations</b>                 |  |
| <b>Hazardous Area Certification</b> |  |
| <b>Standards Met</b>                |  |

**Similar Products**

| <b>Stock No.</b> | <b>Brand</b> | <b>Product Name</b> | <b>Attribute 1</b> | <b>Attribute 2</b> | <b>Attribute 3</b> |
|------------------|--------------|---------------------|--------------------|--------------------|--------------------|
|                  |              |                     |                    |                    |                    |